



# Safety Data Sheet



According to OSHA 29 CFR 1910.1200 HCS & Canada WHMIS

Revision Date : 18.05.2015

## SECTION 1: Identification

### 1.1. Product identifier

Product Name : Xstamper Refill Ink Color : (Blue)  
 CS-10N, CS-20N, CS-60N ( X-200 ink )  
 Xstamper Products  
 Dyestuff type Xstamper  
 CX-AN,CX-BN,CX-GN,CX-FN CA 2N,CA-3N,etc



### 1.2. Recommended use of the chemical and restrictions on use

Recommended use : Stamp ink

### 1.3. Details of the supplier of the safety data sheet

Company Name : Shachihata Inc. (U S A )  
 Address : 20775 S. Western Ave. Suite 105 Torrance, CA 90501 U.S.A  
 Telephone : 1-800-541-9719  
 Fax : 1-800-541-7166  
 Contact (e-mail) : info@shachihata.com

### 1.4. Emergency telephone number

CHEMTREC 1-800-424-9300

(For Hazardous materials or dangerous goods incident Spill, leak, fire, exposure or accident)

## SECTION 2: Hazard(s) identification

**United States (US)** According to OSHA 29 CFR 1910.1200 HCS 2012

### 2.1.1 Classification of the substance or mixture

Flammable liquids, Category 3 H226 Flammable liquid and vapour  
 Serious eye damage /eye irritation Category 2E H320 Causes eye irritation

### 2.1.2 Label elements

Hazard pictograms



Note:  
 This product does not need to be considered as flammable liquids for Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS.  
 Refer to section 9 and 14.

Signal word : Warning

Hazard statement : Flammable liquid and vapour (H226)  
 Causes eye irritation (H320)

Precautionary statement

[Prevention]

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. (P210)

Take precautionary measures against static discharge. (P243)

Wear protective gloves/protective clothing/eye protection/face protection. (P280)

Wash hands thoroughly after handling. (P264)

[Response]

In case of fire : Use dry chemical powder form or carbon dioxide for extinction. (P370+P378)

IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing. (P304+P340)

IF IN EYES : Rinse cautiously with water for several minutes. (P305+P351+P338)  
 Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists : Get medical advice/attention. (P337+P313)

IF SWALLOWED : Get medical advice/attention if you feel unwell. Rinse mouth. (P301+P314+P330)

**[Storage]**

Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

**[Disposal]**

Dispose of contents/container to waste in accordance with local/regional/ national/international regulation (to be specified)

(P501)

**2.1.3 Other hazards**

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

**Canada** : According to WHMIS

**2.2:1 Classification of the substance or mixture**

- Class B2 : Flammable Liquids
- Class D2B : Eye irritant

**2.2.2 Label elements**



**2.2.3 Other hazards**

In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS)

**2.3 Other information**

**NFPA**

**HMIS**

**SECTION 3: Composition/information on ingredients**

Substance/Mixture Ingredients	Mixture	CAS Registry No.	Classification (OSHA HCS 2012)	
Chemical Name / Generic name	Composition weight %		Hazard Class	Hazard statement
Ethanol	1 ~ 10	64-17-5	Flam. Liq. 2	H225
Derivative of vegetable oil	40 ~ 50	Confidential	none	none
1,2-Propylene glycol	5 ~ 15	57-55-6	none	none
2-(2-butoxyethoxy)ethanol	5 ~ 15	112-34-5	Eye Irrit. 2A	H319
Vegetable oil	1 ~ 10	Confidential	none	none
Synthetic resin	5 ~ 15	Confidential	none	none
Dyestuff	10 ~ 20	Confidential	none	none
total	100			

**SECTION 4: First-aid measures**

**4.1. Description of first aid measures**

- IF INHALED** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Consult a doctor if symptoms persist.
- IF ON SKIN** : Remove/Take off immediately all contaminated clothing. Wash with soap and water. If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.
- IF IN EYES** : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing if eye irritation persists, get medical advice/attention.
- IF SWALLOWED** : After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach, and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient.

when not conscious. Receive the doctor's treatment (stomach pump) promptly.

**Note to Physicians:**

All treatments should be based on observed signs and symptoms of distress in the patient.

Consideration should be given to the possibility that over-exposure to materials other than this product may have occurred.

**SECTION 5: Fire-fighting measures**

**5.1. Extinguishing media**

Suitable extinguishing media : Dry chemical powder foam or carbon dioxide

Unsuitable extinguishing media : Water jet

**5.2. Special hazards arising from the substance or mixture**

For initial stage extinction, carbon dioxide or dry chemical powder

When a fire extends, fire is extinguished by a large amount of water spray.

Do not discharge extinguishing waters into the aquatic environment

**5.3. Advice for firefighters**

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn.

Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate personnel to safe area. Shut off all sources of ignition

No Flares, smoking or flame, in area. Put on protective equipment. Ensure adequate ventilation.

**6.2. Environmental precautions**

Do not throw the leakage thing directly into environment

**6.3. Methods and material for containment and cleaning up**

In case of a small spill, remove by absorbing with absorbent (sawdust, soil, sand, waste cloth, etc.), and then wipe off the waste well with waste cloth, and rag

In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.) and collect into empty container by scoop, suction equipment or the like.

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Advice on safe handling

Use with adequate ventilation

Avoid contact with skin, eyes and clothing

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Do not eat, drink or smoke when using this product

**7.2. Conditions for safe storage, including any incompatibilities**

Requirements for storage

Keep containers tightly closed and store in a cool and dry place.

areas and containers

Keep away from heat and flame, ignition source and sunlight.

Keep out of the reach of children

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

ACGIH (2013)

Ethanol STEL 1000ppm

2-(2-butoxyethoxy)ethanol TWA 10ppm

OSHA PEL

Ethanol TWA 1000ppm

Canada Ontario Provincial

Ethanol STEL 1000ppm

1,2-Propylene glycol TWA 50ppm

Canada Quebec Provincial

Ethanol TWA 1000ppm

**8.2. Exposure controls**

Personal protective equipment

Respiratory Protection

Use with local exhaust ventilation, when in long use

Avoid breathing vapours. Wear mask to prevent organic gas, if necessary

- Hand Protection : Avoid contact with hands. Wear safety gloves, if necessary.  
 Eye Protection : Avoid contact with eyes. Wear safety glasses, if necessary.  
 Skin Protection : Avoid skin contact. Wear personal protection apron, boots, if necessary.

## Environmental exposure controls

- General advice Prevent product from entering drains.  
 Prevent further leakage or spillage if safe to do so.  
 If the product contaminates rivers and lakes or drains inform respective authorities.

**SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance	blue liquid	
Odor	none	
pH	Not applicable	
Boiling point	No data available	
Flash point	104 °F (40 °C) (closed cup)	Not sustained combustibility. Refer to section 14
Relative Density (at 77 °F, 25 °C)	1.0 (g/cm <sup>3</sup> )	
Solubility in Water	Insoluble	

**SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No dangerous reaction known under conditions of normal use

## 10.2. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

## 10.3. Chemical stability

The product is stable

## 10.4. Conditions to Avoid

High temperature, Direct sunlight, Fire

## 10.5. Incompatible Materials

No data available

## 10.6. Hazardous decomposition products

CO, CO<sub>2</sub>

**SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity	LD/LC50 values that are relevant for classification		
	[Ethanol]		
	Oral-rat	LD50	7,060mg/kg
	Inhalation-rat	LC50	20,000ppm/10h
	[2-(2-butoxyethoxy)ethanol]		
	Oral-rat	LD50	5,660mg/kg
	Dermal-rabbit	LD50	2,700mg/kg

Serious eye damage /eye irritation : Category 2B Causes eye irritation

Carcinogenicity : This product does not contain any component that is considered a human carcinogen by IARC, ACGIH, OSHA or NTP.

**SECTION 12: Ecological information**

12.1. Ecotoxicity	No data available
12.2. Persistence and degradability	No data available
12.3. Bioaccumulative potential	No data available
12.4. Mobility in soil	No data available
12.5. Other adverse effects	No known significant effects or critical hazards

**SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

- Disposal must be made according to official regulations  
 Comply with all Federal, State, and Local regulations regarding disposal  
 Do not allow product to reach ground, any water course or sewage system.

**SECTION 14: Transport information**

14.1. UN number	DOT, TDG, IMO / IMDG, IATA / ICAO	: none
14.2. UN proper shipping name	DOT, TDG, IMO / IMDG, IATA / ICAO	: none
14.3. Transport hazard class(es)	DOT, TDG, IMO / IMDG, IATA / ICAO	: : Class none : Label none
14.4. Packing group	DOT, TDG, IMO / IMDG, IATA / ICAO	: none
14.5. Environmental hazards	Marine pollutant	: No
14.6. Special precautions for user	EMS Number	: none
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		: Not applicable.

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part III, subsection 32.5.2. Liquids with a flash point of more than 35 °C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

**SECTION 15: Regulatory information**

< USA Information >

OSHA STATUS	: This product is hazardous under 29 CFR 1910.1200.
TSCA inventory	: All components of this product are listed in the TSCA Inventory.
TSCA Hazard Communication Program (40 CFR Part 721) (SNUR)	: not Listed
EPCRA Section 302 Extremely Hazardous Substances (EHS)	: not Listed
EPCRA Section 313 Toxic Chemicals	: Listed (2-(2-butoxyethoxy)ethanol)
CERCLA Hazardous Substances	: not Listed
CAA Section 112(r) List of Substances for Accidental Release Prevention	: not Listed
California Proposition 65	: not Listed

< Canada Information >

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR

Canada inventory	: All components of this product are listed in the DSL/NDL Inventory.
WHMIS Ingredient Disclosure List (SOR/88-64)	: Ethanol, 1,2-Propylene glycol, (WHMIS Canadian Workplace Hazardous Material Information System) 2-(2-butoxyethoxy)ethanol

**SECTION 16: Other information, including date of preparation or last revision**

Last Revision Date : 18.05.2015  
Preparation Date : 02.10.2013



EU RoHS Directive(2002/95/EC) and ELV Directive(2000/53/EC)  
This product does not contain lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB) or polybrominated diphenylethers (PBDE).

This data sheet may not be enough when evaluating danger or hazard. The above information which is created from currently available documents, information and data, may be revised when new findings announced. This document has been written on the assumption that when dealing with a large amount of ink on the business case and emergency. When handling as a normal product, please refer to the notes that is described in the product or packaging. The information contained herein is not intended to provide any kind of warranty other than information. there is no guarantee for the accuracy of the content.



# Safety Data Sheet



According to OSHA 29 CFR 1910.1200 HCS & Canada WHMIS

Revision Date : 18.05.2015

## SECTION 1: Identification

### 1.1 Product identifier

Product Name Xstamper Refill Ink Color: (Red)  
 CS-10N, CS-20N, CS-60N ( X-200 ink )  
 Xstamper Products  
 Dyestuff type Xstamper  
 CX-AN,CX-BN,CX-GN,CX-FN,CA-2N,CA-3N,etc



### 1.2. Recommended use of the chemical and restrictions on use

Recommended use Stamp ink



### 1.3. Details of the supplier of the safety data sheet

Company Name Shachihata Inc.,(U S A )  
 Address 20775 S. Western Ave., Suite 103 Torrance, CA 90501 U.S.A.  
 Telephone 1-800-541-9719  
 Fax 1-800-541-7166  
 Contact (e-mail) info@shachihata.com

### 1.4. Emergency telephone number

CHEMTREC 1-800-424-9300

(For Hazardous materials or dangerous goods incident Spill, leak, fire, exposure or accident)

## SECTION 2: Hazard(s) identification

**United States (US)** According to OSHA 29 CFR 1910.1200 HCS 2012

### 2.1.1 Classification of the substance or mixture

Flammable liquids, Category 3 H226 Flammable liquid and vapour  
 Serious eye damage /eye irritation, Category 2B H320 Causes eye irritation

### 2.1.2 Label elements

Hazard pictograms



Note  
 This product does not need to be considered as flammable liquids for Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS.  
 Refer to section 9 and 14

Signal word Warning

Hazard statement Flammable liquid and vapour (H226)  
 Causes eye irritation (H320)

Precautionary statement

[Prevention]

Keep away from heat/sparks/open flames/hot surfaces - No smoking (P210)

Take precautionary measures against static discharge (P243)

Wear protective gloves/protective clothing/eye protection/face protection. (P280)

Wash hands thoroughly after handling (P264)

[Response]

In case of fire Use dry chemical powder, form of carbon dioxide for extinction (P370+P378)

IF INHALED Remove victim to fresh air and keep at rest in a position comfortable for breathing. (P304+P340)

IF IN EYES Rinse cautiously with water for several minutes (P305+P351+P338)  
 Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists Get medical advice/attention (P337+P313)

IF SWALLOWED Get medical advice/attention if you feel unwell. Rinse mouth. (P301+P314+P330)

**[Storage]**

Store in a well-ventilated place. Keep container tightly closed

(P403+P233)

**[Disposal]**

Dispose of contents/container to waste in accordance with local/regional/ national/international regulation (to be specified)

(P501)

**2.1.3 Other hazards**

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

**Canada** According to WHMIS

**2.2.1 Classification of the substance or mixture**

Class B2 : Flammable Liquids

Class D2B : Eye irritation



**2.2.2 Label elements**



**2.2.3 Other hazards**

In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS)

**2.3 Other information**



**SECTION 3: Composition/information on ingredients**

Substance/Mixture Ingredients	Mixture	Composition weight %	CAS Registry No.	Classification (OSHA HCS 2012)	
Chemical Name / Generic name				Hazard Class	Hazard statement
Ethanol		1 ~ 10	64-17-5	Flam.Liq.2	H225
Derivative of vegetable oil		40 ~ 50	Confidential	none	none
1,2-Propylene glycol		5 ~ 15	57-55-6	none	none
2-(2-butoxyethoxy)ethanol		5 ~ 15	112-34-5	Eye Irrit. 2A	H319
Vegetable oil		1 ~ 10	Confidential	none	none
Synthetic resin		5 ~ 15	Confidential	none	none
Dyestuff		10 ~ 20	Confidential	none	none
total		100			

**SECTION 4: First-aid measures**

**4.1. Description of first aid measures**

- IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Consult a doctor if symptoms persist
- IF ON SKIN : Remove/Take off immediately all contaminated clothing Wash with soap and water. If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.
- IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
- IF SWALLOWED : After rinse mouth immediately give about 250 ml of water or milk and thin in the stomach, and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient

when not conscious Receive the doctor's treatment (stomach pump) promptly.

Note to Physicians

All treatments should be based on observed signs and symptoms of distress in the patient.

Consideration should be given to the possibility that over-exposure to materials other than this product may have occurred.

**SECTION 5: Fire-fighting measures**

5.1 Extinguishing media

Suitable extinguishing media Dry chemical powder, foam or carbon dioxide

Unsuitable extinguishing media Water jet

5.2. Special hazards arising from the substance or mixture

For initial stage extinction, carbon dioxide or dry chemical powder

When a fire extends, fire is extinguished by a large amount of water spray.

Do not discharge extinguishing waters into the aquatic environment

5.3. Advice for firefighters

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn.

Because during a fire, hazardous gases may be generated, firefighters have to wear self-contained breathing apparatus and other protective equipment

**SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe area Shut off all sources of ignition

No Flares, smoking or flame in area Put on protective equipment Ensure adequate ventilation.

6.2. Environmental precautions

Do not throw the leakage thing directly into environment

6.3 Methods and material for containment and cleaning up

In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth, etc.), and then wipe off the waste well with waste cloth and bag

In case of large spills prevent leakage by enclosing with non flammables (earth and sand, etc.) and collect into empty container by scoop, suction equipment or the like

**SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Advice on safe handling Use with adequate ventilation

Avoid contact with skin, eyes and clothing

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage Keep containers tight, closed and store in a cool and dry place.

areas and containers Keep away from heat and flame, ignition source and sunlight.

Keep out of the reach of children

**SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

ACGIH (2013)

Ethanol STEL 1000ppm

2-(2-butoxyethoxy)ethanol TWA 10ppm

OSHA PEL

Ethanol TWA 1000ppm

Canada Ontario Provincial

Ethanol STEL 1000ppm

1,2-Propylene glycol TWA 50ppm

Canada Quebec Provincial

Ethanol TWA 1000ppm

8.2 Exposure controls

Personal protective equipment

Respiratory Protection Use with local exhaust ventilation, when in long use

Avoid breathing vapours. Wear mask to prevent organic gas, if necessary.



- Hand Protection : Avoid contact with hands. Wear safety gloves, if necessary.
- Eye Protection : Avoid contact with eyes. Wear safety glasses, if necessary.
- Skin Protection : Avoid skin contact. Wear personal protection apron, boots, if necessary.

Environmental exposure controls

- General advice : Prevent product from entering drains
- : Prevent further leakage or spillage if safe to do so
- : If the product contaminates rivers and lakes or drains inform respective authorities.

**SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance	red liquid	
Odor	none	
pH	Not applicable	
Boiling point	No data available	
Flash point	97.7 °F (36.5 °C) (closed cup)	Not sustained combustibility, Refer to section 14
Relative Density (at 77 °F, 25 °C)	1.0 (g/cm <sup>3</sup> )	
Solubility in Water	Insoluble	

**SECTION 10: Stability and reactivity**

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.3. Chemical stability

The product is stable.

10.4. Conditions to Avoid

High temperature, Direct sunlight, Fire

10.5. Incompatible Materials

No data available

10.6. Hazardous decomposition products

CO, CO<sub>2</sub>

**SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Acute toxicity	LD/LC50 values that are relevant for classification		
	[Ethanol]		
	Oral-rat	LD50	7,060mg/kg
	Inhalation-rat	LC50	20,000ppm/10h
	[2-(2-butoxyethoxy)ethanol]		
	Oral-rat	LD50	5,660mg/kg
	Dermal-rabbit	LD50	2,700mg/kg
Serious eye damage /eye irritation	Category 2B	Causes eye irritation	
Carcinogenicity	This product does not contain any component that is considered a human carcinogen by IARC, ACGIH, OSHA or NTP.		

**SECTION 12: Ecological information**

12.1. Ecotoxicity	No data available
12.2. Persistence and degradability	No data available
12.3. Bioaccumulative potential	No data available
12.4. Mobility in soil	No data available
12.5. Other adverse effects	No known significant effects or critical hazards.

**SECTION 13: Disposal considerations**

13.1. Waste treatment methods

- Disposal must be made according to official regulations
- Comply with all Federal, State, and Local regulations regarding disposal
- Do not allow product to reach ground, any water course or sewage system

**SECTION 14: Transport information**

14.1. UN number	DOT, TDG, IMO / IMDG, IATA / ICAO	: none
14.2. UN proper shipping name	DOT, TDG, IMO / IMDG, IATA / ICAO	: none
14.3. Transport hazard class(es)	DOT, TDG, IMO / IMDG, IATA / ICAO	:
	· Class	none
	· Label	none
14.4. Packing group	DOT, TDG, IMO / IMDG, IATA / ICAO	: none
14.5. Environmental hazards	Marine pollutant	: No
14.6. Special precautions for user	EMS Number	: none
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		: Not applicable.

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part III, subsection 32.5.2. Liquids with a flash point of more than 35 °C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

**SECTION 15: Regulatory information**

< USA Information >

OSHA STATUS	: This product is hazardous under 29 CFR 1910.1200.
TSCA inventory	: All components of this product are listed in the TSCA Inventory.
TSCA Hazard Communication Program (40 CFR Part 721) (SNUR)	: not Listed
EPCRA Section 302 Extremely Hazardous Substances (EHS)	: not Listed
EPCRA Section 313 Toxic Chemicals	: Listed (2-(2-butoxyethoxy)ethanol)
CERCLA Hazardous Substances	: not Listed
CAA Section 112(r) List of Substances for Accidental Release Prevention	: not Listed
California Proposition 65	: not Listed


< Canada Information >

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

Canada inventory	: All components of this product are listed in the DSL/NDL Inventory.
WHMIS Ingredient Disclosure List (SOR/88-64)	: Ethanol, 1,2-Propylene glycol,
(WHMIS - Canadian Workplace Hazardous Material Information System)	2-(2-butoxyethoxy)ethanol

**SECTION 16: Other information, including date of preparation or last revision**

Last Revision Date : 18.05.2015  
 Preparation Date : 02.10.2013



**RoHS  
 ELV  
 compliant**

EU RoHS Directive(2002/95/EC) and ELV Directive(2000/53/EC)  
 This product does not contain lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB) or polybrominated diphenylethers (PBDE).

This data sheet may not be enough when evaluating danger or hazard. The above information, which is created from currently available documents, information and data, may be revised when new findings announced. This document has been written on the assumption that when dealing with a large amount of ink on the business case and emergency. When handling as a normal product, please refer to the notes that is described in the produce or packaging. The information contained herein is not intended to provide any kind of warranty other than information, there is no guarantee for the accuracy of the content.