

Version 1.0	Revision Date 04/23/2015	Print Date 06/01/2015
SECTION 1. PRODUCT AND	COMPANY IDENTIFICATION	

Material name	: BZ7390 ZP CHRY IND HND CLN R054	25 4/1G F
Material number	: 00000000001045073	
Manufacturer or supplier's	etails	
Company	: Zep Inc.	
Address	: 1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318	
Telephone	: 404-352-1680	

Emergency telephone numbers		
For SDS Information	: Compliance Services 1-877-428-9937	
For a Medical Emergency	: 877-541-2016 Toll Free - All Calls Recorded	
For a Transportation Emergency	: CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616	

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	red
Odour	pleasant

GHS Classification

Flammable liquids Eye irritation	:	Category 4 Category 2A
GHS Label element		
Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H227 Combustible liquid. H319 Causes serious eye irritation.
Precautionary statements	:	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and



Version 1.0	Revision Date 04/23/2015	Print Date 06/01/2015
	 easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Storage: P403 + P235 Store in a well-ventilated place. Keep cool. Disposal: P501 Dispose of contents/container in accordance with local regulation. 	
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product presen equal to 0.1% is identified as probabl human carcinogen by IARC.	5
ACGIH	No component of this product presen equal to 0.1% is identified as a carcin carcinogen by ACGIH.	
OSHA	No component of this product presen equal to 0.1% is identified as a carcin carcinogen by OSHA.	
NTP	No component of this product presen equal to 0.1% is identified as a known by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
alkanes, C12-14-iso-	68551-19-9	>= 30 - < 50
Alcohols, C12-16, ethoxylated	68551-12-2	>= 5 - < 10
MEA Tallate	Not Assigned	>= 5 - < 10
sodium xylenesulphonate	1300-72-7	>= 1 - < 5
Poly(oxy-1,2-ethanediyl), .alphahydroomega hydroxy-Ethane-1,2-diol, ethoxylated	25322-68-3	>= 1 - < 5
9-Octadecenoic acid (9Z)-, compd. with N,N- dimethyl-1-dodecanamine (1:1)	70321-83-4	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	 If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.



Version 1.0	Revision Date 04/23/2015	Print Date 06/01/2015
In case of skin contact	: This product is formulated for use o be immediately washed off with pleu use if irritation and redness develop more than 72 hours, condult a phys	nty of water. Discontinue . If conditions persist for
In case of eye contact	 Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a sp If in eyes, rinse with water for 15 mi 	
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an If symptoms persist, call a physiciar DO NOT induce vomiting unless dir physician or poison control center. Take victim immediately to hospital. 	n. ected to do so by a

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2) Water spray jet Alcohol-resistant foam Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Material can create slippery conditions.
protective equipment and	Use non-slip safety shoes in areas where spills or leaks can
emergency procedures	occur.
	Refer to protective measures listed in sections 7 and 8.



Version 1.0	Revision Date 04/23/2015	Print Date 06/01/2015
Environmental precautions	: Prevent product from entering dra Prevent further leakage or spillag If the product contaminates rivers respective authorities.	e if safe to do so.
Methods and materials for containment and cleaning up	: Contain spillage, and then collect absorbent material, (e.g. sand, ea vermiculite) and place in containe local / national regulations (see s Keep in suitable, closed containe	arth, diatomaceous earth, er for disposal according to ection 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid formation of aerosol. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Avoid contact with eyes. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 No smoking. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Materials to avoid	: Keep away from oxidising agents and strongly acid or alkaline materials.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Poly(oxy-1,2-ethanediyl), .alphahydroomega hydroxy-Ethane-1,2-diol, ethoxylated	25322-68-3		10 mg/m3	US WEEL

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection



Version 1.0	Revision Date 04/23/2015	Print Date 06/01/2015
Remarks	: No special protection is required.	
Eye protection	: Eye protection is not required while In the workplace, the use of safety avoid eye exposure during the har during spill clean-up.	glasses is recommended to
Skin and body protection	: No special protection is required.	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	red
Odour	:	pleasant
Odour Threshold	:	no data available
рН	:	7 - 8
Melting point/freezing point	:	no data available
Boiling point	:	104.4 °C
Flash point	:	
		no data available
Evaporation rate	:	1
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Density	:	0.96 g/cm3
Solubility(ies)		
Water solubility	:	emulsifiable
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	> 25 mm2/s (40 °C)



Version 1.0	Revision Date 04/23/2015	Print Date 06/01/2015
SECTION 10. STABILITY	AND REACTIVITY	
Reactivity	: Stable	

•	
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Method: Calculation method	Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
----------------------------	-----------------------	-------------------------------------------------------------------------

Skin corrosion/irritation

Product:

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Remarks: Irritating to eyes.

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

alkanes, C12-14-iso-: Alcohols, C12-16, ethoxylated: MEA Tallate: sodium xylenesulphonate: Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-Ethane-1,2-diol, ethoxylated:



Version 1.0

Revision Date 04/23/2015

Print Date 06/01/2015

9-Octadecenoic acid (9Z)-, compd. with N,N-dimethyl-1-dodecanamine (1:1):

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water	: Remarks: no data available
Mobility in soil	
no data available	
Other adverse effects	
no data available	

no data available

Product:

Regulation40 CFR Protection of Environment; Part 82 Protection of
Stratospheric Ozone - CAA Section 602 Class I
SubstancesRemarksThis product neither contains, nor was manufactured
with a Class I or Class II ODS as defined by the U.S.
Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A
+ B).

Additional ecological : no data available information

SECTION 13. DISPOSAL CONSIDERATIONS



Version 1.0	Revision Date 04/23/2015	Print Date 06/01/2015
Disposal methods		
Waste from residues	: Dispose of in accordance with local reg	ulations.
	Do not dispose of waste into sewer. Do not contaminate ponds, waterways of chemical or used container.	or ditches with
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, t 	he empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.


SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.



Version 1.0	Revision Date 04/23/2015	Print Date 06/01/2015
SARA 313	: SARA 313: This material does not c components with known CAS numb threshold (De Minimis) reporting lev Title III, Section 313.	ers that exceed the
California Prop 65	: This product does not contain any c California to cause cancer, birth def reproductive harm.	
The components of t	nis product are reported in the following in	ventories:
TSCA DSL	On TSCA Inventory This product contains one or several compo Canadian DSL nor NDSL.	nents that are not on the
AICS	Not in compliance with the inventory	
NZIOC	Not in compliance with the inventory	
PICCS	Not in compliance with the inventory	
IECSC	Not in compliance with the inventory	
Inventory Acronym a	nd Validity Area Legend:	

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:

Hazard pictograms

Signal word Hazard statements Precautionary statements



Combustible liquid. Causes serious eye irritation.

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash skin thoroughly after handling. Wear protective gloves/ eye



Version 1.0	Revision Date 04/23/2015	Print Date 06/01/2015
	protection/ face protection. Response: IF IN EYES: Rinse cautiously with water f contact lenses, if present and easy to do. Continue rir medical advice/ attention. In case of fire: Use dry sand resistant foam for extinction. Storage: Store in a well-ventilated place. Keep cool. Disposal: Dispose of contents/container in accordance	nsing. If eye irritation persists: Get d, dry chemical or alcohol-

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.