

Version 1.1	Revision Date 06/11/2018	Print Date 02/19/2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ENFORCER BED BUG SPRAY	
EPA ID Number:		1021-1767-40849	
Material number	:	EBBK14	
Manufacturer or supplier's details			
Company	:	Zep Commercial Sales & Service, a unit of Zep, Inc.	
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137	
Telephone	:	404-352-1680	

Emergency telephone numbers

For SDS Information	: 0	Compliance Services 1-877-428-9937
For a Medical Emergency	: 8	77-541-2016 Toll Free - All Calls Recorded
For a Transportation	: 0	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency	li	n the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Pesticide

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	white
Odour	pleasant

GHS Classification

GHS Classification	
Gases under pressure	: Liquefied gas
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated.
Precautionary statements	 Prevention: P251 Pressurized container: Do not pierce or burn, even after use. Storage: P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
	1/12



Version 1.1

Revision Date 06/11/2018

Print Date 02/19/2020

Disposal:

P501 Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
butane	106-97-8	>= 5 - < 10
Distillates (petroleum), hydrotreated light	64742-47-8	>= 1 - < 5
propane	74-98-6	>= 1 - < 5
N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-	113-48-4	>= 1 - < 5
dicarboximide		

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	:	Do not leave the victim unattended. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Get medical attention if symptoms occur.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off immediately with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Most important symptoms and effects, both acute and delayed	:	Effects may be delayed, symptoms may include minor eye or skin irritation. Overexposure may cause mild eye or skin irritation.
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.



Version 1.1

Revision Date 06/11/2018

Print Date 02/19/2020

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray jet Carbon dioxide (CO2) Alcohol-resistant foam Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products Specific extinguishing methods		Carbon dioxide (CO2) Carbon monoxide Smoke Nitrogen oxides (NOx) Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.



Version 1.1

Revision Date 06/11/2018

Print Date 02/19/2020

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Keep in a dry, cool and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
		PEL	800 ppm 1,900 mg/m3	CAL PEL
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL (particulate)	5 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm	CAL PEL

SAFETY DATA SHEET



A07419 ENF BDBG KLR EBBK14 12C 20N14

Version 1.1	Revision Date 06/11/2018	Print Date 02/19/2020
	1,8	300 mg/m3
Engineering measures	: effective ventilation in all proces	sing areas
Personal protective equipme	ent	
Respiratory protection	: Use respiratory protection unles ventilation is provided or expose that exposures are within recom	ire assessment demonstrates
Hand protection Material Remarks	Protective glovesThe suitability for a specific worl with the producers of the protec	
Eye protection	: Safety glasses Access to clean water to rinse e include: eye wash stations or sh with pure water.	
Skin and body protection	: Impervious clothing Choose body protection accordi concentration of the dangerous	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and	at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied ga	IS
Colour	: white	
Odour	: pleasant	
Odour Threshold	: No data available	
рН	: 7.43	
Melting point/freezing point	: No data available	
Boiling point	: not determined	
Flash point	:	
	No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: The product is not flammable.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: not determined	



Version 1.1	Revision Date 06/11/2018	Print Date 02/19/2020
Relative vapour density	: No data available	
Density	: 0.988 g/cm3 (20 °C)	
Solubility(ies)		
Water solubility	: partly miscible	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight. Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	: Effects may be delayed, symptoms may include minor eye or skin irritation.

Carcinogenicity:

IA	RC
----	----

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



Version 1.1	Revision Date 06/11/2018	Print Date 02/19/2020
ACGIH	No component of this product preser equal to 0.1% is identified as a carcin carcinogen by ACGIH.	
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
NTP		
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 n Method: Calculation method	ng/kg
Acute inhalation toxicity	: LC50 : 2.07 mg/l Test atmosphere: dust/mist Remarks: Harmful by inhalation.	
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 n Method: Calculation method	ng/kg
Components:		
Distillates (petroleum), hyd	Irotreated light:	
Acute oral toxicity	: LD50 Rat: > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 Rat: > 4.6 mg/l Exposure time: 6 h	
Acute dermal toxicity	: LD50 Rat: > 2,000 mg/kg	
N-(2-ethylhexyl)-8,9,10-trin Acute oral toxicity	orborn-5-ene-2,3-dicarboximide: : LD50 Oral Rat: 2,800 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: 470 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Serious eye damage/eye irritati	on	
Product:		
Remarks: May irritate eyes.		
Respiratory or skin sensitisatio	on	
No data available		
Germ cell mutagenicity		
No data available		



A07419 ENF BDBG KLR	EBBK14 12C 20N14	
Version 1.1	Revision Date 06/11/2018	Print Date 02/19/2020
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: No data available		
Components:		
Distillates (petroleum), hydrot Remarks: No data available	treated light:	
Remarks. No data available		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:	
Toxicity to fish	: Remarks: Toxic to fish.
	Remarks. Toxic to fish.
Toxicity to daphnia and other aquatic invertebrates	: Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: No data available
Partition coefficient: n- octanol/water	: Pow: 2.89



Version 1.1	Revision Date 06/11/2018	Print Date 02/19/2020
Mobility in soil		
No data available		
Other adverse effects		
No data available <u> Product:</u>		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec Substances	
Remarks	This product neither contains, new with a Class I or Class II ODS as Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: Not applicable	
<u>Components:</u> Distillates (petroleum), hydro	otreated light :	
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal me	ethods
-------------	--------

Waste from residues	 Dispose of in accordance with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide on Provincial Environmental control agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.
Contaminated packaging	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IMDG (Vessel):

SAFETY DATA SHEET



A07419 ENF BDBG KLR EBBK14 12C 20N14

Version 1.1

Revision Date 06/11/2018

Print Date 02/19/2020

UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION

Harmful if absorbed through skin.

This pesticide is toxic to fish and aquatic invertebrates.

Observe label precautions.

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Gases under pressure
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



Version 1.1

Revision Date 06/11/2018

Print Date 02/19/2020

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL


For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information



OSHA - GHS Label Information:

Hazard pictograms		
Signal word Hazard statements Precautionary statements	 Warning: Contains gas under pressure; may explode if heated. Prevention: Pressurized container: Do not pierce or burn, even after use. 	
	Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: Dispose of contents/container in accordance with local regulation.	



Version 1.1

Revision Date 06/11/2018

Print Date 02/19/2020

Version:	1.1
Revision Date:	06/11/2018
Print Date:	02/19/2020

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.