Safety Data Sheet

Issue Date 20-Sep-2018	Revision/Review Date: 20-Sep-2018	Version 1.0
	1. IDENTIFICATION	
<u>Product Identifier</u> Product Name	Boardwalk Industrial Strength Alkaline Drain Clear	ier
Other Means of Identification Product Code	BWK4823	
Decommonded Lies of the Chami	ad and Destrictions on Llas	
Recommended Use of the Chemi Recommended Use	Drain opener RTU. For industrial use.	
Details of the Supplier of the Safe Manufactured for Boardwalk®/ Essendant Co. One Parkway North Deerfield, IL 60015	ety Data Sheet	
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	Phone: 1-844-828-5617 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)	
	2. HAZARDS IDENTIFICATION	
Appearance Colorless	Physical State Liquid	Odor None
Classification_		
Acute Toxicity - Oral		Category 4
Skin corrosion/irritation		Category 1
		Category 1
Serious eye damage/eye irritation Corrosive to metals		Category 1
Hazards Not Otherwise Classified None known.	L(HNOC)	
<u>Signal Word</u> Danger		
Hazard Statements Harmful if swallowed. Causes severe skin burns and eye May be corrosive to metals.	damage.	\mathbf{v}
Precautionary Statements - Preve Keep only in original container. Wash face, hands and any exposed Wear protective gloves/protective c Do not breathe dust/fume/gas/mist/	I skin thoroughly after handling. othing/eye protection/face protection. /apors/spray.	

Do not eat, drink or smoke when using this product.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Boardwalk Industrial Strength Alkaline Drain Cleaner

SPECIFIC TREATMENT: Remove from exposure and treat symptoms. IN CASE OF SPILL: Absorb spillage to prevent material damage.

Precautionary Statements – Storage

Store locked up. Store in corrosive resistant container with a resistant inner liner.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional and/or national regulation.

Other Hazards

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	40-70
Sodium Hydroxide	1310-73-2	15-40
Potassium Hydroxide	1310-58-3	3 - 7

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Skin Contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if necessary.
Ingestion	Never give anything by mouth to an unconscious person. Clean mouth with water and drink afterwards plenty of water. Get medical advice/attention.

Most Important Symptoms and Effects

Symptoms	Causes serious eye damage. Causes skin burns. Prolonged or repeated exposure can remove natural skin oils and may produce irritation.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to Physician	Treat symptomatically. May aggravate pre-existing skin disorders and pulmonary diseases.
--------------------	------------------------------------------------------------------------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Water. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

Heat is liberated when this product is mixed with water, which can result in splattering or dangerous mists.

Hazardous Combustion Products

Normal products of combustion.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13, Disposal Considerations, for additional information. See Section 12 for additional Ecological Information.	
Methods and Material for Containn	nent and Cleaning Up	
Methods for Containment	Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.	

Methods for Clean-Up Contain and collect with an inert absorbent and place into an appropriate container for disposal. Rinse area with clean water and dry before permitting traffic.

7. HANDLING AND STORAGE

Precautions for Safe Handling

contact after har work clo	on recommended in Section 8. For industrial and commercial use only. Avoid with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly ndling. Take off all contaminated clothing and wash before reuse. Contaminated thing should not be allowed out of the workplace. Do not breathe he/gas/mist/vapors/spray.
----------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Conditions for Safe Storage. Including Any Incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Protect from freezing. Keep out of the reach of children. Store locked up away from strong oxidants, acids, metals and food.
Incompatible Materials	Strong oxidants, acids and metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide 1310-73-2	-	TWA: 2 mg/m ³	-

Appropriate Engineering Controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions. Eyewash stations. Showers.

Individual Protection Measures. such as Personal Protective Equipment

Eye/Face Protection	Use chemical splash goggles or glasses as necessary to prevent contact.
Skin and Body Protection	Chemical resistant, impermeable gloves. Wear suitable protective clothing.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Appearance Color	Liquid Clear Colorless	Odor Odor Threshold	None Not determined
Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity	Values 12.5-13.0 Not determined Not determined Not applicable Not determined Liquid-not applicable Not applicable Not applicable Not determined Not determined 1.40	<u>Remarks • Method</u>	
Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties	Completely soluble Not determined Not determined Not determined Not determined Not determined Not determined Not an explosive Not determined	@ 25 ℃ (77 °F)	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children. Isolate from extreme heat and open flame. Keep from freezing.

Incompatible Materials

Reacts with water generating heat. Reacts violently with acids. Attacks many plastics, rubber, coatings, and metals (such as aluminum, zinc, tin and lead. Reacts with ammonium salts. Incompatible with nitrogen containing organics, chlorinated alkenes, carbohydrates, phosphorus, explosives, organic peroxides, and per sulfates. Absorbs carbon dioxide and water from the air.

Hazardous Decomposition Products

Thermal decomposition can produce potassium oxide, sodium oxide, sodium hydroxide, hydrogen chloride, and phosgene. Carbon monoxide can be produced when mixed with carbohydrates and chloroacetylene when mixed with chlorinated alkenes and heat.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact

Causes serious eye damage.

Boardwalk Industrial Strength Alkaline Drain Cleaner

Inhalation Avoid breathing vapors or mists.

Causes skin burns.

Ingestion May be harmful if swallowed.

Component Information

Skin Contact

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hydroxide 1310-73-2	= 500 mg/kg (Rabbit)	-	-
Potassium Hydroxide 1310-58-3	= 600 mg/kg (Rat)	>2000 mg/kg (Rabbit)	-

Information on Physical. Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Sensitization None known.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
None known				
ACGIH (American Conference of Governmental Industrial Hygionists)				

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 3 IARC components are "not classifiable as human carcinogens"

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

None known.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Hydroxide 1310-73-2	-	125 mg/L 96hr (fresh water): mosquito fish	-	-
Potassium Hydroxide 1310-58-3	-	80 mg/L 96hr: mosquito fish	-	-

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.
	14. TRANSPORT INFORMATION
Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<u>DOT</u>	Gallon containers or Larger: UN3266, Corrosive Liquid, Basic, Inorganic, NOS (Containing Sodium Hydroxide and Potassium Hydroxide), 8, PGII Quart Bottles or Smaller: Consumer Commodity ORM-D or Limited Quantity

IMDG

15. REGULATORY INFORMATION

International Inventories

Canada – Domestic Substances List (DSL) TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt. All ingredients are listed or exempt.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide 1310-73-2	1000 lb		RQ 1000 lb
Potassium Hydroxide 1310-58-3	1000 lb		RQ 1000 lb

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Reactive Hazard	Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Sodium Hydroxide	1310-73-2	15-40	

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
None known				

US State Regulations

California Proposition 65

Boardwalk Industrial Strength Alkaline Drain Cleaner

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	State List		
None known			
AZ- Arizona Ambient Air Quality Guidelines	IL- Illinois Toxic Air Contaminate- Carcinogenic		
CT- Connecticut Hazardous Air Pollutants	MA- Massachusetts Right to Know List		
CA- California Director's List of Hazardous Substances	MN- Minnesota Hazardous Substances List		
CAP65- California Prop65	NJ- New Jersey Right to Know List		
FL- Florida Substances List	PA- Pennsylvania Right to Know List		
ID- Idaho Non-Carcinogen Toxic Air Pollutants	RI- Rhode Island Hazardous Substances List		
16 OTHER I	NFORMATION		

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards 3	Flammability Not determined Flammability 0	Instability Not determined Physical Hazards 0	Special Hazards Not determined Personal Protection Not determined
Issue Date Revision/Review Date:	20-Sep-2018 20-Sep-2018			

Disclaimer

Revision Note

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

Version 1.0

*Denotes changes from last version.

End of Safety Data Sheet