Version 1.3

Revision Date 05/05/2020

Print Date 02/11/2021

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name Material number	:	BOARDWALK AIR FRESHENER CITRUS BWK 904 00000000001048768
Manufacturer or supplier's	deta	ils
Company	:	Boardwalk / Essendant Co.
Address	:	One Parkway North Deerfield, IL 60015
Telephone	:	844-828-5617

Emergency telephone numbers		
:	844-828-5617	
:		
:	Chemtel: 1(800)255-3924	
	:	

## Recommended use of the chemical and restrictions on use

Recommended use : Air Care

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	yellow
Odour	characteristic

### **GHS Classification**

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity -	:	Category 1 Liquefied gas Category 2A Category 3 (Central nervous system)
single exposure	•	

#### GHS label elements

Hazard pictograms	:	Flame Gas cylinder Exclamation mark	
Signal word	:	Danger	
Hazard statements	:	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>	

Version 1.3	Revision Date 05/05/2020	Print Date 02/11/2021
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat/sparl No smoking. P211 Do not spray on an open fla P251 Pressurized container: Do use. P261 Avoid breathing dust/ fume P264 Wash skin thoroughly after P271 Use only outdoors or in a w P280 Wear eye protection/ face p <b>Response:</b> P304 + P340 + P312 IF INHALEI and keep comfortable for breathi CENTER/doctor if you feel unwe P305 + P351 + P338 IF IN EYES for several minutes. Remove con easy to do. Continue rinsing. P337 + P313 If eye irritation pers attention. <b>Storage:</b> P403 + P233 Store in a well-vent tightly closed. P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ 1 <b>Disposal:</b> P501 Dispose of contents/contain regulation.</li> </ul>	ame or other ignition source. not pierce or burn, even after / gas/ mist/ vapours/ spray. handling. vell-ventilated area. protection. D: Remove person to fresh air ng. Call a POISON II. S: Rinse cautiously with water ntact lenses, if present and sists: Get medical advice/ tilated place. Keep container ht. Do not expose to 22 °F.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 45 - < 70
propane	74-98-6	>= 10 - < 30
Orange, sweet, ext.	8028-48-6	>= 1 - < 5
Oil of orange	8008-57-9	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

#### SECTION 4. FIRST AID MEASURES

General advice	<ul> <li>Move out of dangerous area.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Do not leave the victim unattended.</li> </ul>
If inhaled	Get medical attention. Consult a physician after significant exposure.
n innaicu	If unconscious, place in recovery position and seek medical advice.
In case of skin contact	: Wash off immediately with soap and plenty of water.

Version 1.3	Revision Date 05/05/2020	Print Date 02/11/2021	
In case of eye contact	Remove contaminated clothing an Wash contaminated clothing befor If skin irritation persists, call a phys Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.	e reuse. sician.	
If swallowed	<ul> <li>If eye irritation persists, consult a specialist.</li> <li>Rinse immediately with plenty of water, also under the eyelid for at least 15 minutes.</li> <li>Keep respiratory tract clear.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>		
Most important symptoms	<ul> <li>If symptoms persist, call a physicia</li> <li>DO NOT induce vomiting unless d</li> <li>physician or poison control center.</li> <li>Effects are dependent on exposur</li> </ul>	an. irected to do so by a	
and effects, both acute and delayed	contact time). Effects are immediate and delayed Symptoms may include irritation, r Symptoms may include central ne resulting in headache, nausea and Causes serious eye irritation. May cause drowsiness or dizzines Review section 2 of SDS to see al	edness, pain, and rash. rvous system depression, l/or dizziness. s.	
Notes to physician	: Treat symptomatically. Symptoms	s may be delayed.	

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media Unsuitable extinguishing media	<ul> <li>Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet</li> <li>High volume water jet</li> </ul>
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods Further information	<ul> <li>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.</li> <li>Use a water spray to cool fully closed containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.</li> </ul>
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: U	se personal protective equipment.
protective equipment and	E	nsure adequate ventilation.
emergency procedures	R	emove all sources of ignition.

Version 1.3	Revision Date 05/05/2020	Print Date 02/11/2021
	Evacuate personnel to safe areas. Beware of vapours accumulating to concentrations. Vapours can accur	nulate in low areas.
Environmental precautions	<ul> <li>Prevent product from entering drain Prevent further leakage or spillage If the product contaminates rivers a respective authorities.</li> </ul>	if safe to do so.
Methods and materials for containment and cleaning up	<ul> <li>Soak up with inert absorbent material (e.g. sand, silica g acid binder, universal binder, sawdust).</li> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> </ul>	

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking.</li> <li>Keep in a dry, cool and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm	CAL PEL

## Components with workplace control parameters

Version 1.3

Revision Date 05/05/2020

Print Date 02/11/2021

			1,780 mg/m3	
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL
Oil of orange	8008-57-9	PEL (Total dust)	10 mg/m3	CAL PEL
		PEL (respirable dust fraction)	5 mg/m3	CAL PEL

### **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of	25 mg/l	ACGIH BEI
				shift (As	-	
				soon as		
				possible		
				after		
				exposure		
				ceases)		

Engineering measures	:	effective ventilation in all processing areas			
Personal protective equipment					
Respiratory protection	:	No personal respiratory protective equipment normally required. In the case of vapour formation use a respirator with an approved filter. In the case of dust or aerosol formation use respirator with an approved filter.			
Hand protection Remarks	:	Skin should be washed after contact. No special protection is required.			
		The suitability for a specific workplace should be discussed with the producers of the protective gloves.			
Eye protection	:	Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.			
Skin and body protection	:	No special protection is required. Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.			
Hygiene measures	:	When using do not eat or drink. When using do not smoke.			

Version 1.3

Revision Date 05/05/2020

Print Date 02/11/2021

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	Aerosol containing a liquefied gas
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No. Lote a statut
		No data available
Evaporation rate	:	No data available
Flammability (solid, gas, liquid)	:	Extremely flammable aerosol.
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Solubility in other solvents	:	not determined
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Heat of combustion	:	36.44 kJ/g

### SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Stable

Version 1.3	Revision Date 05/05/2020	Print Date 02/11/2021
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: Vapours may form explosive mixtur No decomposition if stored and app	
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct	sunlight
Incompatible materials Hazardous decomposition products	<ul> <li>Oxidizing agents</li> <li>Carbon monoxide Carbon dioxide (CO2)</li> </ul>	ounigni

## SECTION 11. TOXICOLOGICAL INFORMATION

### Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	<ul> <li>Effects are dependent on exposure (dose, concentration, contact time).</li> <li>Effects are immediate and delayed.</li> <li>Symptoms may include irritation, redness, pain, and rash.</li> <li>Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.</li> <li>Causes serious eye irritation.</li> <li>May cause drowsiness or dizziness.</li> <li>Review section 2 of SDS to see all potential hazards.</li> <li>Treat symptomatically. Symptoms may be delayed.</li> </ul>
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Components:	
acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg
Acute inhalation toxicity	: LC50 Rat: 132 mg/l

Version 1.3	Revision Date 05/05/2020	Print Date 02/11/2021
	LC50 Rat: 50.1 mg/l	
	2050 Rat. 50.1 mg/	
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg	
	LD50 Rabbit: > 7,426 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Remarks: May cause skin i	rritation and/or dermatitis.	
Serious eye damage/eye irritat	ion	
Product:		
Remarks: Severe eye irritat	ion	
Remarks: May cause irreve	ersible eye damage.	
espiratory or skin sensitisatio	on	
lo data available		
Germ cell mutagenicity		
lo data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
lo data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
lo data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
	overexposure may be headache, dizzin ations substantially above the TLV value	

Version 1.3

Revision Date 05/05/2020

Print Date 02/11/2021

SECTION 12. ECOLOGICAL INFORMATION			
Ecotoxicity			
No data available			
Persistence and degradability			
No data available Bioaccumulative potential			
Product:			
Partition coefficient: n- : octanol/water	Remarks: No data available		
Mobility in soil			
No data available			
Other adverse effects			
No data available Product:			
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances		
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).		
Additional ecological : information	No data available		

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel):

Version 1.3

Revision Date 05/05/2020

Print Date 02/11/2021

UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
hydroquinone	123-31-9	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Gases under pressure Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		

Version 1.3

Revision Date 05/05/2020

Print Date 02/11/2021

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for reproductive/developmental toxicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

### The components of this product are reported in the following inventories:

DSLAll components of this product are on the Canadian DSLTSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

**SECTION 16. OTHER INFORMATION** 

Version 1.3

Revision Date 05/05/2020

Print Date 02/11/2021

### **Further information**

NFPA:

HEALTH	2
FLAMMABILITY	4
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme


#### HMIS III:

HEALTH	2
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic



Version 1.3

Revision Date 05/05/2020

Print Date 02/11/2021

Version:	1.3
Revision Date:	05/05/2020
Print Date:	02/11/2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.