

J-512 TM/MC Sanitizer

Revision: 2020-10-18 Version: 02.0

J-512 TM/MC Sanitizer Product name:

5753407, 5756018, 5756026, 5756034, 5963480, DO05756018 **Product Code:**

SDS #: MS0801647

Recommended use: · Industrial/Institutional

Sanitizer

• This product is intended to be diluted prior to use Uses other than those identified are not recommended Uses advised against:

Manufacturer, importer, supplier:

US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708

Phone: 1-888-352-2249

Emergency telephone number:

SDS Internet Address: https://sds.diversey.com

Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171

Canadian Headquarters

1-800-851-7145; 1-651-917-6133 (Int'I)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Skin corrosion/irritation Category 1C Serious eye damage/eye irritation Category 1



Signal word: Danger.

<u>Hazard Statements</u> CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE.

Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

Classification for the diluted product 1:160 Serious eye damage/eye irritation Category 2B

Signal word: Warning.

J-512 ™/MC Sanitizer 1 of 5

Hazard and Precautionary Statements

CAUSES EYE IRRITATION.

Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice or attention.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	68391-01-5	3 - 7%
dimethyl benzyl ammonium chloride		
Alkyl dimethyl ethyl benzyl ammonium chloride	85409-23-0	3 - 7%
Ethyl alcohol	64-17-5	0.5 - 1.5%
Amines, C12-18-alkyldimethyl	68391-04-8	> 0.1 - < 1%

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Diluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention

Skin: No specific first aid measures are required

Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Although this product has a flash point below 200 Deg. F, it is an aqueous solution containing an

alcohol and does not sustain combustion. Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions and clean-up methods: Put on appropriate personal protective equipment (see Section 8.).

Clean-up methods - large spillage. Material is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with an NPDES permit. Prevent product from entering drains. Water runoff can cause environmental damage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

J-512 TM/MC Sanitizer 2 of 5

Storage: Keep tightly closed in a dry, cool and well-ventilated place.

Aerosol Level (if applicable): Not applicable.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	CAS#	ACGIH	OSHA
Ethyl alcohol	64-17-5	1000 ppm (STEL)	1000 ppm (TWA)
-			1900 mg/m³ (TWA)

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

Chemical-splash goggles. Eye protection: Chemical-resistant gloves. Hand protection:

Skin and body protection: Protective footwear. Wear suitable protective clothing.

No personal protective equipment required under normal use conditions. Respiratory protection: Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection: Safety glasses are not normally required. However, their use is recommended in those cases where

handling the undiluted product involves a risk of splashing.

Hand protection: No personal protective equipment required under normal use conditions. Skin and body protection: No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. Respiratory protection: Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Clear Red Evaporation Rate: No information available Odor: Product specific

Odor threshold: No information available. Boiling point/range: Not determined Melting point/range: Not determined **Decomposition temperature:** Not determined

Autoignition temperature: No information available Solubility: Completely Soluble

Solubility in other solvents: No information available Relative Density (relative to water): 0.99

Vapor density: No information available Density: 0.993 Kg/L Bulk density: No information available Vapor pressure: No information available. Flash point (°F): $> 200 \, ^{\circ}\text{F} > 93 \, ^{\circ}\text{C}$ Partition coefficient (n-octanol/water): No information available

Viscosity: 0 Elemental Phosphorus: 0.00 % by wt.

VOC: 1.3 % * **pH:** ≈ 7.9

Flammability (Solid or Gas): Not applicable Sustained combustion: No

Explosion limits: - upper: Not determined - lower: Not determined

Dilution pH:

> 200 °F > °C

VOC % by wt. at use dilution: 0.008 %

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Corrosion to metals: Not corrosive to metals

Reactivity: Not Applicable Stability: The product is stable

J-512 TM/MC Sanitizer 3 of 5 Hazardous decomposition products:

None reasonably foreseeable.

Materials to avoid: Conditions to avoid: Oxidizing agents. Anionic surfactant. Do not mix with chlorinated products (such as bleach).

None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Unlikely to be irritant in normal use.

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred

vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.
Target Organs (SE): None known
Target Organs (RE): None known

Numerical measures of toxicity

ATE - Oral (mg/kg): 5000 **ATE - Dermal (mg/kg):** >5000

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Do not contaminate water, food, or feed by storage or disposal.

Waste from residues / unused products (undiluted product):

This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product):

This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Pesticide Storage:

Refer to product label.

Pesticide Disposal:

Refer to product label.

Container Disposal:

Refer to product label.

RCRA Hazard Class (undiluted product): Not Regulated. RCRA Hazard Class (diluted product): Not Regulated.

14. TRANSPORT INFORMATION

J-512 TM/MC Sanitizer 4 of 5

<u>DOT/TDG/IMDG:</u> The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (quaternary ammonium compounds), 8, III

IMDG (Ocean) Bill of Lading Description: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (quaternary ammonium compounds), 8, III, MARINE POLLUTANT

15. REGULATORY INFORMATION

International Inventories at CAS# Level

DSL All components are listed or otherwise exempt

U.S. Regulations

EPA Reg. No.: 70627-63

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

DANGER: CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective (rubber or chemical resistant) gloves and protective clothing. Harmful if swallowed or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

CERCLA/ SARA

Canadian Regulations

Ingredient(s)	CAS#	NPRI
Ethyl alcohol	64-17-5	X

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards

Diluted Product:

Health 1 Flammability 0 Instability 0 Special Hazards -

Revision: 2020-10-18

Version: 02.0

Reason for revision: Not applicable

Prepared by:

Additional advice:

North American Regulatory Affairs

Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

J-512 TM/MC Sanitizer 5 of 5