

# EnduroSafe<sup>TM/MC</sup> Soft Metal Safe Extended Contact Chlorinated Cleaner

Revision: 2020-09-06 Version: 01.0

# 1. IDENTIFICATION

EnduroSafe<sup>TM/MC</sup> Product name:

Soft Metal Safe Extended Contact Chlorinated Cleaner **Product Code:** 

57772010, 57772100

MS0800052 SDS #:

· Chlorinated Alkaline Cleaner Recommended use:

• This product is intended to be diluted prior to use Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:

**US** Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249

SDS Internet Address: https://sds.diversey.com

Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'l)

# 2. HAZARDS IDENTIFICATION

### Classification for the undiluted product

Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 1



Signal word: Danger.

### **Hazard Statements**

# CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE.

#### **Precautionary Statements**

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Do not breathe spray. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Store locked up. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: Mix only with water. DO NOT MIX WITH ACIDS, TOILET BOWL CLEANER, AMMONIA OR ANY OTHER CHEMICAL. Can react to release hazardous gases.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

EnduroSafe<sup>™</sup>/MC **Soft Metal Safe Extended Contact Chlorinated Cleaner** 

#### Classification for the diluted product @ 4.8% v/v

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

#### **Hazard and Precautionary Statements**

SUPPLEMENTAL INFORMATION:. Mix only with water. DO NOT MIX WITH ANY OTHER PRODUCT OR CHEMICAL. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Classified Ingredients

Ingredient(s)	CAS#	Weight %
Sodium hypochlorite	7681-52-9	1 - 5%
Potassium hydroxide	1310-58-3	1 - 5%
N,N-dimethyltetradecylamine N-oxide	3332-27-2	1 - 5%
Lauryl dimethyl amine oxide	1643-20-5	> 0.1 - < 1%
Dodecylbenzene sulfonic acid	68584-22-5	> 0.1 - < 1%
Caprylic acid	124-07-2	> 0.1 - < 1%
Sodium hydroxide	1310-73-2	> 0.1 - < 1%
1-hexadecanamine, n,n-dimethyl-, n-oxide	7128-91-8	> 0.1 - < 1%
Tetradecyldimethylamine	112-75-4	> 0.1 - < 1%

### 4. FIRST AID MEASURES

#### **Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

### **Diluted Product:**

Eyes: Rinse with plenty of water.

Skin: No specific first aid measures are required Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

# 5. FIRE-FIGHTING MEASURES

**Specific methods:** No special methods required

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

# **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: Environmental precautions and clean-up methods: Put on appropriate personal protective equipment (see Section 8.).

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

### 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Mix only with water. DO NOT MIX WITH ACIDS, TOILET BOWL CLEANERS, AMMONIA, OR ANY OTHER CHEMICAL. Can react to release hazardous gases.

Storage: Keep tightly closed in a dry, cool and well-ventilated place.

Aerosol Level (if applicable): Not applicable.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

Ingredient(s)	CAS#	ACGIH	OSHA
Potassium hydroxide	1310-58-3	2 mg/m³ (Ceiling)	
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)

#### **Undiluted Product:**

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

#### Personal Protective Equipment

**Eye protection:** Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves.

Skin and body protection: Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.

Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

Corrosion to metals: Not determined

workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

### **Diluted Product:**

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection:

Hand protection:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Skin and body protection:

Respiratory protection:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:LiquidColor:Clear,YellowEvaporation Rate:No information availableOdor:Chlorine

Odor threshold: No information available.

Odor. Chlorine

Boiling point/range: Not determined

Melting point/range: Not determined

Melting point/range: Not determined

Melting point/range: Not determined

Metang point/range: Not determined

Mot applicable

Solubility: Completely Soluble

Solubility in other solvents: No information available

Density: Specific gravity: 1.146 Kg/L

Relative Density (relative to water): 1.146

Vapor density: No information available

Bulk density: No information available

Vapor pressure: No information available.

Flash point (°F): > 200 °F > 93.4 °C

Partition coefficient (n-octanol/water): No inform

Flash point (°F): > 200 °F > 93.4 °C

Viscosity: No information available

Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 1.13 % by wt.

VOC: 0 % \* pH: 12.7

Flammability (Solid or Gas): Not applicable

Sustained combustion: Not applicable

Evaluation limits: - upper: Not determined - lower: Not determined

**Explosion limits: - upper:** Not determined - **lower:** Not determined > 200 > 93.3

VOC % by wt. at use dilution: 0

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

### 10. STABILITY AND REACTIVITY

Reactivity: Not Applicable

Stability: The product is stable

Hazardous decomposition products: Chlorine. Thermal decomposition can lead to release of irritating gases and vapors.

Materials to avoid: Acids. Ammonia. Reacts with acids releasing chlorine. Strong oxidising agents. Strong acids. Do not

mix with any other product or chemical unless specified in the use directions.

**Conditions to avoid:**No information available.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Target Organs (SE): None known

Target Organs (RE): None known

## Numerical measures of toxicity

**ATE - Oral (mg/kg):** 4800 **ATE - Dermal (mg/kg):** >5000

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

### 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste RCRA Hazard Class (diluted product): D002 Corrosive Waste Contaminated Packaging: Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

<u>DOT (Ground) Bill of Lading Description:</u> UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (potassium hydroxide, sodium hypochlorite), 8, II

IMDG (Ocean) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (potassium hydroxide, sodium

EnduroSafe<sup>TMMC</sup> 4 of 5

# 15. REGULATORY INFORMATION

International Inventories at CAS# Level

CERCLA/ SARA

# **16. OTHER INFORMATION**

### NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards -

### **Diluted Product:**

Revision: 2020-09-06

Version: 01.0

Reason for revision: Not applicable

Prepared by:

Additional advice:

North American Regulatory Affairs

Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.