# SAFETY DATA SHEET



# PERdiem<sup>™/MC</sup> General Purpose Cleaner with Hydrogen Peroxide

**Revision:** 2019-03-15

Version: 02.0

# **1. IDENTIFICATION**

94998832, 94998841, 94998859, 95019481, 95613252, 95614052, 95982816, 101100678

**Canadian Headquarters** 

Diversey - Canada, Inc. 3755 Laird Road

Mississauga, Ontario L5L 0B3 Phone: 1-800-668-7171

Product name:

Product Code: SDS #: Recommended use:

MS0800188 • Industrial/Institutional

Cleaning product

PERdiem™/MC

• This product is intended to be diluted prior to use Uses other than those identified are not recommended

General Purpose Cleaner with Hydrogen Peroxide

Uses advised against:

Manufacturer, importer, supplier: US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249 SDS Internet Address: https://sds.diversey.com

Emergency telephone number:

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l);

2. HAZARDS IDENTIFICATION

Classification for the undiluted product Serious eye damage/eye irritation Category 2A



Signal Word:

Warning.

Hazard Statements CAUSES SERIOUS EYE IRRITATION. Precautionary Statements

Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. May cause irritation to mouth, throat and stomach. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice or attention. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only with water. Can react to release hazardous gases. May vigorously react with strong alkaline products resulting in spattering and excessive heat.

<u>Health hazards not otherwise classified (HHNOC)</u> - Not applicable <u>Physical hazards not otherwise classified (PHNOC)</u> - Not applicable

# Classification for the diluted product @ 1:64

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

#### Hazard and Precautionary Statements

None required.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# Classified Ingredients

| Ingredient(s)                | CAS #      | Weight %     |
|------------------------------|------------|--------------|
| Alcohol ethoxylates          | 68439-46-3 | 7 - 13%      |
| Hydrogen peroxide            | 7722-84-1  | 1 - 5%       |
| Sodium xylene sulfonate      | 1300-72-7  | 1 - 5%       |
| Dodecylbenzene sulfonic acid | 68584-22-5 | > 0.1 - < 1% |

#### \*Exact percentages are being withheld as trade secret information

# 4. FIRST AID MEASURES

# Undiluted Product:

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention. **Skin:** No specific first aid measures are required.

Inhalation: No specific first aid measures are required.

Ingestion: IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water.

<u>Most Important Symptoms/Effects:</u> No information available. <u>Immediate medical attention and special treatment needed</u> Not applicable. <u>Aggravated Medical Conditions:</u> None known.

#### **Diluted Product:**

Eyes: Rinse with plenty of water. Skin: No specific first aid measures are required Inhalation: No specific first aid measures are required Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

## 5. FIRE-FIGHTING MEASURES

Specific methods: Suitable extinguishing media: Specific hazards: No special methods required The product is not flammable. Extinguish fire using agent suitable for surrounding fire. None known.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Extinguishing media which must not be used for safety reasons: No information available.

unguishing media which must not be used for safety reasons. No mornation available.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions and clean-up methods: Put on appropriate personal protective equipment (see Section 8.). Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

# 7. HANDLING AND STORAGE

Handling: Can react to release hazardous gases. Mix only with water. DO NOT MIX WITH AMMONIA, BLEACH, OR OTHER CHLORINATED COMPOUNDS. May vigorously react with strong alkaline products resulting in spattering and excessive heat. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Remove and wash contaminated clothing and footwear before re-use. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Keep tightly closed in a dry, cool and well-ventilated place.

Aerosol Level (if applicable) : Not applicable.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

| Ingredient(s)     | CAS #     | ACGIH       | OSHA                        |
|-------------------|-----------|-------------|-----------------------------|
| Hydrogen peroxide | 7722-84-1 | 1 ppm (TWA) | 1 ppm (TWA)                 |
|                   |           |             | 1.4 mg/m <sup>3</sup> (TWA) |

#### **Undiluted Product:**

Engineering measures to reduce exposure: Good general ventilation should be sufficient to control airborne levels.

| Chemical-splash goggles.   |
|--|
| Chemical-resistant gloves.   |
| No personal protective equipment required under normal use conditions. |
| No personal protective equipment required under normal use conditions. |
| Handle in accordance with good industrial hygiene and safety practice. |
|  |

#### Diluted Product:

Engineering measures to reduce exposure: Good general ventilation should be sufficient to control airborne levels.

#### **Personal Protective Equipment**

| No personal protective equipment required under normal use conditions. |
|--|
| No personal protective equipment required under normal use conditions. |
| No personal protective equipment required under normal use conditions. |
| No personal protective equipment required under normal use conditions. |
| Handle in accordance with good industrial hygiene and safety practice. |
|  |

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Evaporation Rate: No information available Odor threshold: No information available. Melting point/range: Not determined Autoignition temperature: No information available Solubility in other solvents: No information available Density: 8.56 lbs/gal 1.026 Kg/L Bulk density: No information available Flash point (°F): > 200 °F > 93.4 °C Viscosity: No information available **VOC:** 0 % Flammability (Solid or Gas): Not applicable Sustained combustion: Not applicable Explosion limits: - upper: Not determined - lower: Not determined Color: Clear, Colorless Odor: No Odor/Odorless Boiling point/range: Not determined Decomposition temperature: Not determined Solubility: Completely Soluble Relative Density (relative to water): 1.026 Vapor density: No information available Vapor pressure: No information available. Partition coefficient (n-octanol/water): No information available Elemental Phosphorus: 0 % by wt. **pH:** 2.0 Corrosion to metals: Not corrosive

Dilution pH: 6.2 Dilution Flash Point (°F): > 200 °F > 93.4 °C VOC % by wt. at use dilution: 0 %

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

# **10. STABILITY AND REACTIVITY**

Not Applicable Reactivity: Stability: The product is stable Possibility of hazardous reactions: May vigorously react with strong alkaline products resulting in spattering and excessive heat. Hazardous decomposition products: Oxygen. Materials to avoid: Strong bases. Ammonia. Do not mix with chlorinated products (such as bleach). Do not mix with any other product or chemical unless specified in the use directions. Conditions to avoid: No information available.

# **11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure: Skin contact, Inhalation, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure Skin contact: Unlikely to be irritant in normal use. Eye contact: Causes serious eye irritation. Symptoms may include pain, redness, and watering. Ingestion: May be irritating to mouth, throat and stomach. Symptoms may include stomach pain and nausea. Inhalation: May be irritating to nose, throat, and respiratory tract. Symptoms may include coughing and difficulty breathing. Sensitization: No known effects. Target Organs (SE): None known Target Organs (RE): None known

# Numerical measures of toxicityATE - Oral (mg/kg):>5000ATE - Dermal (mg/kg):>5000ATE - Inhalatory, mists (mg/l):>20ATE - Inhalatory, vapors (mg/l):270

# **12. ECOLOGICAL INFORMATION**

**Ecotoxicity:** No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

# **13. DISPOSAL CONSIDERATIONS**

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product):D002 Corrosive WasteRCRA Hazard Class (diluted product):Not RegulatedContaminated Packaging:Do not re-use empty containers.

**14. TRANSPORT INFORMATION** 

**DOT/TDG/IMDG:** The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: NOT REGULATED

IMDG (Ocean) Bill of Lading Description: NOT REGULATED

# **15. REGULATORY INFORMATION**

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

#### RIGHT TO KNOW (RTK)

| Ingredient(s)                | CAS #      | MARTK: | NJRTK: | PARTK: | RIRTK: |
|------------------------------|------------|--------|--------|--------|--------|
| Water                        | 7732-18-5  | -      | -      | -      | -      |
| Alcohol ethoxylates          | 68439-46-3 | -      | -      | -      | -      |
| Hydrogen peroxide            | 7722-84-1  | Х      | Х      | Х      | Х      |
| Sodium xylene sulfonate      | 1300-72-7  | -      | -      | -      | -      |
| Dodecylbenzene sulfonic acid | 68584-22-5 | -      | -      | -      | -      |

#### CERCLA/ SARA

| Ingredient(s)     | CAS #     | Weight % | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) | Section 313 |
|-------------------|-----------|----------|----------------------|-----------------------|-------------|
| Hydrogen peroxide | 7722-84-1 | 1 - 5%   |                      | 1000                  |             |

## Canadian Regulations

# **16. OTHER INFORMATION**

**NFPA (National Fire Protection Association)** Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 2 Flammability 0 Instability 0 Special Hazards -

# Diluted Product:

Health 0 Flammability 0 Instability 0 Special Hazards -

**Revision:** 2019-03-15 **Version:** 02.0

Reason for revision: Prepared by: Additional advice: Not applicable North American Regulatory Affairs • This product has been formulated to meet the criteria for deck washdown and above water line hull cleaning chemicals established in the EPA NPDES Vessel General Permit (VGP) and meets the definitions of non-toxic, non-phosphated, biodegradable, and non-caustic under the VGP.

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.