

Version 2.0	Revision Date: 05/21/2015		S Number: 1-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014		
SECTION 1. IDENTIFICATION						
Produ	ict name	: PI	JRELL® Alcoho	I Formulation Sanitizing Wipes		
Manu	facturer or supplier's	details				
Comp	any name of supplier	: G	OJO Industries,	Inc.		
Addre	ess		ne GOJO Plaza kron OH 44311	, Suite 500		
Telep	hone	: 1	(330) 255-6000			
Emer	gency telephone	: 1-	800-424-9300	CHEMTREC		
Reco	mmended use of the	chemica	al and restriction	ons on use		
Recor	mmended use	: H	and Sanitizer			
Recommended use Restrictions on use		cc fo sp ex W cc pr as sp er in	onsumers and or reseeable use. becifically define compt from the r hile this materia ontains valuable oper use of the swell as unusua- bills. This SDS s nployees and of tended-use guid	care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, d by regulations around the world, are equirement of an SDS for the consumer. It is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions and unintended exposures such as large hould be retained and available for ther users of this product. For specific lance, please refer to the information ackage or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H226 Flammable liquid and vapor.



Version 2.0	Revision Date: 05/21/2015	MSDS Number: 31961-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014
		H319 Causes se	erious eye irritation.
Preca	utionary Statements	No smoking. P233 Keep cont P241 Use explo- equipment. P242 Use only r P243 Take prec P264 Wash skin P280 Wear prote Response: P303 + P361 + I all contaminated P305 + P351 + I for several minu to do. Continue P337 + P313 If e attention. Storage: P403 + P235 Sti Disposal:	y from heat/sparks/open flames/hot surfaces. ainer tightly closed. sion-proof electrical/ ventilating/ lighting/ hon-sparking tools. autionary measures against static discharge. thoroughly after handling. ective gloves/ eye protection/ face protection. P353 IF ON SKIN (or hair): Take off immediately I clothing. Rinse skin with water/shower. P338 IF IN EYES: Rinse cautiously with water tes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/ ore in a well-ventilated place. Keep cool. f contents/ container to an approved waste

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 50 - < 70
Propan-2-ol	67-63-0	>= 1 - < 5
Glycerine	56-81-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution.



Version 2.0	Revision Date: 05/21/2015	MSDS Number: 31961-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014				
		Get medical a	ttention if symptoms occur.				
In cas	e of eye contact	for at least 15 If easy to do, r	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. 				
If swallowed		Get medical a	 If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. 				
Most important symptoms and effects, both acute and delayed		: Causes seriou	us eye irritation.				
Protec	Protection of first-aiders : First Aid responders should pay attention to self-prote and use the recommended personal protective equipr when the potential for exposure exists.						
Notes	to physician	: Treat sympton	natically and supportively.				

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES



Versio 2.0	n	Revision Date: 05/21/2015		SDS Number: 961-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014			
Personal precautions, protective equipment and emergency procedures			:	Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.				
Environmental precautions		:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.					
		s and materials for ment and cleaning up	:	Soak up with iner Suppress (knock jet. For large spills, p containment to ke can be pumped, s container. Clean up remainin absorbent. Local or national disposal of this m employed in the o determine which the Sections 13 and	Is should be used. t absorbent material. down) gases/vapors/mists with a water spray rovide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ng materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. IS of this SDS provide information regarding attonal requirements.			

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	 Do not breathe vapors or spray mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	: Keep in properly labeled containers.



Version 2.0	Revision Date: 05/21/2015	MSDS Number: 31961-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014	
	als to avoid	Keep tightly close Keep in a cool, w Store in accordar Keep away from	ed. rell-ventilated place. nce with the particular national regulations. heat and sources of ignition. the following product types: agents is	
		Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures which in contact with water e flammable gases Explosives Gases		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
Ethanol	64-17-5	TWA	1,000 ppm	NIOSH REL
			1,900 mg/m3	
		TWA	1,000 ppm	OSHA Z-1
			1,900 mg/m3	
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
·		STEL	400 ppm	ACGIH
		TWA	400 ppm	NIOSH REL
			980 mg/m3	
		ST	500 ppm	NIOSH REL
			1,225 mg/m3	
		TWA	400 ppm	OSHA Z-1
			980 mg/m3	
Glycerine	56-81-5	TWA (mist,	5 mg/m3	OSHA Z-1
-		respirable	-	
		fraction)		
		TWA (mist,	15 mg/m3	OSHA Z-1
		total dust)		

Ingredients with workplace control parameters

Biological occupational exposure limits

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentratio n	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-	40 mg/l	ACGIH BEI



Version 2.0	on Revision Date: MSDS Number: 05/21/2015 31961-00004			Date of last issue: 02/10/2015 Date of first issue: 11/24/2014					
				week					
Engi	neering measures	Use o ventil	nize workplace ex only in an area eq ation. with local exhaust	uipped with exp		exhaust			
Pers	onal protective equip	ment							
Resp	biratory protection	main conce unkn Follo use N by ain haza supp relea circu	eral and local exha tain vapor exposu entrations are abo own, appropriate in w OSHA respirato NIOSH/MSHA app r purifying respirator rdous chemical is lied respirator if th se, exposure leve mstance where ain uate protection.	res below reco ve recommend respiratory proto proved respirato ors against exp limited. Use a ere is any pote ls are unknown	mmended lim ded limits or a section should 29 CFR 1910 ors. Protection positive press ential for unco n, or any othe	hits. Where are be worn. .134) and n provided sure air ntrolled r			
	l protection aterial	: Impe	rvious gloves						
Ma	aterial	: Flam	: Flame retardant gloves						
Re	Remarks		e concentration sp is not determined pecial applications tance to chemicals tance to chemicals tance and at the end	pecific to place for the product s, we recomme s of the aforem nanufacturer. W	of work. Brea . Change glo and clarifying entioned prot	akthrough ves often! the rective			
Eye p	protection		r the following pers y goggles	sonal protective	e equipment:				
Skin	and body protection	resist poter Wear Flam Skin	ct appropriate prot tance data and an ntial. • the following pers e retardant antista contact must be a ing (gloves, apron	assessment o sonal protective atic protective c voided by using	f the local exp e equipment: clothing.	posure			
Hygie	ene measures	locate Whei	re that eye flushin ed close to the wo n using do not eat n contaminated clo	rking place. , drink or smok	e.	ers are			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



Vers 2.0	sion	Revision Date: 05/21/2015		DS Number: 61-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014
I	Appear	ance	:	impregnated clot	h
	Color		:	clear, cloudy, col	orless
	Odor		:	alcohol-like	
	Odor T	hreshold	:	No data available	9
	рН		:	6 - 9	
	Melting	point/freezing point	:	No data available	9
	Initial b range	oiling point and boiling	:	No data available	9
	Flash p	point	:	28.7 °C	
I I	Evapor	ation rate	:	No data available	9
	Flamm	ability (solid, gas)	:	Not applicable	
	Upper e	explosion limit	:	No data available	9
	Lower	explosion limit	:	No data available	9
	Vapor p	oressure	:	No data available	9
	Relativ	e vapor density	:	No data available	9
	Density	/	:	0.8980 g/cm3	
	Solubili Wate	ity(ies) er solubility	:	soluble	
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Autoigr	nition temperature	:	No data available	9
	Decom	position temperature	:	The substance of	r mixture is not classified self-reactive.
	Viscosi Visco	ty osity, dynamic	:	No data available	2
	Explosi	ve properties	:	Not explosive	
	Oxidiziı	ng properties	:	The substance of	r mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not classified as a reactivity hazard.



Vers 2.0	sion	Revision Date: 05/21/2015		DS Number: 961-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014	
	Chemi	cal stability	:	Stable under nor	mal conditions.	
Possibility of hazardous reac- tions		:	 Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents. 			
	Conditions to avoid		:	: Heat, flames and sparks.		
	Incomp	patible materials	:	Oxidizing agents		
	Hazaro produc	lous decomposition ts	:	No hazardous de	ecomposition products are known.	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely route Inhalation Skin contact Ingestion Eye contact	es of exposure
Acute toxicity	
Not classified based on ava	ilable information.
Ingredients:	
Ethanol:	
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor
II Propan-2-ol:	
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapor
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg
Glycerine:	
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Skin corrosion/irritation	

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients: Ethanol:



Version 2.0	Revision Date: 05/21/2015	MSDS Number: 31961-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014
Metho	es: Rabbit od: OECD Test Guidel t: No skin irritation	ine 404	
Speci	a n-2-ol: es: Rabbit t: No skin irritation		
Glyce Resul	erine: t: No skin irritation		
	us eye damage/eye i es serious eye irritatio		
Ingre Ethar	<u>dients:</u> nol:		
Resul	es: Rabbit t: Irritation to eyes, rev od: OECD Test Guidel	versing within 21 days ine 405	
Speci	a n-2-ol: es: Rabbit t: Irritation to eyes, re [,]	versing within 21 days	
Glyce Resul	erine: t: No eye irritation		
Skin s		t ization sified based on availabl ot classified based on a	
<u>Produ</u> Asses	<u>uct:</u> ssment: Does not caus	se skin sensitization.	
<u>Ingre</u> Ethar	dients:		
Test⊺ Route Speci	Fype: Local lymph noc s of exposure: Skin co es: Mouse t: negative	le assay (LLNA) ontact	
Test Route Speci Metho	an-2-ol: Type: Buehler Test es of exposure: Skin co es: Guinea pig od: OECD Test Guidel t: negative		
	cell mutagenicity assified based on ava	ilable information	
	dients:		



Version 2.0	Revision Date: 05/21/2015	MSDS N 31961-0		Date of last issue: 02/10/2015 Date of first issue: 11/24/2014		
Etha	nol·					
	otoxicity in vitro		Type: In vitr Ilt: negative	o mammalian cell gene mutation test		
Geno	Genotoxicity in vivo		: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative			
Prop	an-2-ol:					
	Genotoxicity in vitro		Type: Bacte	rial reverse mutation assay (AMES)		
Genc	Genotoxicity in vivo		 Test Type: Mammalian erythrocyte micronucleus test (in vive cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative 			
II Glyc	erine:					
	otoxicity in vitro	Meth		o mammalian cell gene mutation test est Guideline 476		
	inogenicity classified based on avail	able inform	nation.			
Prop Spec Appli Expo Meth	edients: pan-2-ol: cies: Rat cation Route: inhalation psure time: 104 weeks od: OECD Test Guidelir ult: negative					
Glyc Spec Appli Expo	erine: ies: Rat cation Route: Ingestion sure time: 2 Years ilt: negative					
II IAR(C	equal to		product present at levels greater than or ntified as probable, possible or confirmed by IARC.		
OSH	ΙΑ		0.1% is ide	product present at levels greater than or ntified as a carcinogen or potential carcino-		
NTP			0.1% is ide	product present at levels greater than or ntified as a known or anticipated carcinogen		



Version 2.0	Revision Date: 05/21/2015		SDS Number: 961-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014					
-	Reproductive toxicity Not classified based on available information.								
Ingrea	lients:								
Ethan	ol:								
Effects	s on fertility	:	Test Type: Two-g Species: Mouse Application Route Method: OECD To Result: negative						
Propa	n-2-ol:								
Effects	s on fertility	:	Test Type: Two-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion					
Effects	s on fetal development	:	Test Type: Embry Species: Rat Application Route Result: negative	o-fetal development : Ingestion					
Glyce	rine:								
	s on fertility	:	Test Type: Two-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion					
Effects	s on fetal development	:	Test Type: Embry Species: Rabbit Application Route Result: negative	ro-fetal development : Ingestion					

STOT-single exposure

Not classified based on available information.

Ingredients:

Propan-2-ol:

Assessment: May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Ethanol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Propan-2-ol:



Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
2.0	05/21/2015	31961-00004	Date of first issue: 11/24/2014

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapor) Exposure time: 104 w Method: OECD Test Guideline 413

Glycerine:

Species: Rat NOAEL: 167 mg/m3 LOAEL: 660 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 13 w Symptoms: Local irritation

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Ethanol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
	Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Propan-2-ol:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h
Glycerine:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l



/ersion 0	Revision Date: 05/21/2015		SDS Number: 961-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014
II			Exposure time: 9	16 h
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia r Exposure time: 4	nagna (Water flea)): 1,955 mg/l 8 h
Toxici	ity to bacteria	:	NOEC (Pseudon Exposure time: 1	nonas putida): > 10,000 mg/l 6 h
Persi	stence and degradabili	ty		
-	dients:			
Ethar Biode	n ol: gradability	:	Result: Readily b Biodegradation: Exposure time: 2	84 %
	a n-2-ol: gradability	:	Result: rapidly de	egradable
Glyce Biode	e rine: gradability	:	Result: Readily b Biodegradation: Exposure time: 1	94 %
Bioad	cumulative potential			
Ingre	dients:			
	101: ion coefficient: n- ol/water	:	log Pow: -0.35	
	an-2-ol:			
	ion coefficient: n- ol/water	:	log Pow: 0.05	
II Glyce				
	ion coefficient: n- ol/water	:	log Pow: -1.76	
	lity in soil			
No da	ata available			
	adverse effects			
No da	ata available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product.



Version 2.0	Revision Date: 05/21/2015		SDS Number: 961-00004	Date of last issue: 02/10/2015 Date of first issue: 11/24/2014
			handling site for	ers should be taken to an approved waste or recycling or disposal. r use a cutting torch on, the empty drum.
SECTION	14. TRANSPORT INF	ORM	ATION	
Inter	national Regulation			
UNR				
	umber er shipping name	:	UN 3175 SOLIDS CONT (Ethanol, Propa	TAINING FLAMMABLE LIQUID, N.O.S. an-2-ol)
Class	6	:	4.1	
Pack Labe	ing group Is		ll 4.1	
	-DGR			
UN/II		:	UN 3175	
	er shipping name	:	(Ethanol, Propa	ng flammable liquid, n.o.s. an-2-ol)
Class		:	4.1	
Pack Labe	ing group Is		ll Flammable So	lid
	ing instruction (cargo	:	448	ing and a second s
Pack	ing instruction senger aircraft)	:	445	
	G-Code			
	umber er shipping name	:	UN 3175 SOLIDS CONT (Ethanol, Propa	TAINING FLAMMABLE LIQUID, N.O.S.
Class		:	4.1	
Pack Labe	ing group	:	ll 4.1	
	Code	:	4.1 F-A, S-I	
	ne pollutant	:	no	
	sport in bulk accordin applicable for product as	-		RPOL 73/78 and the IBC Code
Dom	estic regulation			
49 C				
	D/NA number er shipping name		UN 3175 SOLIDS CONT	AINING FLAMMABLE LIQUID, N.O.S.
Class	3	:	4.1	
	ing group	:	II	
Labe	·	:	FLAMMABLE 3 133	SOLID



Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015	
2.0	05/21/2015	31961-00004	Date of first issue: 11/24/2014	
Marine pollutant		: no		

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312	Hazards :	Fire Hazard Acute Health Hazard				
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.				
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:				
		Propan-2-ol	67-63-0	3.1349 %		
US State Regulations						
Pennsylvania Right To Know						
	Ethanol		64-17-5	50 - 70 %		
	Water		7732-18-5	30 - 50 %		
	Propan-2-ol		67-63-0	1 - 5 %		
	Glycerine		56-81-5	1 - 5 %		
New Jersey Right To Know						
	Ethanol		64-17-5	50 - 70 %		
	Water		7732-18-5	30 - 50 %		
	Propan-2-ol		67-63-0	1 - 5 %		
	Glycerine		56-81-5	1 - 5 %		
California Prop 65		This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other				

reproductive defects.

The ingredients of this product are reported in the following inventories:

AICS

: All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)




Version Revision Date: 2.0 05/21/2015

ate: MSDS Number: 31961-00004

Date of last issue: 02/10/2015 Date of first issue: 11/24/2014

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Full text of other abbreviations

Full text of other abbreviations						
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)				
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)				
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits				
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-				
		its for Air Contaminants				
ACGIH / TWA		8-hour, time-weighted average				
ACGIH / STEL		Short-term exposure limit				
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek				
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday				
OSHA Z-1 / TWA	:	8-hour time weighted average				
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/				
Revision Date	:	05/21/2015				

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, in-



VersionRevision Date:MSDS Number:2.005/21/201531961-00004

Date of last issue: 02/10/2015 Date of first issue: 11/24/2014

cluding an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8