

1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

1.1 **PRODUCT IDENTIFIER**

Product name: Canon 3500B001AA (128) Toner Cartridge
Part number: CNM128

1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: This mixture is a toner used in copiers/printers.

. .

1.3 SUPPLIER DETAILS

| Supplier: | Clover Technologies Group |
|----------------|----------------------------|
| | 4200 Columbus Street. |
| | Ottawa, IL 61350 |
| | United States |
| | Phone number: 815-431-8100 |
| | Fax: 815-461-8583 |
| Contact Hours: | 08:00AM-05:00PM CST |
| | |

1.4 **EMERGENCY TELEPHONE NUMBERS**

Supplier: N/A

* This document provides safety-related information about toner contained in print cartridge for use in laser printer

2. HAZARDS IDENTIFICATION

2.1 INFORMATION and CLASSIFICATION

Overview:

This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. Target Organs: Prolonged breathing of high concentrations may cause adverse effects on the respiratory system. Routes of Exposure: Inhalation, dermal contact, incidental ingestion. Eye contact: Might cause slight irritation. Inhalation: Excessive inhalation may cause irritation of the nose, throat and respiratory tract. Ingestion: None currently known. Dermal contact: Not an irritant, not a sensitizer. Medical Conditions Aggravated By Long-Term Exposure to this product: Respiratory disorders, such as asthma, maybe aggravated by prolonged exposure to high concentrations of this product. Chronic Effects: Prolonged inhalation of excessive amounts of any dust may cause lung damage. Signs and symptoms of exposure: Prolonged exposure to dusts of this product may irritate the respiratory system. Physical Hazard: Not classified as flammable or combustible. It will burn in case of fire. Avoid contact with strong oxidizer.

2.2 LABEL ELEMENTS

| NO PICTOGRAM |
|-----------------|
| N/A |
| N/A |
| N/A |
| |

2.3 OTHER HAZARDS

PBT or vPvB: N/A



3. COMPOSITION / INFORMATION ON INGREDIENTS

| Ingredients | CAS number | Weight % | OSHA PEL | ACGIH TLV | Other |
|---------------------------------|------------|----------|-------------|--------------|---|
| Styrene-Acrylate Copolymer | Registered | 40-55 | | | |
| Magnetite | Registered | 40-50 | | | |
| Ethylene Propylene Copolymer | Registered | <3 | | | |
| Ester Wax | Registered | <3 | | | |
| Silica | Registered | <3 | | | |
| Metal Complex Dye | Registered | <1 | | | Toner is regulated under OSHA as particulate not otherwise regulated. |

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

The Data Shown is in accordance with the latest Directives. This section provides composition information for the toner powder contained in specially designed container inside of the print cartridge.

4. FIRST-AID MEASURES

4.1 FIRST AID MEASURES

4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

| Inhalation: | Remove to fresh air. Treat any irritation symptomatically. Call a physician if condition persists. |
|---------------|---|
| Eye contact: | In case of contact immediately flush with plenty of low pressure water for at least 15 minutes. Remove contact lenses to ensure thorough flushing. |
| Skin contact: | Wash well with soap and running water. |
| Ingestion: | N/A |

4.1.2 **ADDITIONAL FIRST AID INFORMATION**

Additional first aid information:After first aid, get appropriate in-plant paramedic or community medical support
if serious signs and symptoms persist.Immediate Medical Attention Required:N/A

4.2 SYMPTOMS AND EFFECTS

Acute Symptoms from Exposure:N/ADelayed Symptoms from Exposure:N/A

4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

Note to Physicians: N/A



5. FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media:Water spray, dry chemical, foam, carbon dioxide, or halon type extinguishers. Do not
release runoff from fire controls methods to sewers or waterways.Extinguishing Media Not to be Used:N/A

5.2 SPECIAL HAZARD

Unusual Fire/Explosion Hazards:

May form flammable dust-air mixture. Hazardous combustion products: Carbon monoxide, carbon dioxide, nitrogen oxide and smoke. Under certain conditions some aliphatic aldehydes and carboxylic acids may form. N/A

Extinguishing Media Not to be Used:

5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective cloting an wear self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1 **PRECAUTIONS FOR NON-EMERGENCY PERSONNEL**

N/A

6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

6.1.3 **PERSONAL PROTECTION**

Wear personal protective equipment as described in Section 8.

6.2 ENVIRONMENTAL PRECAUTIONS

Regulatory Information: Keep product out of sewers and watercourses.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Small Spills: Scoop into a container for disposal, suction up remaining material with a high efficiency vacuum cleaner. Large Spills: Scoop into a container for disposal, suction up remaining material with a high efficiency vacuum cleaner. Containment: For large spills, avoid suspending particles, collect for later disposal. Do not release into sewers or waterways. Cleanup: No special requirements. Regulatory Requirement: N/A.



7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling:No special precautions when used as intended. Keep containers closed, avoid creating dust.
Keep away from ignition sources.Advice on General Hygiene:Never eat, drink or smoke in work areas. Practice good personal hygiene after using this
material, especially before eating, drinking, smoking, using the restroom, or applying

7.2 CONDITIONS FOR SAFE STORAGE

Avoid high temperatures, >100°F/32°C

7.3 SPECIFIC END USES

Printing devices

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

cosmetics.

8.1 CONTROL PARAMETERS

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

8.2 EXPOSURE CONTROLS

Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

Eye/Face Protection:

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

Additional Protection:

N/A

Protective Clothing and Equipment:

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splashproof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment:

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 **DETAIL INFORMATION**

| Physical state: | APPEARANCE: Black, free flowing powder. |
|----------------------------|---|
| Color: | Black |
| Odor: | Slight odor. |
| Odor threshold: | N/A |
| | |
| Boiling point: | N/A |
| Melting point: | ~100°C (softening point) |
| Flash point: | N/A |
| Explosion limits: | N/A |
| Relative density: | N/A |
| Auto-ignition temperature: | Not Determined. |
| | |

9.2 OTHER INFORMATION

VAPOR DENSITY (Air=1): Heavier than air. SPECIFIC GRAVITY: (H2O)=1, at 4oC): 1.3-1.8. WATER SOLUBILITY: Negligible. OTHER SOLUBILITIES: Partial soluble in Toloene & Xylene.

10. CHEMICAL STABILITY AND REACTIVITY

10.1 Reactivity:

| Reactivity Hazards: Data on Mixture Substanc | None es: None |
|---|---|
| 10.2 Chemical Stability: | The product is stable. Under normal conditions of storage and use, hazardous polymerisation will not occur. |
| 10.3 Hazardous Polymerization | : Stable under conditions of normal use. |
| 10.4 Conditions to Avoid: | Keep away from heat, flame, sparks and other ignition sources. |
| 10.5 Incompatible Materials: | Strong oxidising materials |
| 10.6 Hazardous Decomposition | : Will not occur. |



11. INFORMATION ON TOXICOLOGICAL EFFECT

| Mixtures: | N/A |
|-----------------------------|--|
| Acute Toxicity: | N/A |
| Skin Corrosion/Irritation: | N/A |
| Serious Eye Damage: | N/A |
| Inhalation: | N/A |
| Sensitization: | N/A |
| Mutagenicity: | Ames Test Negative (Estimated from the results of testing the constituent components). |
| Carcinogenicity: | N/A |
| Reproductive Toxicity: | N/A |
| STOT - Single Exposure: | N/A |
| STOT - Multiple Exposure: | N/A |
| Ingestion: | N/A |
| Hazard Class Information: | N/A |
| Mixture on Market Data: | N/A |
| Symptoms: | N/A |
| Delayed/Immediate Effects: | N/A |
| Test Data on Mixture: | See NIOSH, RTECS for additional toxicity data. |
| Not Meeting Classification: | N/A |
| Routes of Exposure: | N/A |
| Interactive Effects: | N/A |
| Absence of Specific Data: | N/A |
| Mixture vs Substance Data: | N/A |

12. ECOLOGICAL INFORMATION

| 12.1 Eco toxicity: | N/A |
|---------------------------------|-----|
| 12.2 Degradability: | N/A |
| 12.3 Bioaccumulation Potential: | N/A |
| 12.4 Mobility in Soil: | N/A |
| 12.5 PBT & vPvB Assessment: | N/A |
| 12.6 Other Adverse Effects: | N/A |
| | |

13. DISPOSAL CONSIDERATIONS

Disposal Information:

Dispose as a solid waste in accordance with local authority regulations. Empty container retains product residue.

Physical/Chemical Properties that affect Treatment:

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

Waste Treatment Information:

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

Personal Protection Required:

N/A



14. TRANSPORT INFORMATION

| 14.1 ID Number: | DOT Transportation Data (49 CFR 172.101): Not specifically listed. |
|-----------------------------|--|
| 14.2 Shipping Name: | N/A |
| 14.3 Hazard Class: | HMIS Rating: Health = 1 Fire = 1 Reactivity = 1 |
| 14.4 Packing Group: | N/A |
| 14.5 Environmental Hazards: | N/A |
| 14.6 User Precautions: | N/A |
| 14.7 Bulk Transport: | N/A |

15. REGULATORY INFORMATION

15.1 Regulatory Information: N/A

EPA Regulatory Information: US Federal Regulations: US EPA TSCA Inventory: All Chemical substance in this product comply with all rules or orders under TSCA.

CERCLA Reportable Quantity: None

15.2 Superfund Information:

Hazard Categories:

Immediate: No

Delayed: No

Fire: No. Flammability Classification: 1 Slight (HMIS, NFPA)

Pressure: No

Reactivity: No

Section 302 - Extremely Hazardous: No

Section 311 - Hazardous: No

15.3 **State Regulations:** Check your state's regulations that may specifically list copy machine toner.

15.4 Other Regulatory Information: N/A



16. OTHER INFORMATION

| General Comments: | This information is based on our current knowledge. It should not therefore be construed as guaranteeing specific properties of the products as described or their suitability for a particular application |
|----------------------------|---|
| Creation Date of this SDS: | 06/01/2015 |



Key to Abbreviations and Acronyms used in this sheet:

| ACGIH = American Conference of Governmental Industrial | NIOSH = National Institute for Occupational Safety and Health |
|--|---|
| Hygienists | |
| CERCLA = Comprehensive Environmental Response Compensation | OSHA = Occupational Health and Safety Administration |
| and Liability Act | |
| CLP = Classification, Labeling, and Packaging | PEL = Permissible Exposure Limit |
| DSD = Dangerous Substances Directive | SCBA = Self Contained Breathing Apparatus |
| EPA = Environmental Protection Agency | STOT = Specific Target Organ Toxicity |
| GHS = Globally Harmonized System | TLV = Threshold Limit Value |
| N/A = Not Applicable | UK = United Kingdom |
| NFPA = National Fire Protection Association | UN = United Nations |
| | |
| | |
| | |
| | |

Ref:

DISCLAIMER

All trademarks and models referenced are property of their respective holders and are used for identification purposes only.

These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.