Versior 1.0	n Revision Date: 10-31-2018	SDS Number:Date of last issueN00104582601Date of first issue	•••
SECTIO	ON 1. IDENTIFICATION		
Pr	oduct name	: Kleenex® Reveal Moisturizing Foa	m Hand Sanitizer
Pr	oduct code	: 45826	
Manufa	acturer or supplier's deta	S	
Co	ompany	<ul> <li>Kimberly-Clark Corporation 1400 Holcomb Bridge Road Roswell 30076-2199 USA</li> </ul>	
Τe	elephone	: 1-888-346-4652	
E	mergency telephone	: 1-877-561-6587	
	mail address Responsi- e/issuing person	: sdscontact@kcc.com	
Re	ecommended use of the	nemical and restrictions on use	
Re	ecommended use	: Skin-care	

### SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	:	Category 2
Eye irritation	:	Category 2B
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H225 Highly flammable liquid and vapor. H320 Causes eye irritation.
Precautionary Statements	:	Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Version 1.0	Revision Date: 10-31-2018	SDS Number: N00104582601	Date of last issue: - Date of first issue: 10-31-2018			
		P337 + P313 li tion.	eye irritation persists: Get medical advice/ atten-			
		Storage:				
		P403 + P235 S	Store in a well-ventilated place. Keep cool.			
		Disposal:				
		P501 Dispose of contents/ container to an approved posal plant.				

#### Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 74.7323 %

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture

Chemical nature	:	Mixture
-----------------	---	---------

#### Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol	64-17-5	>= 50 - < 70
propan-2-ol	67-63-0	>= 1 - < 5

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	No hazards which require special first aid measures. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	No hazards which require special first aid measures.
In case of skin contact	:	If symptoms persist, call a physician.
In case of eye contact	:	If in eyes, rinse with water for 15 minutes. If eye irritation persists, consult a specialist.
If swallowed	:	Do NOT induce vomiting. Consult a physician if necessary.
Most important symptoms and effects, both acute and delayed	:	None known.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Alcohol-resistant foam
		Dry chemical
		Carbon dioxide (CO2)

Vers 1.0	sion Revision Date: 10-31-2018		0S Number: 00104582601	Date of last issue: - Date of first issue: 10-31-2018
	Unsuitable extinguishing media	:	Water spray jet	
	Specific hazards during fire fighting	:	Highly flammable	liquid and vapor.
	Hazardous combustion prod- ucts	:	Carbon monoxide hydrocarbons (sm	, carbon dioxide and unburned loke).
	Specific extinguishing meth- ods	:		measures that are appropriate to local cir- he surrounding environment.
	Further information	:	Standard procedu	re for chemical fires.
	Special protective equipment for fire-fighters	:	In the event of fire	e, wear self-contained breathing apparatus.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Ensure adequate ventilation. Remove all sources of ignition.
Environmental precautions	:	Try to prevent the material from entering drains or water courses.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Shovel into suitable container for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).
Advice on safe handling	:	No special precautions required.
Conditions for safe storage	:	Keep containers tightly closed in a cool, well-ventilated place.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		TWA	1,000 ppm	NIOSH REL

Version 1.0	Revision Date: 10-31-2018	SDS Number: N00104582601		f last issue: - f first issue: 10-31-2018	3
				1,900 mg/m3	
			STEL	1,000 ppm	ACGIH
propa	an-2-ol	67-63-0	TWA	200 ppm	ACGIH
			STEL	400 ppm	ACGIH
			TWA	400 ppm 980 mg/m3	OSHA Z-1
			TWA	400 ppm 980 mg/m3	OSHA P0
			STEL	500 ppm 1,225 mg/m3	OSHA P0
			TWA	400 ppm 980 mg/m3	NIOSH REL
			ST	500 ppm 1,225 mg/m3	NIOSH REL

#### **Biological occupational exposure limits**

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

0 0	Engineering	measures	:
-----	-------------	----------	---

none
------

Personal protective equipm	ent	
Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection		
Remarks	:	not required under normal use
Eye protection	:	not required under normal use
Skin and body protection	:	not required under normal use
Protective measures	:	No special protective equipment required.
Hygiene measures	:	General industrial hygiene practice.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: No information available.
Odor	: No information available.
Odor Threshold	: No information available.

Vers 1.0	ion	Revision Date: 10-31-2018		S Number: 0104582601	Date of last issue: - Date of first issue: 10-31-2018
				_	
	рН		:	5	
	Melting	point/freezing point	:		
	Boiling	point/boiling range	:		
	Flash p	oint	:	16 °C	
	Evapora	ation rate	:	No information a	vailable.
	Burning	rate	:	No data available	9
	Upper e	explosion limit	:	19 %(V)	
	Lower e	explosion limit	:	2 %(V)	
	Relative	e vapor density	:	No information a	vailable.
	Relative	e density	:	0.875	
	Density		:	No data available	9
	Bulk de	nsity	:	No data available	9
	Solubili Wat	ty(ies) er solubility	:	No information a	vailable.
	Partition octanol	n coefficient: n- /water	:	No information a	vailable.
	Autoign	ition temperature	:	> 425 °C	
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty osity, dynamic	:	250 mPa.s	
	Visc	osity, kinematic	:	No information a	vailable.
	Explosi	ve properties	:	No data available	9
	Oxidizir	ng properties	:	No data available	9

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable
Possibility of hazardous reac- tions	:	Keep away from oxidizing agents, and acidic or alkaline products.

to avoid ble materials s decomposition FOXICOLOGICAL icity toxicity toxicity toxicity	:	bons (smoke).	hydrocar
s decomposition FOXICOLOGICAL icity toxicity toxicity	: INFC	Carbon monoxide, carbon dioxide and unburned bons (smoke). DRMATION Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method LD50 (Rat, male and female): 10,470 mg/kg Method: OECD Test Guideline 401 GLP: no LC50 (Rat, male and female): 124.7 mg/l	hydrocar-
TOXICOLOGICAL icity toxicity ts: toxicity	. INFC	bons (smoke).         DRMATION         Acute toxicity estimate: > 5,000 mg/kg         Method: Calculation method         LD50 (Rat, male and female): 10,470 mg/kg         Method: OECD Test Guideline 401         GLP: no         LC50 (Rat, male and female): 124.7 mg/l	hydrocar
<b>icity</b> toxicity <u>ts:</u> toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method LD50 (Rat, male and female): 10,470 mg/kg Method: OECD Test Guideline 401 GLP: no LC50 (Rat, male and female): 124.7 mg/l	
toxicity ts: toxicity		Method: Calculation method LD50 (Rat, male and female): 10,470 mg/kg Method: OECD Test Guideline 401 GLP: no LC50 (Rat, male and female): 124.7 mg/l	
<u>ts:</u> toxicity		Method: Calculation method LD50 (Rat, male and female): 10,470 mg/kg Method: OECD Test Guideline 401 GLP: no LC50 (Rat, male and female): 124.7 mg/l	
<u>ts:</u> toxicity		Method: Calculation method LD50 (Rat, male and female): 10,470 mg/kg Method: OECD Test Guideline 401 GLP: no LC50 (Rat, male and female): 124.7 mg/l	
toxicity	:	Method: OECD Test Guideline 401 GLP: no LC50 (Rat, male and female): 124.7 mg/l	
·	:	Method: OECD Test Guideline 401 GLP: no LC50 (Rat, male and female): 124.7 mg/l	
·	:	Method: OECD Test Guideline 401 GLP: no LC50 (Rat, male and female): 124.7 mg/l	
lation toxicity	:		
		GLP: no	
ol:			
toxicity	:	LD50 Oral (Rat): 5,840 mg/kg Method: OECD Test Guideline 401 GLP: no	
lation toxicity	:	LC50 (Rat, male and female): > 10000 ppm Exposure time: 6 h Method: OECD Test Guideline 403 GLP: yes	
nal toxicity	:	LD50 Dermal (Rabbit): 12,800 mg/kg Method: OECD Test Guideline 402 GLP: no	
osion/irritation			
skin irritation			
ts:			
	nal toxicity osion/irritation skin irritation	nal toxicity : <b>osion/irritation</b> skin irritation t <u>s:</u>	Exposure time: 6 h Method: OECD Test Guideline 403 GLP: yes nal toxicity : LD50 Dermal (Rabbit): 12,800 mg/kg Method: OECD Test Guideline 402 GLP: no osion/irritation skin irritation ts:

VersionRevision Date:SDS Number:1.010-31-2018N00104582601

Date of last issue: -Date of first issue: 10-31-2018

Result: No skin irritation GLP: yes

#### propan-2-ol:

Species: Rabbit Method: No information available. Result: No skin irritation GLP: no

#### Serious eye damage/eye irritation

#### Product:

Result: Mild eye irritant

#### Ingredients:

#### Ethanol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405 GLP: no

#### propan-2-ol:

Species: Rabbit Result: Irritating to eyes. Method: OECD Test Guideline 405 GLP: no

#### Respiratory or skin sensitization

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### Ingredients:

#### Ethanol:

Species: Mouse Assessment: Does not cause skin sensitization. Method: OECD Test Guideline 429 Result: Did not cause sensitization on laboratory animals. GLP: no

#### propan-2-ol:

Test Type: Buehler Test Species: Guinea pig Method: OECD Test Guideline 406 Result: Did not cause sensitization on laboratory animals. GLP: yes

### SAFETY DATA SHEET

## Kleenex® Reveal Moisturizing Foam Hand Sanitizer

Version 1.0	Revision Date: 10-31-2018	SDS Number: N00104582601	Date of last issue: - Date of first issue: 10-31-2018
Carc	inogenicity		
IAR			is product present at levels greater than or entified as probable, possible or confirmed by IARC.
			is product present at levels greater than or entified as probable, possible or confirmed by IARC.
OSH	A		his product present at levels greater than or OSHA's list of regulated carcinogens.
			his product present at levels greater than or OSHA's list of regulated carcinogens.
NTP			is product present at levels greater than or entified as a known or anticipated carcinogen
			is product present at levels greater than or entified as a known or anticipated carcinogen
STO	T-single exposure		
<u>Prod</u> Rem	l <mark>uct:</mark> arks: Not applicable		
STO	T-repeated exposure		
<u>Prod</u> Rem	l <u>uct:</u> arks: Not applicable		
Aspi	ration toxicity		
Prod	luct:		
No a	spiration toxicity classifi	cation	
SECTION	I 12. ECOLOGICAL INF	ORMATION	
Ecot	oxicity		
Ingre	edients:		
Etha	nol:		
Τοχία	city to fish	: LC50 (Pimepha Exposure time: Test Type: flow-	

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

### SAFETY DATA SHEET

## Kleenex® Reveal Moisturizing Foam Hand Sanitizer

/ersion .0	Revision Date: 10-31-2018		OS Number: 00104582601	Date of last issue: - Date of first issue: 10-31-2018			
aquatic invertebrates		Exposure time: 48 h Test Type: static test					
Toxic	ity to algae	:	<ul> <li>EC50 (Pseudokirchneriella subcapitata (green algae)): 275 mg/l</li> <li>Exposure time: 72 h</li> <li>Test Type: static test</li> </ul>				
propa	an-2-ol:						
Toxic	ity to fish	:	Exposure time: 9 Test Type: flow-th				
			Exposure time: 9 Test Type: flow-th				
	ity to daphnia and other tic invertebrates	:	Exposure time: 24 Test Type: static				
	i <b>stence and degradabil</b> ata available	ity					
	ccumulative potential ata available						
	<b>lity in soil</b> ata available						
	r adverse effects ata available						
ECTION	13. DISPOSAL CONSI	DEF	ATIONS				
Dispo	osal methods						
-	e from residues	:	Dispose of in acc	ordance with local regulations.			

waste nom residues	•	Dispose of in accordance with local regulati
Contaminated packaging	:	Dispose of as unused product. Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

Version 1.0	Revision Date: 10-31-2018	SDS Number: N00104582601	Date of last issue: - Date of first issue: 10-31-2018				
UN Prop Clas	king group	: UN 1987 : ALCOHOLS, N : 3 : II : 3	ALCOHOLS, N.O.S. 3 II				
UN/ Prop Clas	<b>A-DGR</b> ID No. per shipping name ss king group	: UN 1987 : Alcohols, n.o.s. (Ethanol, Isopr : 3 : II					
Labe	els king instruction (cargo	: <** Description	: <** Description for Danger Label not available: [ Z8 ] Dan- gerLabelNo 3 DG regulation IATA_C **>				
UN	<b>G-Code</b> number per shipping name	: UN 1987 : ALCOHOLS, N (Ethanol, Isopr					
Labo EmS	king group	: 3 : II : 3 : F-E, S-D : no					
	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.						
Don	Domestic regulation						
	CFR ID/NA number ber shipping name	: UN 1987 : ALCOHOLS, N (Ethanol, )	.O.S.				
Clas Pac Lab	king group	: 3 : II : <** Description	for Danger Label not available: [ Z8 ] Dan- )G regulation CFR **>				
	G Code ine pollutant	: 127 : no	: 127				

### SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know				
SARA 311/312 Hazards	:	Fire Hazard		
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		

Version 1.0	Revision Date: 10-31-2018		DS Number: 00104582601		ast issue: - irst issue: 10-31-20	)18	
SAR	SARA 313		The following components are subject to reporting levels established by SARA Title III, Section 313:				
			propan-2-ol		67-63-0	4.9995 %	
US S	tate Regulations						
Mass	sachusetts Right To Kr	างพ					
	Ethanol propan-2-ol				64-17-5 67-63-0	60 - 70 % 1 - 5 %	
Penn	sylvania Right To Kno	w					
	Ethanol Water propan-2-ol 2-methylpro		2-ol		64-17-5 7732-18-5 67-63-0 75-65-0	60 - 70 % 20 - 30 % 1 - 5 % 0 - 0.1 %	
New	New Jersey Right To Know						
	Ethanol Water propan-2-ol Siloxanes ar	nd S	ilicones, di-Me, 3- roup-terminated, et	hoxylated	64-17-5 7732-18-5 67-63-0 102783-01-7	60 - 70 % 20 - 30 % 1 - 5 % 1 - 5 %	
New	York City Hazardous S	Subs	stances				
Calif	propan-2-ol ornia Prop. 65			a to cause	67-63-0 ain any chemicals I cancer, birth, or ai		
Calif	ornia List of Hazardou	s Su	Ibstances				
	propan-2-ol				67-63-0		
Calif	California Permissible Exposure Limits for Chemical Contaminants						
	propan-2-ol				67-63-0		
The i	The ingredients of this product are reported in the following inventories:						
			All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.				
TSC	A list						

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### SECTION 16. OTHER INFORMATION


#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10-31-2018	N00104582601	Date of first issue: 10-31-2018

German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### Further information



Revision Date : 10-31-2018

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only

VersionRevision Date:SDS Number:Date of last issue: -1.010-31-2018N00104582601Date of first issue: 10-31-2018

to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8