SAFETY DATA SHEET

SCOTT® Continuous Air Freshener Refill - Citrus

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 10-29-2015

 1.1
 12-08-2015
 100000003296
 Date of first issue: 10-29-2015

SECTION 1. IDENTIFICATION

Product name : SCOTT® Continuous Air Freshener Refill - Citrus

Product code : 91067

Manufacturer or supplier's details

Company name of supplier : Kimberly-Clark Corporation

Address : 1400 Holcomb Bridge Road,

Roswell, GA 30076-2199

Telephone : 1-888-346-6452

Emergency telephone : 1-877-561-6587

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 4

Skin irritation : Category 2

Skin sensitization : Category 1

GHS Label element

Hazard pictograms



Signal Word : Warning

Hazard Statements : H227 Combustible liquid.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Precautionary Statements : **Prevention:**

P210 Keep away from heat/sparks/open flames/hot surfaces. -

No smoking.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

Other hazards

None known.

Version Revision Date: MSDS Number: Date of last issue: 10-29-2015
1.1 12-08-2015 100000003296 Date of first issue: 10-29-2015

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
3,7-dimethyloctan-3-ol	78-69-3	>= 20 - < 50
decanal	112-31-2	>= 10 - < 20
Butanoic acid, 3-methyl-, ethyl ester	108-64-5	>= 1 - < 10
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	>= 1 - < 10
Octanal	124-13-0	>= 1 - < 10
Citral	5392-40-5	>= 1 - < 5
citronellol	106-22-9	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air in case of accidental inhalation of vapors.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

Wash contaminated clothing before re-use.

If symptoms persist, call a physician.

In case of eye contact : In case of eye contact, remove contact lens and rinse imme-

diately with plenty of water, also under the eyelids, for at least

15 minutes.

If swallowed : Do NOT induce vomiting.

Most important symptoms and effects, both acute and

delayed

: No information available.

Notes to physician : No information available.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

Do NOT use water jet.

Specific hazards during fire : Highly flammable liquid and vapor.

Version Revision Date: MSDS Number: Date of last issue: 10-29-2015 1.1 12-08-2015 10000003296 Date of first issue: 10-29-2015

fighting

Hazardous combustion prod-

ucts

: Carbon monoxide, carbon dioxide and unburned

hydrocarbons (smoke).

Further information : Standard procedure for chemical fires.

Special protective equipment

for fire-fighters

: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emer-

gency procedures

Personal precautions, protec- : Ensure adequate ventilation. Remove all sources of ignition.

Environmental precautions : Prevent product from entering drains.

Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.

No special handling advice required.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Ingredients	CAS-No.
3,7-dimethyloctan-3-ol	78-69-3
decanal	112-31-2
Butanoic acid, 3-methyl-, ethyl	108-64-5
ester	
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6
Octanal	124-13-0
Citral	5392-40-5

SAFETY DATA SHEET

SCOTT® Continuous Air Freshener Refill - Citrus

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 10-29-2015

 1.1
 12-08-2015
 100000003296
 Date of first issue: 10-29-2015

citronellol 106-22-9

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Not required under normal use.

Skin and body protection : not required under normal use

Protective measures : No special protective equipment required.

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless

Odor : pleasant

Flash point : 63 °C

Relative density : 0.885 - 0.889 (20 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

: No hazards to be specially mentioned.

Conditions to avoid : Heat.

Incompatible materials : Strong acids and oxidizing agents

Hazardous decomposition

products

: Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Version Revision Date: MSDS Number: Date of last issue: 10-29-2015
1.1 12-08-2015 100000003296 Date of first issue: 10-29-2015

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 4,969 mg/kg

Method: Calculation method

Ingredients:

3,7-dimethyloctan-3-ol:

Acute oral toxicity : LD50 Oral (Rat, male and female): 8,270 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg

Octanal:

Acute oral toxicity : LD50 Oral (Rat, male): 4,617 mg/kg

Method: Acute toxicity estimate

GLP: no

Acute inhalation toxicity : LC50 (Rat, males): > 830 mg/m3

Exposure time: 8 h

Method: Acute toxicity estimate

GLP: no

Acute dermal toxicity : LD50 Dermal (Rabbit, males): 5,207 mg/kg

Method: Acute toxicity estimate

GLP: no

Citral:

Acute oral toxicity : LD50 Oral (Rat, male and female): 6,800 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg

Skin corrosion/irritation

Product:

Remarks: Moderate skin irritation

Ingredients:

3,7-dimethyloctan-3-ol: Assessment: Irritating to skin.

decanal:

Species: Rabbit

Result: No skin irritation

Butanoic acid, 3-methyl-, ethyl ester:

Assessment: Irritating to skin.

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment: Irritating to skin.

Version Revision Date: MSDS Number: Date of last issue: 10-29-2015
1.1 12-08-2015 100000003296 Date of first issue: 10-29-2015

Octanal:

Species: Rabbit

Method: Directive 67/548/EEC, Annex V, B.4.

Result: Irritating to skin.

GLP: yes

Citral:

Assessment: Irritating to skin.

citronellol: Species: Rabbit Result: Skin irritation

Serious eye damage/eye irritation

Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Ingredients:

3,7-dimethyloctan-3-ol:

Species: Rabbit Result: Eye irritation

decanal:

Species: Rabbit Result: Eye irritation

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment: Irritating to eyes.

Octanal:

Species: Rabbit Result: Eye irritation

Method: Directive 67/548/EEC, Annex V, B.5.

GLP: yes

Citral:

Result: Eye irritation

citronellol:Species: Rabbit
Result: Eye irritation

Respiratory or skin sensitization

Ingredients:

3,7-dimethyloctan-3-ol:

Species: Guinea pig

Result: Did not cause sensitization on laboratory animals.

decanal:

Version Revision Date: MSDS Number: Date of last issue: 10-29-2015
1.1 12-08-2015 100000003296 Date of first issue: 10-29-2015

Species: Humans

Result: Does not cause skin sensitization.

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment: The product is a skin sensitizer, sub-category 1B.

Octanal:

Test Type: Freund's complete adjuvant test

Species: Guinea pig

Method: No information available.

Result: Did not cause sensitization on laboratory animals.

GLP: No information available.

Citral:

Result: The product is a skin sensitizer, sub-category 1B.

citronellol:

Result: The product is a skin sensitizer, sub-category 1B.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Aspiration toxicity

Product:

May be harmful if swallowed and enters airways.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: No information available.

Version Revision Date: MSDS Number: Date of last issue: 10-29-2015
1.1 12-08-2015 100000003296 Date of first issue: 10-29-2015

Toxicity to daphnia and other

aquatic invertebrates

Remarks: No information available.

Toxicity to algae

Remarks: No information available.

Ingredients:

3,7-dimethyloctan-3-ol:

Toxicity to fish : LC50: 8.9 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50: 14.2 mg/l Exposure time: 48 h

Toxicity to algae : EC50: 21.6 mg/l

Exposure time: 72 h

decanal:

Toxicity to fish : LC50: 2.1 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50: 1.94 mg/l

Exposure time: 48 h

Toxicity to algae : EC50: 4.5 mg/l

Exposure time: 72 h

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Octanal:

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 1.54 mg/l

Exposure time: 48 h

Test Type: flow-through test Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 4.5

ma/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Citral:

Toxicity to fish : LC50: 6.78 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 6.8 mg/l

Version Revision Date: MSDS Number: Date of last issue: 10-29-2015
1.1 12-08-2015 100000003296 Date of first issue: 10-29-2015

aquatic invertebrates Exposure time: 48 h

Toxicity to algae : EC50: 6.8 mg/l

Exposure time: 48 h

citronellol:

Toxicity to fish : LC50: 14.66 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50: 17.48 mg/l Exposure time: 48 h

Toxicity to algae : EC50: 2.4 mg/l

Exposure time: 72 h

Persistence and degradability

Product:

Biodegradability : Remarks: No information available.

Ingredients:

3,7-dimethyloctan-3-ol:

Biodegradability : Result: Readily biodegradable.

decanal:

Biodegradability : Result: Readily biodegradable.

Citral:

Biodegradability : Result: Readily biodegradable.

citronellol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Ingredients:

3,7-dimethyloctan-3-ol:

Partition coefficient: n- :

octanol/water

: log Pow: 3.6

decanal:

Partition coefficient: n-

octanol/water

: log Pow: 3.760

Octanal:

Partition coefficient: n-

octanol/water

: log Pow: 3.5

Version Revision Date: MSDS Number: Date of last issue: 10-29-2015
1.1 12-08-2015 100000003296 Date of first issue: 10-29-2015

citronellol:

Partition coefficient: n- : log Pe

octanol/water

: log Pow: 3.55 (25 °C)

Mobility in soil

Product:

Mobility : Remarks: No information available.

Other adverse effects

Product:

Results of PBT and vPvB

assessment

: Remarks: Based on available data, the classification criteria

are not met

Additional ecological infor-

mation

: There is no data available for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

UN/ID No. : UN 1169

Proper shipping name : EXTRACTS, AROMATIC, LIQUID

Class : 3 Packing group : III

IMDG-Code

UN number : UN 1169

Proper shipping name : EXTRACTS, AROMATIC, LIQUID

Class : 3
Packing group : III
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

Version Revision Date: MSDS Number: Date of last issue: 10-29-2015
1.1 12-08-2015 100000003296 Date of first issue: 10-29-2015

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
	123-92-2	5000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

3,7-dimethyloctan-3-ol	78-69-3	50 - 70 %
decanal	112-31-2	20 - 30 %
alkanes, C9-12-iso-	90622-57-4	10 - 20 %
Butanoic acid, 3-methyl-, ethyl ester	108-64-5	10 - 20 %
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	10 - 20 %
Octanal	124-13-0	10 - 20 %

New Jersey Right To Know

3,7-dimethyloctan-3-ol	78-69-3	50 - 70 %
decanal	112-31-2	20 - 30 %
alkanes, C9-12-iso-	90622-57-4	10 - 20 %
Butanoic acid, 3-methyl-, ethyl ester	108-64-5	10 - 20 %
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	10 - 20 %

Version Revision Date: MSDS Number: Date of last issue: 10-29-2015 12-08-2015 10000003296 Date of first issue: 10-29-2015 1.1

> Octanal 124-13-0 10 - 20 %

California Prop 65 : This product does not contain any chemicals known to the


State of California to cause cancer, birth, or any other

reproductive defects.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date : 12-08-2015

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8