Brand: Morpheus 360

Model: HP4500 Series Headphone

Description: Wireless Headphones

Product Detail: Electronics Containing Lithium-Ion Battery

Information shown on this SDS was tested and verified by Shenzhen TCT Testing Technology Co., Ltd. Referenced documents: ISO 11014:2009 Safety data sheet for chemical products. Written under the formatting guideline of OSHA hazard communication standard (29 CFR 1910.1200)

Applicant's name	Shenzhen City Bai Jia Ying Technology Co., Ltd.
Applicant's Address	4th floor, A building, Weixin industrial park, Shitoushan Industrial Zone, Shiyan Street, Bao'an District, Shenzhen
Name of Sample	Lithium ion Battery
Model	502030
Nominal Voltage	3.7V
Rated Capacity	200mAh, 0.74Wh
Weight	5.7g
Size (L×W×T)	(31.5×19.7×4.9)mm
	Shenzhen TCT Testing Technology Co., Ltd.
Prepared By	1B/F., Building 1, Yibaolai Industrial Park, Qiaotou, Fuyong, BaoanDistrict, Shenzhen, Guangdong, China.
Report No.	TCT200106M125

Written by:		_ Approv	ed by:	Allen din	
Inspected by:	Army Zeng	_	Date:	2020. 01. 08	
	(6)				





Section 1- Chemic	al Product & Company Identification
Name of Sample	Lithium ion Battery
Manufacturer's name	Shenzhen City Bai Jia Ying Technology Co., Ltd.
Manufacturer's Address	4th floor, A building, Weixin industrial park, Shitoushan Industrial Zone, Shiyan Street, Bao'an District, Shenzhen
Contact Person	Mr. Chen
Tel	+86-769-82867206
Fax	+86-769-82867236
Emergency Tel	+86-769-82867206
E-mail	2713188604@qq.com

Section 2- Hazard	ls Identification	χζ <sup>(</sup>	٨	5
Classification of Danger	See section 14.			
Primary Route(s) of Exposure	Eye, skin contact, inge	estion.		
Health Hazard		ormal condition enternal composed to the follow	ons. In case of abuse, onents, which could ca wing cases: charged t	there's Hazard of rupture, ause casualty loss. Abuses for long time, short

Report No.: TCT200106M125 Page 2 of 8
Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



Page 3 of 8



Section 3- Composition/In	formation on Ingredients	
Chemical Name	Concentration or concentration ranges (%)	CAS Number
Lithium Cobalt Oxide	15-40	12190-79-3
Graphite	10-30	7782-42-5
Phosphate(1-), hexafluoro-, lithium	10-30	21324-40-3
Copper	7-13	7440-50-8
Aluminum foil	5-10	7429-90-5
Nickel	1-5	7440-02-0

Labeling according to EC directives.

No symbol and Hazard phrase are required.

Note: CAS number is Chemical Abstract Service Registry Number.

N/A=Not apply.

Section 4- First A	Aid Measures
Eye	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.
Skin	Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid.
Inhalation	Remove from exposure and move to fresh air immediately. Use oxygen if available.
Ingestion	Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious. Call a physician.

Section 5- Fire Fi	ighting Measures
Characteristics of Hazard	Dusts at sufficient concentrations can form explosive mixtures with air. Combustion generates toxic fumes.
Hazardous Combustion Products	Carbon dioxide.
Fire-extinguishing Methods and Extinguishing Media	For small fires, use water spray, dry chemical, carbon dioxide or chemical foam.

Report No.: TCT200106M125

Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



Attention in Fire-extinguishing

Wear self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6- Accidental Release Measure	es
Personal Precautions, protective equipment, and emergency procedures	In case of rupture. Attention! Corrosive material. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Refer to protective measures listed in Sections 7 and 8.
Environmental Precautions	Prevent product from contaminating soil and from entering sewers or waterways.
Methods and materials for Containment	Stop the leak if safe to do so. Contain the spilled liquid with dry sand or earth. Clean up spills immediately.
Methods and materials for cleaning up	Absorb spilled material with an inert absorbent (dry sand or earth). Scoop contaminated absorbent into an acceptable waste container. Collect all contaminated absorbent and dispose of according to directions in Section 13. Scrub the area with detergent and water; collect all contaminated wash water for proper disposal.

Section 7- Handling and Storage	
Handling	The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.
Storage	Store in a cool, dry, well-ventilated area away from incompatible substances. Store locked up. Keep out of the reach of children.
Other Precautions	In case of rupture. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection equipment.

	Use adequate ventilation to keep airborne
Engineering Controls	concentrations low. If used under conditions that generate particulates, the ACGIH TLV-TWA of 3rng/m³ respirable fraction (10mg/m³ total) should be observed.

Report No.: TCT200106M125 Page 4 of 8
Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



Personal Protective Equipme	ent
-----------------------------	-----

Eye and Face Protection: None required for consumer use. If there is a Hazard of contact: Tight sealing safety goggles. Face protection shield.

Skin and Body Protection: None required for consumer use. If there is a Hazard of contact: Wear

protective gloves and protective clothing.

Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

	Appearance: Prismatic		
Physical State	Color: Silver	(20)	
	Odour: If leaking, smells of medical ether.		
Change in condit	ion		
рН	Not applicable as supplied.	3)	
Flash Point	Not applicable unless individual components exposed.		
Flammability	Not applicable unless individual components exposed.	(0)	
Relative density:	Not applicable unless individual components exposed.		
Solubility (water)	Not applicable unless individual components exposed.		
Solubility (other)	Not applicable unless individual components exposed.		

Section 10 – Stability and Reactivity	
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Conditions to Avoid	Exposure to air or moisture over prolonged periods.
Incompatible materials	Acids, Oxidizing agents, Bases.
Hazardous Decomposition Products	Carbon oxides.

Fax: 86-755-27673332

Report No.: TCT200106M125 Hotline: 400-6611-140 Tel: 86-755-27673339

Page 5 of 8 http://www.tct-lab.com



Section 11 – Toxicological Information	
Irritation	In the event of exposure to internal contents, vapour fumes may be very irritating to the eyes and skin.
Sensitization	Not Available.
Reproductive Toxicity	Not Available.
Toxicologically Synergistic Materials	Not Available.

Section 12-Ecological Information		
General note:	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.	
Anticipated behavior of a chemical product in environment/possible environmental impact/ ecotoxicity	Not Available.	

Section 13 – Disposal Considerations	
Waste Treatment	Recycle or dispose of in accordance with government, state & local regulations.
Attention for Waste Treatment	Deserted batteries shouldn't be treated as ordinary trash. Shouldn't be thrown into fire or placed in high temperature. Shouldn't be dissected, pierced, crushed or treated similarly. Best disposal method is recycling.

Section 14 – Transport Information		
UN number	3480	
Proper shipping name	Lithium ion batteries (limited to a maximum of 30% SoC) or;	
Label(s) / Placard Required	Miscellaneous Lithium batt	

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises.

Report No.: TCT200106M125 Page 6 of 8
Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



ICAO / IATA:	Can be shipped by air in accordance with International Civil Aviation Organization (ICAO), TI or International Air Transport Association (IATA), DGR Packing Instructions (PI) 965 Section I appropriate of IATA DGR 61 <sup>st</sup> (2020 Edition) for transportation.
IMDG CODE:	Shipping may be done in accordance with the IMDG Code 2018 Edition (Amdt 39-18).
DOT:	Other requirements for the US Department of Transportation (DOT) Subchapter C, Hazardous Materials Regulations if shipped in compliance with 49 CFR 173.185.
ADR/ ADN:	Transport Requirements for United Nations Economic Commission for Europe (UNECE) ADR/ADN, Applicable as from 1 January 2019.

In addition, to be permitted in transport each lithium cell and battery types must have passed the applicable tests set out in Subsection 38.3 of the UN Manual of Tests and Criteria.

## Section 15 - Regulatory Information

**Dangerous Goods Regulations** 

Recommendations on the Transport of Dangerous Goods-Model Regulations (20th revised edition)

Recommendations on the Transport of Dangerous Goods-Manual of Tests and Criteria

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG Code 2018 Edition Amdt 39-18)

Technical Instructions for the Safe Transport of Dangerous Goods

Classification and code of dangerous goods (GB 6944-2012)

2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Toxic Substance Control Act (TSCA)

Code of Federal Regulations

In accordance with all Federal, State and local laws

Report No.: TCT200106M125 Page 7 of 8
Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com






### Section 16 – Additional Information


SDS creation date: 2020 Version: 1.0

Sample photo:



To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

The data/information contained herein has been reviewed and approved for general release on the basis that this document contains no export controlled information.



Shenzhen TCT Testing Technology Co., Ltd.

1B/F., Building 1, Yibaolai Industrial Park, Qiaotou, Fuyong, Baoan District, Shenzhen, Guangdong, China

Report Search Number: TCT200106M125 Search System: http://www.tct-lab.com