

Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014		
SECTION	1. IDENTIFICATION				
Produ	uct name	: GOJO® SKI	GOJO® SKILCRAFT® Luxury Foam Antibacterial Handwash		
Produ	uct code	: 3143-0102 (3143-0102 (8520-01-556-2576)		
Manu	ufacturer or supplier's	details			
Com	pany name of supplier	: Austin Lighth Travis Assoc	nouse siation for the Blind		
Addre	ess		2307 Business Center Drive Austin TX 78744		
Telep	phone	: 1-888-217-7	232		
Emer	gency telephone	: 1-888-714-3	1-888-714-3496		
Reco	ommended use of the	chemical and rest	rictions on use		
Reco	mmended use	: Antibacterial	Soap		
Restrictions on use		consumers a foreseeable specifically o exempt from While this m contains valu proper use o as well as ur spills. This S employees a intended-use	sonal care or cosmetic product that is safe for and other users under normal and reasonably use. Cosmetics and consumer products, lefined by regulations around the world, are the requirement of an SDS for the consumer. aterial is not considered hazardous, this SDS uable information critical to the safe handling and of the product for industrial workplace conditions nusual and unintended exposures such as large SDS should be retained and available for and other users of this product. For specific e guidance, please refer to the information the package or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Serious eye damage	: Category 1
GHS Label element Hazard pictograms	



Vers 2.1	sion	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014		
Signal Word Hazard Statements			: Danger : H226 Flammable liquid and vapor.			
		I Statements	H318 Causes set Prevention: P210 Keep away No smoking. P233 Keep conta P241 Use explos equipment. P242 Use only no P243 Take preca P280 Wear prote Response: P303 + P361 + P all contaminated P305 + P351 + P water for several and easy to do. C CENTER or doct Storage: P403 + P235 Sto Disposal:	rious eye damage. from heat/sparks/open flames/hot surfaces. ion-proof electrical/ ventilating/ lighting/ on-sparking tools. autionary measures against static discharge. ctive gloves/ eye protection/ face protection. 2353 IF ON SKIN (or hair): Take off immediately clothing. Rinse skin with water/shower. 2338 + P310 IF IN EYES: Rinse cautiously with minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON		

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 1 - < 5
Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2- ethanediyl), Ammonium salt	67762-19-0	>= 1 - < 5
Ammonium dodecyl sulphate	2235-54-3	>= 1 - < 5
Propylene glycol	57-55-6	>= 1 - < 5
4-chloro-3,5-dimethylphenol	88-04-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice

: In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.



Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014			
If inhaled		 If inhaled, remove to fresh air. Get medical attention if symptoms occur. Wash with water and soap as a precaution. 				
in ou			attention if symptoms occur.			
In case of eye contact		 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately. 				
If swallowed		Get medical a	 If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. 			
Most important symptoms and effects, both acute and delayed		: Causes serio	us eye damage.			
Protection of first-aiders		and use the re	onders should pay attention to self-protection, ecommended personal protective equipment ential for exposure exists.			
Notes to physician		: Treat sympton	matically and supportively.			

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Sulfur oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.



Version 2.1	Revision Date: 04/27/2015		SDS Number: 378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014	
Special protective equipment for fire-fighters		:	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.		
SECTION	I 6. ACCIDENTAL RELE	AS	EMEASURES		
Personal precautions, protective equipment and emergency procedures		:	 Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations. 		
Envi	Environmental precautions		 Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. 		
Methods and materials for containment and cleaning up		:	 Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapors/mists with a watiget. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked r can be pumped, store recovered material in appropriat container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regulation requirements. 		

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	 Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used.



Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014		
		Take precautiona	ghtly closed. neat and sources of ignition. ry measures against static discharges. rent spills, waste and minimize release to the		
Conditions for safe storage		 Keep in properly labeled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition. 			
Materials to avoid		 Do not store with the following product types: Strong oxidizing agents Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures which in contact with water emit flammable gases Explosives Gases 			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alpha-Sulfo-omega-	67762-19-0
(dodecyloxy)-poly(oxy-1,2-	
ethanediyl), Ammonium salt	
Ammonium dodecyl sulphate	2235-54-3
4-chloro-3,5-dimethylphenol	88-04-0

Engineering measures

: Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation. Use with local exhaust ventilation.

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general



Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
		workplaces h assessment. Particulates N dust, 5 mg/m Particles (inse	concentrations of particulates in the air at ave to be considered in workplace risk Relevant limits include: OSHA PEL for lot Otherwise Regulated of 15 mg/m3 - total 3 - respirable fraction; and ACGIH TWA for bluble or poorly soluble) Not Otherwise a mg/m3 - respirable particles, 10 mg/m3 - icles.
Pei	rsonal protective equipm	ient	
Re	spiratory protection	maintain vapo concentration unknown, app Follow OSHA use NIOSH/M by air purifyin hazardous ch supplied resp release, expo	ocal exhaust ventilation is recommended to or exposures below recommended limits. Where is are above recommended limits or are propriate respiratory protection should be worn. respirator regulations (29 CFR 1910.134) and ISHA approved respirators. Protection provided g respirators against exposure to any emical is limited. Use a positive pressure air irator if there is any potential for uncontrolled sure levels are unknown, or any other where air purifying respirators may not provide tection.
	nd protection Vaterial	: Impervious gl	0.105
ſ	Material	: Flame retarda	ant gloves
F	Remarks	on the concer time is not de For special ap resistance to gloves with th	es to protect hands against chemicals depending htration specific to place of work. Breakthrough termined for the product. Change gloves often! oplications, we recommend clarifying the chemicals of the aforementioned protective te glove manufacturer. Wash hands before t the end of workday.
Eye	e protection	Chemical res	owing personal protective equipment: istant goggles must be worn. e likely to occur, wear:
Ski	n and body protection	resistance da potential. Wear the follo Flame retarda Skin contact i	priate protective clothing based on chemical ta and an assessment of the local exposure owing personal protective equipment: ant antistatic protective clothing. must be avoided by using impervious protective es, aprons, boots, etc).
Hy	giene measures		ye flushing systems and safety showers are to the working place.



Version 2.1	Revision Date: 04/27/2015		DS Number: 378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
				ot eat, drink or smoke. ted clothing before re-use.
SECTION	9. PHYSICAL AND CH	ЕМІС		s
Appe	arance	:	liquid	
Color		:	clear, amber, bro	own
Odor		:	fruity	
Odor	Threshold	:	No data available	e
pН		:	4.5 - 8.5	
Meltir	ng point/freezing point	:	No data available	e
Initial range	boiling point and boiling	:	83 °C	
Flash	n point	:	58.9 °C	
Evap	oration rate	:	No data available	e
Flam	mability (solid, gas)	:	Not applicable	
Uppe	er explosion limit	:	No data available	e
Lowe	er explosion limit	:	No data available	e
Vapo	r pressure	:	No data available	e
Relat	ive vapor density	:	No data available	e
Dens	ity	:	1.00 g/cm3	
	bility(ies) ater solubility	:	soluble	
	ion coefficient: n- ol/water	:	Not applicable	
Autoi	gnition temperature	:	No data available	e
Deco	mposition temperature	:	The substance o	or mixture is not classified self-reactive.
Visco Vis	osity scosity, kinematic	:	10 - 20 mm2/s (2	20 °C)
Explo	osive properties	:	Not explosive	



Version 2.1	Revision Date: 04/27/2015	-	DS Number: 78-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
Oxidiz	zing properties	:	The substance	or mixture is not classified as oxidizing.
ECTION	10. STABILITY AND RE	AC	ΓΙVITY	
React	tivity	:	Not classified a	as a reactivity hazard.
Chem	nical stability	:	Stable under n	ormal conditions.
Possi tions	bility of hazardous reac-	:		uid and vapor. rm explosive mixture with air. strong oxidizing agents.
Cond	itions to avoid	:	Heat, flames a	nd sparks.
Incom	npatible materials	:	Oxidizing ager	ts
Haza produ	rdous decomposition	:	No hazardous	decomposition products are known.
Inges	contact			
	e toxicity assified based on availa	ble i	nformation.	
Prod				
		:	Acute toxicity e Method: Calcul	stimate: > 5,000 mg/kg ation method
Acute	uct:	:		
Acute Ingre Ethar	uct: oral toxicity dients: nol:		Method: Calcul	ation method
Acute Ingre Ethar	uct: oral toxicity dients:			ation method
Acute Ingre Ethar Acute	uct: oral toxicity dients: nol:	:	Method: Calcul	ation method ,000 mg/kg I.7 mg/l 4 h

Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
	Remarks: Based on data from similar materials

Remarks: Based on data from similar materials



ersion 1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
	onium dodecyl sulp oral toxicity	: LD50 (Rat): 2 Method: EC [2,000 mg/kg Directive 92/69/EEC B.1 Acute Toxicity (Oral) sed on data from similar materials
	lene glycol: oral toxicity	: LD50 (Rat): >	• 5,000 mg/kg
Acute	inhalation toxicity	Exposure tim Test atmosph	nere: dust/mist The substance or mixture has no acute
Acute	dermal toxicity): > 2,000 mg/kg The substance or mixture has no acute dermal
	oro-3,5-dimethylphe oral toxicity	: Acute toxicity Method: Expe	sed on harmonised classification in EU regulatio
Acute	inhalation toxicity	: LC50 (Rat): > Test atmosph	• 6.29 mg/l here: dust/mist
Acute	dermal toxicity	: LD50 (Rat): >	> 2,000 mg/kg
	corrosion/irritation assified based on ava	ailable information.	

Result: No skin irritation

Ingredients:

Ethanol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation



Version	Revision Date:	MSDS Number:	Date of last iss
2.1	04/27/2015	31378-00006	Date of first iss

Date of last issue: 04/08/2015 Date of first issue: 12/11/2014

Propylene glycol:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

4-chloro-3,5-dimethylphenol:

Result: Skin irritation Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Serious eye damage/eye irritation

Causes serious eye damage.

Ingredients:

Ethanol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rabbit Result: Irreversible effects on the eye Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405

Propylene glycol:

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

4-chloro-3,5-dimethylphenol:

Result: Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Ethanol: Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:



Version	Revision Date:	MSDS Number:	Date of last issue: 04/08/2015
2.1	04/27/2015	31378-00006	Date of first issue: 12/11/2014

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Propylene glycol:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative

4-chloro-3,5-dimethylphenol:

Assessment: Probability or evidence of skin sensitization in humans Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

ingreulents.	
Ethanol:	
Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative
Alpha-Sulfo-omega-(dodecy	loxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
	 Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	 Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 475



Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
		Result: negativ Remarks: Bas	ve ed on data from similar materials
	onium dodecyl sulphat toxicity in vitro	: Test Type: In Result: negativ	vitro mammalian cell gene mutation test ve ed on data from similar materials
Geno	Genotoxicity in vivo :		ammalian erythrocyte micronucleus test (in vivo ssay) se bute: Ingestion D Test Guideline 474 ve ed on data from similar materials
	ylene glycol: toxicity in vitro	: Test Type: Ba Result: negativ	cterial reverse mutation assay (AMES) ve
Geno	toxicity in vivo	Species: Mous	oute: Intraperitoneal injection
	oro-3,5-dimethylphenol toxicity in vitro		cterial reverse mutation assay (AMES) ve
	nogenicity lassified based on availa	ble information.	
Amm Speci Applic Expos Resul	dients: onium dodecyl sulphat es: Rat cation Route: Ingestion sure time: 2 Years It: negative arks: Based on data from		
Speci Applic Expos	ylene glycol: es: Rat cation Route: Ingestion sure time: 2 Years lt: negative		
IARC	;		this product present at levels greater than or identified as probable, possible or confirmed on by IARC.
OSH	A		this product present at levels greater than or identified as a carcinogen or potential carcino-



Version 2.1	Revision Date: 04/27/2015		SDS Number: 378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
NTP		e		product present at levels greater than or ntified as a known or anticipated carcinogen
-	oductive toxicity assified based on availa	ble	information.	
<u>Ingre</u> Ethar	<u>dients:</u> nol:			
	s on fertility	:	Species: Mouse Application Route	eneration reproduction toxicity study : Ingestion est Guideline 416
	a-Sulfo-omega-(dodecy is on fertility		Test Type: Two-g Species: Rat Application Route Result: negative	thanediyl), Ammonium salt: eneration reproduction toxicity study e: Ingestion on data from similar materials
Effect	s on fetal development	:	Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion on data from similar materials
	onium dodecyl sulpha s on fetal development	te: :	Species: Rat Application Route Result: negative	vo-fetal development :: Ingestion on data from similar materials
	ylene glycol: is on fertility	:	Species: Mouse Application Route Result: negative	: Ingestion
Effect	s on fetal development	:	Test Type: Embry Species: Mouse Application Route Result: negative	vo-fetal development : Ingestion

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.



Version	Revision Date:	MSDS Number:	Date of last issue: 04/08/2015
2.1	04/27/2015	31378-00006	Date of first issue: 12/11/2014

Repeated dose toxicity

Ingredients:

Ethanol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rat NOAEL: > 225 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Propylene glycol:

Species: Rat NOAEL: 1,700 mg/kg Application Route: Ingestion Exposure time: 2 y

4-chloro-3,5-dimethylphenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Ethanol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d



ersion 1	Revision Date: 04/27/2015	MSDS Num 31378-0000	
Toxici	ty to bacteria		hotobacterium phosphoreum): 32.1 mg/l e time: 0.25 h
	-Sulfo-omega-(dodecy ty to fish	: LC50 (D Exposur Method:	xy-1,2-ethanediyl), Ammonium salt: anio rerio (zebra fish)): 7.1 mg/l e time: 96 h OECD Test Guideline 203 s: Based on data from similar materials
	ty to daphnia and other ic invertebrates	Exposur Method:	aphnia magna (Water flea)): 7.4 mg/l e time: 48 h OECD Test Guideline 202 s: Based on data from similar materials
Toxici	ty to algae	Exposur Method:	Desmodesmus subspicatus (green algae)): 27.7 mg e time: 72 h OECD Test Guideline 201 s: Based on data from similar materials
		Exposur Method:	Desmodesmus subspicatus (green algae)): 0.95 mg e time: 72 h OECD Test Guideline 201 s: Based on data from similar materials
Toxici toxicit	ty to fish (Chronic y)	Exposur Method:	Dncorhynchus mykiss (rainbow trout)): 0.14 mg/l e time: 28 d OECD Test Guideline 204 s: Based on data from similar materials
aquat	ty to daphnia and other ic invertebrates nic toxicity)	Exposur	Daphnia magna (Water flea)): 0.27 mg/l e time: 21 d s: Based on data from similar materials
Toxici	ty to bacteria	Exposur Method:	seudomonas putida): > 10 g/l e time: 16 h DIN 38 412 Part 8 s: Based on data from similar materials
	onium dodecyl sulpha ty to fish	: LC50 (C Exposur Method:	ncorhynchus mykiss (rainbow trout)): 3.6 mg/l e time: 96 h OECD Test Guideline 203 s: Based on data from similar materials
	ty to daphnia and other ic invertebrates	Exposur Method:	aphnia magna (Water flea)): 4.7 mg/l e time: 48 h Tested according to Directive 92/69/EEC. s: Based on data from similar materials
Toxici	ty to algae	Exposur Method:	Desmodesmus subspicatus (green algae)): > 20 mg e time: 72 h Directive 67/548/EEC, Annex V, C.3. s: Based on data from similar materials



Versi 2.1	on	Revision Date: 04/27/2015		SDS Number: 378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
				Exposure time: 72 Method: Directive	mus subspicatus (green algae)): 5.4 mg/l h 67/548/EEC, Annex V, C.3. on data from similar materials
ä	Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)		:	Exposure time: 7	nia dubia (water flea)): 0.88 mg/l d on data from similar materials
-	Toxicity	to bacteria	:	Exposure time: 16 Method: DIN 38 4	
	Propyle Toxicity	ene glycol: to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 40,613 mg/l h
		to daphnia and other invertebrates	:	EC50 (Ceriodaphi Exposure time: 48	nia dubia (water flea)): 18,340 mg/l h
-	Toxicity	to algae	:	EC50 (Skeletoner Exposure time: 48 Method: OECD Te	
	Toxicity toxicity)	to fish (Chronic	:	Chronic Toxicity V Exposure time: 30	
ä	aquatic	to daphnia and other invertebrates c toxicity)	:	NOEC (Ceriodaph Exposure time: 7 o	nia dubia (water flea)): 29,000 mg/l d
-	Toxicity	to bacteria	:	NOEC (Pseudomo Exposure time: 18	onas putida): > 20,000 mg/l h
	4-chlor Toxicity	o-3,5-dimethylphenol to fish	:	LC50 (Oncorhync Exposure time: 96	nus mykiss (rainbow trout)): 0.76 mg/l h
		to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 7.7 mg/l h
	M-Facto icity)	or (Acute aquatic tox-	:	1	
I	Persist	ence and degradabili	ty		
I	Ingredi Ethano Biodegr		:	Result: Readily bid Biodegradation: 8 Exposure time: 20	4 %



/ersion 2.1	Revision Date: 04/27/2015	-	S Number: 8-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014
	a-Sulfo-omega-(dodec egradability	: F E E N	Result: Readily liodegradation: exposure time: dethod: Directiv	
	onium dodecyl sulpha egradability	: F B E N	iodegradation: xposure time: lethod: OECD	
	ylene glycol: egradability	E	iodegradation: xposure time:	
Bioa	ccumulative potential			
Ingre	dients:			
	n ol: ion coefficient: n- ıol/water	: lo	og Pow: -0.35	
Partit	a-Sulfo-omega-(dodec ion coefficient: n- iol/water		- poly(oxy-1,2- og Pow: 0.3	ethanediyl), Ammonium salt:
Partit	ionium dodecyl sulpha ion coefficient: n- iol/water		og Pow: 0.8 - 0	.91
Partit	ylene glycol: ion coefficient: n- iol/water	: lo	og Pow: -1.07	
Partit	oro-3,5-dimethylphend ion coefficient: n- ol/water		og Pow: 3.27	
Mobi	lity in soil			
	ata available			
Othe	r adverse effects			
No da	ata available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods



Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006	Date of last issue: 04/08/2015 Date of first issue: 12/11/2014	
Waste	from residues	: Dispose of in acc	ordance with local regulations.	
Contar	ninated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum. 		

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
US State Regulations		
Pennsylvania Right To Know	,	
Water		7732-18-5 70 - 90 %



Version 2.1	Revision Date: 04/27/2015	MSDS Number: 31378-00006		ast issue: 04/08/2019 irst issue: 12/11/2014	
	Ethanol			64-17-5	1 - 5 %
	Ammonium	n dodecyl sulphate		2235-54-3	1 - 5 %
	Alpha-Sulfo-omega-(dodecyloxy)-poly 1,2-ethanediyl), Ammonium salt			67762-19-0	1 - 5 %
	Propylene glycol			57-55-6	1 - 5 %
	Ammonium sulfate			7783-20-2	0.1 - 1 %
	Propan-2-c	bl		67-63-0	0.1 - 1 %
New J	Jersey Right To Know	N			
	Water			7732-18-5	70 - 90 %
	Ethanol			64-17-5	1 - 5 %
	Ammonium dodecyl sulphate			2235-54-3	1 - 5 %
		o-omega-(dodecyloxy)-p diyl), Ammonium salt	oly(oxy-	67762-19-0	1 - 5 %
	Propylene			57-55-6	1 - 5 %
0.111		T 1's see 1 of 1 of			

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

AICS : All ingredients listed or exempt.

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)



Version	Revision Date:	MSDS Number:	Date of last issue: 04/08/2015
2.1	04/27/2015	31378-00006	Date of first issue: 12/11/2014

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Full text of other abbreviations

		USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL		USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / STEL		Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA		8-hr TWA
US WEEL/ TWA	•	6-11 TWA
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	04/27/2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



VersionRevision Date:MSDS Number:Date of last issue: 04/08/20152.104/27/201531378-00006Date of first issue: 12/11/2014

US / Z8