

Revision date: 30-Mar-2015

Version: 2.1

Page 1 of 15

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING Product Identifier

-0037

Material Name: Advil Tablets/Caplets

Trade Name:	ADVIL
Compound Number:	WH-0432-0033,
Chemical Family:	Not determined

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against Intended Use: Consumer healthcare product used as non-steroidal, anti-inflammatory drug (nsaid)

Details of the Supplier of the Safety Data Sheet Pfizer Inc 1 Giralda Farms Madison, NJ 07940

Pfizer Ltd Ramsgate Road Sandwich, Kent CT13 9NJ United Kingdom +00 44 (0)1304 616161 Emergency telephone number: International CHEMTREC (24 hours): +1-703-527-3887

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: pfizer-MSDS@pfizer.com

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS - Classification

Acute Oral Toxicity: Category 4 Reproductive Toxicity: Category 2

EU Classification:

EU Indication of danger: Harmful Toxic to Reproduction: Category 3

EU Risk Phrases:

R22 - Harmful if swallowed. R63 - Possible risk of harm to the unborn child.

Label Elements

Signal Word:	Warning
Hazard Statements:	H302 - Harmful if swallowed
	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child.

Material Name: Advil Tablets/Caplets Revision date: 30-Mar-2015

Precautionary Statements:	P264 - Wash hands thoroughly after handling
-	P270 - Do not eat, drink or smoke when using this product
	P201 - Obtain special instructions before use
	P202 - Do not handle until all safety precautions have been read and understood
	P281 - Use personal protective equipment as required
	P301+ P312 - IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you fee
	unwell
	P308 + P313 - IF exposed or concerned: Get medical attention/advice
	P330 - Rinse mouth

- P405 Store locked up
- P501 Dispose of contents/container in accordance with all local and national regulations



Other Hazards Australian Hazard Classification (NOHSC):

Note:

No data available Hazardous Substance. Non-Dangerous Goods.

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU	EU Classification	GHS	%
		EINECS/ELINCS		Classification	
		List			
Colloidal silicon dioxide	7631-86-9	231-545-4	Not Listed	Not Listed	*
Corn Starch	9005-25-8	232-679-6	Not Listed	Not Listed	*
lbuprofen	15687-27-1	239-784-6	Repr.Cat3;R62-63	Acute Tox.4 (H302)	40-45
			Xn;R22	Repr.2 (H361fd)	
Microcrystalline cellulose	9004-34-6	232-674-9	Not Listed	Not Listed	*
Sodium lauryl sulfate	151-21-3	205-788-1	Not Listed	Not Listed	*
Starch, pregelatinized	9005-25-8	232-679-6	Not Listed	Not Listed	*
Sucrose	57-50-1	200-334-9	Not Listed	Not Listed	*
Titanium dioxide	13463-67-7	236-675-5	Not Listed	Not Listed	*

Ingredient	CAS Number	EU EINECS/ELINCS	EU Classification	GHS Classification	%
		List			
Acetylated monoglycerides	308068-38-4	Not Listed	Not Listed	Not Listed	*
Beeswax	8012-89-3	232-383-7	Not Listed	Not Listed	*
Croscarmellose sodium	74811-65-7	Not Listed	Not Listed	Not Listed	*
Methylparaben	99-76-3	202-785-7	Not Listed	Not Listed	*
Pharmaceutical glaze	Not assigned	Not Listed	Not Listed	Not Listed	*
Pharmaceutical ink	Not assigned	Not Listed	Not Listed	Not Listed	*

Material Name: Advil Tablets/Caplets Revision date: 30-Mar-2015

Povidone	9003-39-8	Not Listed	Not Listed	Not Listed	*
Propylparaben	94-13-3	202-307-7	Not Listed	Not Listed	*
Sodium benzoate	532-32-1	208-534-8	Not Listed	Not Listed	*
Stearic acid	57-11-4	200-313-4	Not Listed	Not Listed	*
Synthetic iron oxide	1332-37-2	215-570-8	Not Listed	Not Listed	*

Additional Information:

* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures Eye Contact:	Flush eye(s) immediately with plenty of water. If irritation occurs or persists, get medical attention.
Skin Contact:	Due to the nature of this material first aid is not normally required. If irritation occurs or persists, get medical attention.
Ingestion:	Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
Inhalation:	Remove to fresh air and keep patient at rest. Seek medical attention immediately.
Most Important Symptoms and Effect Symptoms and Effects of Exposure: Medical Conditions Aggravated by Exposure:	cts, Both Acute and Delayed For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information. None known
Indication of the Immediate Medical Notes to Physician:	Attention and Special Treatment Needed None

5. FIRE FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

 Special Hazards Arising from the Substance or Mixture

 Hazardous Combustion
 Formation of toxic gases is possible during heating or fire.

 Products:
 Formation of toxic gases is possible during heating or fire.

Fire / Explosion Hazards: Not applicable

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting:	Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.
Additional Consideration for Large Spills:	Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Minimize dust generation and accumulation. If tablets or capsules are crushed and/or broken, avoid breathing dust and avoid contact with eyes, skin, and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash hands and any exposed skin after removal of PPE. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:	Store as directed by product packaging.
Specific end use(s):	Consumer healthcare product used as Non-steroidal, anti-inflammatory drug (NSAID)

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Colloidal silicon dioxide	
Australia TWA	2 mg/m ³
Austria OEL - MAKs	4 mg/m ³
	0.3 mg/m ³
Czech Republic OEL - TWA	0.1 mg/m ³
	4.0 mg/m ³
Estonia OEL - TWA	2 mg/m ³
Finland OEL - TWA	5 mg/m³
Germany - TRGS 900 - TWAs	4 mg/m ³
Germany (DFG) - MAK	4 mg/m ³
Ireland OEL - TWAs	6 mg/m ³
	2.4 mg/m ³
Latvia OEL - TWA	1 mg/m³
OSHA - Final PELs - Table Z-3 Mineral D:	20 mppcf
	Listed
Slovakia OEL - TWA	4.0 mg/m ³
Switzerland OEL -TWAs	4 mg/m ³
	0.3 mg/m ³
Corn Starch	
ACGIH Threshold Limit Value (TWA)	10 mg/m³
Australia TWA	10 mg/m³
Belgium OEL - TWA	10 mg/m³
Bulgaria OEL - TWA	10.0 mg/m ³
Czech Republic OEL - TWA	4.0 mg/m ³
Greece OEL - TWA	10 mg/m ³
	5 mg/m³

8. EXPOSURE CONTROLS / PERSONAL PRO	OTECTION
Ireland OEL - TWAs	10 mg/m ³
	4 mg/m ³
OSHA - Final PELS - TWAs:	15 mg/m ³
Portugal OEL - TWA	10 mg/m ³
Slovakia OEL - TWA	4 mg/m ³
Spain OEL - TWA	10 mg/m ³
Switzerland OEL -TWAs	3 mg/m ³
Ibuprofen	
Pfizer OEL TWA-8 Hr:	3000µg/m³
Filzer OEL I WA-6 HI.	3000µg/m
Microcrystalline cellulose	
ACGIH Threshold Limit Value (TWA)	10 mg/m ³
Australia TWA	10 mg/m ³
Belgium OEL - TWA	10 mg/m ³
Estonia OEL - TWA	10 mg/m ³
France OEL - TWA	10 mg/m ³
Ireland OEL - TWAs	10 mg/m ³
	4 mg/m ³
Latvia OEL - TWA	2 mg/m ³
OSHA - Final PELS - TWAs:	15 mg/m ³
Portugal OEL - TWA	10 mg/m ³
Romania OEL - TWA	10 mg/m ³
Russia OEL - TWA	6 mg/m ³
Spain OEL - TWA	10 mg/m ³
Switzerland OEL -TWAs	3 mg/m ³
Vietnam OEL - TWAs	10 mg/m ³
	5 mg/m ³
Sodium lauryl sulfate	
Pfizer OEL TWA-8 Hr:	0.3 mg/m ³
Starch, pregelatinized	
ACGIH Threshold Limit Value (TWA)	10 mg/m ³
Australia TWA	10 mg/m ³
Belgium OEL - TWA	10 mg/m ³
Bulgaria OEL - TWA	10.0 mg/m ³
Czech Republic OEL - TWA	4.0 mg/m ³
Greece OEL - TWA	10 mg/m ³
	5 mg/m ³
Ireland OEL - TWAs	10 mg/m ³
	4 mg/m ³
OSHA - Final PELS - TWAs:	15 mg/m ³
Portugal OEL - TWA	10 mg/m ³
Slovakia OEL - TWA	4 mg/m ³
Spain OEL - TWA	10 mg/m ³
Switzerland OEL -TWAs	3 mg/m ³
Sucrose	
ACGIH Threshold Limit Value (TWA)	10 mg/m ³
Australia TWA	10 mg/m ³
Belgium OEL - TWA	10 mg/m ³
	Ŭ

8. EXPOSURE CONTROLS	/ PERSONAL PROTECTION
Bulgaria OEL - TWA	10.0 mg/m ³
Estonia OEL - TWA	10 mg/m ³
France OEL - TWA	10 mg/m ³
Ireland OEL - TWAs	10 mg/m ³
Latvia OEL - TWA	5 mg/m ³
Lithuania OEL - TWA	10 mg/m ³
OSHA - Final PELS - TWAs	
Portugal OEL - TWA	10 mg/m ³
Slovakia OEL - TWA	6 mg/m ³
Spain OEL - TWA	10 mg/m ³
	C C
Titanium dioxide	
ACGIH Threshold Limit Va	
ACGIH OELs - Notice of In	
Australia TWA	10 mg/m ³
Austria OEL - MAKs	5 mg/m ³
Belgium OEL - TWA	10 mg/m ³
Bulgaria OEL - TWA	10.0 mg/m ³
Denmark OEL - TWA	6 mg/m ³
Estonia OEL - TWA	5 mg/m ³
France OEL - TWA	10 mg/m ³
Greece OEL - TWA	10 mg/m ³
Ireland OEL - TWAs	5 mg/m ³
Ireland OEL - TWAS	10 mg/m ³ 4 mg/m ³
Latvia OEL - TWA	10 mg/m ³
Lithuania OEL - TWA	5 mg/m ³
OSHA - Final PELS - TWA	č
Poland OEL - TWA	10.0 mg/m ³
Portugal OEL - TWA	10 mg/m ³
Romania OEL - TWA	10 mg/m ³
Russia OEL - TWA	10 mg/m ³
Spain OEL - TWA	10 mg/m ³
Sweden OEL - TWAs	5 mg/m ³
Switzerland OEL -TWAs	3 mg/m ³
Vietnam OEL - TWAS	6 mg/m ³
	5 mg/m ³
F	
Exposure Controls	Constal room ventilation is adoquate unloss the process generates dust mist as fumas. Kasa
Engineering Controls:	General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.
	Engineering controls should be used as the primary means to control exposures.
Personal Protective	Refer to applicable national standards and regulations in the selection and use of personal
Equipment:	protective equipment (PPE).
Hands:	Wear impervious gloves if skin contact is possible.
Eyes:	Wear safety glasses or goggles if eye contact is possible.
Skin:	Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations.
Respiratory protection:	If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate
Respiratory protection.	respirator with a protection factor sufficient to control exposures to below the OEL.

Page 7 of 15 Version: 2.1

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Tablets or Caplets Odor: No data available. **Molecular Formula:** Mixture Solvent Solubility: No data available No data available Water Solubility: No data available. pH: Melting/Freezing Point (°C): No data available Boiling Point (°C): No data available. Partition Coefficient: (Method, pH, Endpoint, Value) **Titanium dioxide** No data available Colloidal silicon dioxide No data available **Corn Starch** No data available Croscarmellose sodium No data available Methylparaben No data available **Microcrystalline cellulose** No data available Pharmaceutical glaze No data available **Pharmaceutical ink** No data available Povidone No data available Starch, pregelatinized No data available Propylparaben No data available Sodium benzoate No data available Sodium lauryl sulfate No data available Stearic acid No data available Ibuprofen No data available Synthetic iron oxide No data available Sucrose No data available Beeswax No data available Acetylated monoglycerides No data available Decomposition Temperature (°C): No data available. No data available Evaporation Rate (Gram/s): Vapor Pressure (kPa): No data available

Color: Odor Threshold: Molecular Weight: Pinkish brown No data available. Mixture

Material Name: Advil Tablets/Caplets Revision date: 30-Mar-2015

Vapor Density (g/ml):	No data available
Relative Density:	No data available
Viscosity:	No data available

Flammablity:

Autoignition Temperature (Solid) (°C): Flammability (Solids): Flash Point (Liquid) (°C): Upper Explosive Limits (Liquid) (% by Vol.): Lower Explosive Limits (Liquid) (% by Vol.): Polymerization: No data available Will not occur

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions	No data available Stable under normal conditions of use.
Oxidizing Properties: Conditions to Avoid: Incompatible Materials: Hazardous Decomposition Products:	No data available Fine particles (such as dust and mists) may fuel fires/explosions. As a precautionary measure, keep away from strong oxidizers No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:	The information included in this section describes the potential hazards of the individual ingredients.
Short Term:	Accidental ingestion may cause effects similar to those seen in clinical use. Individuals sensitive to this chemical or other materials in its chemical class may develop allergic reactions. Acute overdosage and/or chronic abuse of ibuprofen may cause kidney effects.
Long Term: Known Clinical Effects:	Animal studies have shown a potential to cause adverse effects on the fetus. Adverse effects associated with therapeutic use include gastrointestinal effects such as nausea, pain, heartburn, bleeding, ulceration, and perforation. It may also cause prolonged bleeding time. Drowsiness, fatigue, or headache are also possible. Other nonsteroidal anti- inflammatory drugs (NSAIDs) are known to impact delivery, late fetal development, and lactation.

Acute Toxicity: (Species, Route, End Point, Dose)

Titanium dioxide

Rat Oral LD50 > 7500 mg/kg Rat Subcutaneous LD50 50 mg/kg

Microcrystalline cellulose

Rat Oral LD50 > 5000 mg/kg Rabbit Dermal LD50 > 2000 mg/kg

Povidone

Rat Oral LD50 100 g/kg

Propylparaben

Mouse Oral LD 50 6332 mg/kg Mouse Sub-tenon injection (eye) LD 50 200 mg/kg

11. TOXICOLOGICAL INFORMATION

Sodium benzoate

Rat Oral LD50 4,070 mg/kg Mouse Oral LD50 1600mg/kg

Sodium lauryl sulfate

Rat Oral LD50 1288 mg/kg

Stearic acid

Rat Oral LD50 > 4640 mg/kg Rabbit Dermal LD50 > 5000mg/kg

Ibuprofen

Rat Oral LD 50 1600 mg/kg Rat Inhalation LC 50 > 20mg/L

Sucrose

Rat Oral LD50 29.7 g/kg

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Microcrystalline cellulose

Acute Toxicity Comments:

Skin Irritation Rabbit Non-irritating Eye Irritation Rabbit Non-irritating

Sodium lauryl sulfate

Eye Irritation Rabbit Moderate Skin Irritation Rabbit Mild Moderate Skin Sensitization - GPMT Guinea Pig Negative Skin Sensitization - LLNA Mouse Negative

Stearic acid

Skin Irritation Rabbit Moderate Eye Irritation Rabbit Mild

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Propylparaben

3 Week(s) Rat Oral 27.1 g/kg LOAEL Endocrine system 4 Week(s) Rat Oral 347.2 mg/kg LOAEL Male reproductive system

Sodium benzoate

10 Day(s) Rat Oral 27370 mg/kg LOAEL Liver, Blood 10 Day(s) Mouse Oral 45 g/kg LOAEL Liver, Kidney, Blood, Ureter, Bladder

Stearic acid

30 Week(s) Rat Oral300 ppm LOAEL Adipose tissue

Material Name: Advil Tablets/Caplets Revision date: 30-Mar-2015

11. TOXICOLOGICAL INFORMATION

Ibuprofen

4 Day(s)	Rat	Oral	200 mg/kg (Gastrointestinal System
30 Day(s)	Dog	Oral	480 mg/kg	Gastrointestinal system
2 Week(s)	Rat	Oral	1300 mg/kg	Liver

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Sodium benzoate

Embryo / Fetal Development Rat Oral 44 g/kg LOEL Developmental toxicity,

Ibuprofen

Fertility and Embryonic Development Rat rectal 100 mg/kg/day Fertility Fertility and Embryonic Development Rat rectal 200 mg/kg/day Fetotoxicity Embryo / Fetal Development Rabbit Oral 60 mg/kg/day Not Teratogenic Embryo / Fetal Development Rat Oral 180 mg/kg/day Not Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Sodium lauryl sulfate

Bacterial Mutagenicity (Ames) Salmonella Negative

Stearic acid

In Vitro Bacterial Mutagenicity (Ames) Salmonella Negative Unscheduled DNA Synthesis E. coli Negative

Ibuprofen

Bacterial Mutagenicity (Ames) Salmonella Negative

Sucrose

Bacterial Mutagenicity (Ames) Salmonella Negative

Stearic acid

26 Week(s) Rat Subcutaneous 0.5 mg/kg/week NOAEL Not carcinogenic 52 Week(s) Mouse Subcutaneous 0.05 mg/kg/week LOAEL Tumors

Carcinogen Status:	None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.
Titanium dioxide IARC:	Group 2B (Possibly Carcinogenic to Humans)
Colloidal silicon dioxide IARC:	Group 3 (Not Classifiable)
Povidone IARC:	Group 3 (Not Classifiable)

Material Name: Advil Tablets/Caplets Revision date: 30-Mar-2015

Page 11 of 15 Version: 2.1

12. ECOLOGICAL INFORMATION Environmental Overview: Environmental properties have not been thoroughly investigated. Releases to the environment should be avoided. See aquatic toxicity data for individual components below: **Toxicity:** Aquatic Toxicity: (Species, Method, End Point, Duration, Result) Sodium lauryl sulfate Oncorhynchus mykiss (Rainbow Trout) LC50 96 Hours 3.6 mg/L Ibuprofen Daphnia magna (Water Flea) 48 Hours 108 mg/L EC50 Desmodesmus subcapitata (Green Alga) EC50 72 Hours 315 mg/L Persistence and Degradability: No data available **Bio-accumulative Potential:** No data available No data available Mobility in Soil:

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:Dispose of waste in accordance with all applicable laws and regulations. Member State
specific and Community specific provisions must be considered. Considering the relevant
known environmental and human health hazards of the material, review and implement
appropriate technical and procedural waste water and waste disposal measures to prevent
occupational exposure and environmental release. It is recommended that waste minimization
be practiced. The best available technology should be utilized to prevent environmental
releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications WHMIS hazard class: Class D, Division 2, Subdivision A

15. REGULATORY INFORMATION

\mathbf{T}

Acetylated monoglycerides CERCLA/SARA 313 Emission reporting California Proposition 65 EU EINECS/ELINCS List	Not Listed Not Listed Not Listed
Beeswax CERCLA/SARA 313 Emission reporting California Proposition 65 Inventory - United States TSCA - Sect. 8(b) Australia (AICS): EU EINECS/ELINCS List	Not Listed Not Listed Present Present 232-383-7
Colloidal silicon dioxide CERCLA/SARA 313 Emission reporting California Proposition 65 Inventory - United States TSCA - Sect. 8(b) Australia (AICS): EU EINECS/ELINCS List	Not Listed Not Listed Present Present 231-545-4
Corn Starch CERCLA/SARA 313 Emission reporting California Proposition 65 Inventory - United States TSCA - Sect. 8(b) Australia (AICS): REACH - Annex IV - Exemptions from the obligations of Register: EU EINECS/ELINCS List	Not Listed Not Listed Present Present Present 232-679-6
Croscarmellose sodium CERCLA/SARA 313 Emission reporting California Proposition 65 Australia (AICS): EU EINECS/ELINCS List	Not Listed Not Listed Present Not Listed
Ibuprofen CERCLA/SARA 313 Emission reporting California Proposition 65 Inventory - United States TSCA - Sect. 8(b) Australia (AICS): Standard for the Uniform Scheduling for Drugs and Poisons: EU EINECS/ELINCS List	Not Listed Not Listed Present Schedule 2 Schedule 3 Schedule 4 239-784-6
Methylparaben CERCLA/SARA 313 Emission reporting California Proposition 65	Not Listed Not Listed

Material Name: Advil Tablets/Caplets Revision date: 30-Mar-2015

Present
_
Present
202-785-7
Not Listed
Not Listed
Present
Present
Use restricted. See item 9[f]. powder
232-674-9
Not Listed
Not Listed
Not Listed
Not Listed
Not Listed
Not Listed
Not Listed
Not Listed
Present
Present
Not Listed
Not Listed
Not Listed
Present
Present
202-307-7
Not Listed
Not Listed
Present
Present
208-534-8
Not Listed
Not Listed
Present
Present
Schedule 6
205-788-1

Material Name: Advil Tablets/Caplets Revision date: 30-Mar-2015

15. REGULATORY INFORMATION

Starch, pregelatinized CERCLA/SARA 313 Emission reporting California Proposition 65 Inventory - United States TSCA - Sect. 8(b) Australia (AICS): REACH - Annex IV - Exemptions from the obligations of Register: EU EINECS/ELINCS List	Not Listed Not Listed Present Present Present 232-679-6
Stearic acid	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	200-313-4
0	
Sucrose	Not Listed
CERCLA/SARA 313 Emission reporting California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex IV - Exemptions from the	Present
obligations of Register:	Trootin
EU EINECS/ELINCS List	200-334-9
Synthetic iron oxide	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b) Australia (AICS):	Present Present
EU EINECS/ELINCS List	215-570-8
EU EINECS/ELINCS LISt	210-070-0
Titanium dioxide	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	carcinogen initial date 9/2/11 airborne, unbound particles of
	respirable size
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	236-675-5

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed Reproductive toxicity-Cat.2; H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child.

Toxic to Reproduction: Category 3 Xn - Harmful

Material Name: Advil Tablets/Caplets Revision date: 30-Mar-2015

R22 - Harmful if swallowed. R63 - Possible risk of harm to the unbo R62 - Possible risk of impaired fertility. Data Sources:	rn child. Pfizer proprietary drug development information. Safety data sheets for individual ingredients. Publicly available toxicity information.
Reasons for Revision:	Updated Section 3 - Composition / Information on Ingredients.
Revision date:	30-Mar-2015
Prepared by:	Product Stewardship Hazard Communication Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet