Conforms to USDOL OSHA 29CFR 1910.1200 HAZCOM

SAFETY DATA SHEET



LYSOL® Hygienic Automatic Toilet Cleaner - Lemon Breeze

1. Product and company identification

Product name	: LYSOL® Hygienic Automatic Toilet Cleaner - Lemon Breeze
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com

Product use

: Toilet bowl cleaner

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	3280494 v2.0	
Formulation #:	trus (e0061-153) 8261853 v1.0	
UPC Code / Sizes	ster front and laminate foil back; Double blister packs (2 x 40g; 80g); Eight blister pa ⁻ US Marine Club (8 x 40g; 320 g); single blister pack(26g)	ack

Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

2. Hazards identification				
Classification of the substance or mixtu		ATION - Category 2 TION - Category 2A		
GHS label elements Hazard pictogram	-			
Signal word	: Warning			
Code # : FF826 (D828)	51853 SDS # 0494) US	: D8280494 v2.0	Date of issue : 10/10/2017	1/14

2. Hazards identi	fication
Hazard statements	: Causes serious eye irritation. Causes skin irritation.
Precautionary statements	
General	: Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing.
Response	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. IF SWALLOWED: Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

3. Composition/information on ingredients

Mixture

Ingredient name	%	CAS number
sodium dodecylbenzenesulfonate	15 - 30	25155-30-0
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	15 - 30	68439-57-6
Dihydromyrcenol	1 - 2.5	18479-58-8
dl-Limonene (racemic)	0.1 - 1	138-86-3
Terpinolene	0.1 - 1	586-62-9
2-Methylundecanal	0.1 - 1	110-41-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Substance/mixture

Description of necessary first aid measures			
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. 		
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.		
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.		

4. First aid measures

Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact : Causes serious eye irritation. Inhalation : No known significant effects or critical hazards. : Causes skin irritation. Skin contact Ingestion : No known significant effects or critical hazards. **Over-exposure signs/symptoms** Eye contact : Adverse symptoms may include the following: pain or irritation watering redness Inhalation : No specific data. **Skin contact** : Adverse symptoms may include the following: irritation redness Ingestion : No specific data. Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Specific treatments : No specific treatment. **Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

5. Fire-fighting measures

Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protect	tiv	e equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and materials for co	ont	ainment and cleaning up
Small spill	:	Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

7. Handling and storage

Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 5 to 30°C (41 to 86°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid
	Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Control		
Occupational exposure lin		
Ingredient name	Exposure limits	
dl-Limonene (racemic)	AIHA WEEL (United S TWA: 30 ppm 8 hours	
Appropriate engineering controls	Good general ventilation should be sufficient to control worker excontaminants.	xposure to airborne
Environmental exposure controls	Emissions from ventilation or work process equipment should be they comply with the requirements of environmental protection le cases, fume scrubbers, filters or engineering modifications to the will be necessary to reduce emissions to acceptable levels.	egislation. In some
Individual protection meas		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chem eating, smoking and using the lavatory and at the end of the wor Appropriate techniques should be used to remove potentially con Wash contaminated clothing before reusing. Ensure that eyewa showers are close to the workstation location.	king period. ntaminated clothing.
Eye/face protection	Safety eyewear complying with an approved standard should be assessment indicates this is necessary to avoid exposure to liqu gases or dusts. If contact is possible, the following protection sh the assessment indicates a higher degree of protection: chemic	id splashes, mists, lould be worn, unless
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approv worn at all times when handling chemical products if a risk asses necessary. Considering the parameters specified by the glove n during use that the gloves are still retaining their protective prope noted that the time to breakthrough for any glove material may b glove manufacturers. In the case of mixtures, consisting of seve protection time of the gloves cannot be accurately estimated.	ssment indicates this is nanufacturer, check erties. It should be be different for different
Body protection	Personal protective equipment for the body should be selected be performed and the risks involved and should be approved by a s handling this product.	
Other skin protection	Appropriate footwear and any additional skin protection measure based on the task being performed and the risks involved and sk specialist before handling this product.	
Respiratory protection	Based on the hazard and potential for exposure, select a respiral appropriate standard or certification. Respirators must be used respiratory protection program to ensure proper fitting, training, a aspects of use.	according to a

9. Physical and chemical properties

Appearance

Physical state	:	Solid. [Block]
Color	:	Yellow. [Light]
Odor	:	Characteristic.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Closed cup: >96°C (>204.8°F)
Evaporation rate	1	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive (flammable) limits	1	Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Flow time (ISO 2431)	:	Not available.

10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Protect from moisture.
Incompatible materials	: Do not mix with household chemicals.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

11. Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
sodium dodecylbenzenesulfonate	LD50 Oral	Rat - Male, Female	1080 mg/kg	-
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	LD50 Oral	Rat	2310 mg/kg	-
Dihydromyrcenol	LD50 Dermal LD50 Oral	Rabbit Rat	>5000 mg/kg 3600 mg/kg	-
dl-Limonene (racemic) Terpinolene	LD50 Oral LD50 Oral	Rat Rat	5300 mg/kg 4390 mg/kg	-
2-Methylundecanal	LD50 Dermal LD50 Oral	Rabbit Rat	>10 g/kg >5 g/kg	-

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
sodium dodecylbenzenesulfonate	Eyes - Severe irritant	Rabbit	-	24 hours 250 Micrograms	-
-	Eyes - Severe irritant	Rabbit	-	1 Percent	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
Dihydromyrcenol	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	Rabbit	-	7.5 Percent	-
	Skin - Mild irritant	Rabbit	-	4 hours 0.5 Mililiters	-
dl-Limonene (racemic)	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-
Terpinolene	Skin - Moderate irritant	Rabbit	-	24 hours 10 Percent	-

Conclusion/Summary	
Skin	: Based on Calculation method: Irritating to skin.
Eyes	: Based on Calculation method: Causes serious eye irritation.
Respiratory	: Based on available data, the classification criteria are not met.
Sensitization	
Not available.	
Conclusion/Summary	
Skin	: Based on available data, the classification criteria are not met.
Respiratory	: Based on available data, the classification criteria are not met.
Mutagenicity	
Not available.	
Conclusion/Summary	: Based on available data, the classification criteria are not met.
Carcinogenicity	
Not available.	
Conclusion/Summary	: Based on available data, the classification criteria are not met.
Reproductive toxicity	
Not available.	
Code # : FF8261853 (D8280494) US	SDS # : D8280494 v2.0 Date of issue : 10/10/2017

11. Toxicological information

Conclusion/Summary : Based on available data, the classification criteria are not met.

Teratogenicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Name	Result
	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1

Information on the likely : Not available. routes of exposure

routes of exposure		
Potential acute health effects		
Eye contact	:	Causes serious eye irritation.
Inhalation	÷	No known significant effects or critical hazards.
Skin contact	:	Causes skin irritation.
Ingestion	;	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	 Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>ects</u>
Not available.	

11. Toxicological information

Conclusion/Summary	1	Based on available data, the classification criteria are not met.
General	1	No known significant effects or critical hazards.
Carcinogenicity	1	No known significant effects or critical hazards.
Mutagenicity	1	No known significant effects or critical hazards.
Teratogenicity	1	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Carcinogenicity Mutagenicity Teratogenicity Developmental effects		No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
sodium dodecylbenzenesulfonate	Acute EC50 29000 µg/l Fresh water	Algae - Chlorella pyrenoidosa - Exponential growth phase	96 hours
	Acute EC50 7.81 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 5.88 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 112.4 mg/l	Algae - Pseudokirchneriella subcapitata - Exponential growth phase	72 hours
	Acute LC50 1.18 ppm Fresh water	Fish - Lepomis macrochirus	96 hours
Sulfonic acids,	Acute EC50 4.53 mg/l Fresh water	Crustaceans - Ceriodaphnia	48 hours
C14-16-alkane hydroxy and C14-16-alkene, sodium salts		dubia - Neonate	
dl-Limonene (racemic)	Acute EC50 28.2 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 20.2 mg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Acute IC50 13.798 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
Terpinolene	Acute EC50 1380 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 763 µg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Chronic NOEC 30 to 950 µg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Code #

12. Ecological information

Product/ingredient name	LogPow	BCF	Potential
sodium dodecylbenzenesulfonate	1.96	-	low
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	-1.3	-	low
Dihydromyrcenol	3.25	-	low
dl-Limonene (racemic) Terpinolene	4.57 4.47	- -	high high

Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects : This material is harmful to aquatic life with long lasting effects.

13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

Additional information	Label	PG	Classes	Proper shipping name	UN number	Regulatory information
-		-	Not available.	Not applicable.	Not Regulated.	DOT Classification
-		-	Not available.	Not applicable.	Not Regulated.	TDG Classification
		-	Not available.	Not applicable.	Not Regulated.	Mexico Classification
		-	Not available.	Not applicable.	Not Regulated.	IMDG Class
	sue :	e of is	0494 v2.0 Date	SDS # : D828		Code # : FF8261

I4. Transpor	t informa	tion					
ATA-DGR Class	Not Regulated.	Not applicable.	No	t available.	-	-	
pecial precautions	up	ransport within use oright and secure. E vent of an accident of	nsure that	t persons tran			
PG* : Packing group							
15. Regulato	rv inform	ation					
J.S. Federal regulati	or T: Ui	SCA 8(a) PAIR: dec ne; α-hexylcinnamal SCA 8(a) CDR Exer nited States invent lean Water Act (CV	dehyde npt/Parti tory (TSC	al exemption A 8b): Not de	: Not determir termined.	ied	ellal; bornan-2
Clean Air Act Sect (b) Hazardous Air Pollutants (HAPs)	ion 112 : No	ot listed					
Clean Air Act Section Class I Substances		ot listed					
Clean Air Act Section Class II Substances		ot listed					
DEA List I Chemica (Precursor Chemic		ot listed					
DEA List II Chemica (Essential Chemica		ot listed					
SARA 302/304							
Composition/info		<u>redients</u>					
No products were							
SARA 304 RQ SARA 311/312	: N	ot applicable.					
Classification	: In	nmediate (acute) he	alth haza	rd			
Composition/info		. ,					
Name		%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard


15. Regulatory information

5 7							
sodium dodecylbenzenesulfonate	15 - 30	Yes.	No.	No.	Yes.	No.	
Sulfonic acids, C14-16-alkane hydroxy	15 - 30	No.	No.	No.	Yes.	No.	
and C14-16-alkene, sodium salts							
Dihydromyrcenol	1 - 2.5	Yes.	No.	No.	Yes.	No.	
dl-Limonene (racemic)	0.1 - 1	Yes.	No.	No.	Yes.	No.	
Terpinolene	0.1 - 1	Yes.	No.	No.	Yes.	No.	
2-Methylundecanal	0.1 - 1	Yes.	No.	No.	Yes.	No.	

State regulations		
Massachusetts	:	The following components are listed: SODIUM SULFATE (SOLUTION); SODIUM DODECYLBENZENE SULFONATE; PRECIPITATED SILICA
New York	:	The following components are listed: Sodium dodecylbenzene sulfonate; Dodecylbenzene sulfonate
New Jersey	:	The following components are listed: SODIUM DODECYLBENZENE SULFONATE; BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; SILICA, AMORPHOUS, PRECIPITATE & GEL
Pennsylvania	:	The following components are listed: SODIUM SULFATE (SOLUTION); BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; PRECIPITATED SILICA
<u>Canada</u>		
WHMIS (Canada) <u>Canadian lists</u>	:	Class D-2B: Material causing other toxic effects (Toxic).
Canadian NPRI CEPA Toxic substances Canada inventory	:	None of the components are listed. None of the components are listed. Not determined.

Label elements

16. Other information



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

•

National Fire Protection Association (U.S.A.)

16. Other information



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Date of issue	: 10/10/2017
Date of previous issue	: 23/11/2016
Version	: 2
Prepared by	: Reckitt Benckiser India Ltd Plot No 48 Sector - 32 Institutional Area Gurgaon, Haryana India - 122001

- **Revision comments**
- : Update to reflect new pack size 26g

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

SDS #

16. Other information



RB is a member of the CSPA Product Care Product Stewardship Program.