Printing date 08/20/2015

Reviewed on 08/20/2015

1	ld	en	tifi	ca	tion	
_		••••		~~		

· Product identifier

· Trade name: Sheila Shine (Liquid)

· Article number: No other identifiers

· Recommended use and restriction on use

- \cdot Recommended use: Polishing agent/ Burnishing compound
- Restrictions on use: No further relevant information available.

 Details of the supplier of the Safety Data Sheet
 Manufacturer/Supplier: Sheila Shine Inc.
 7725 W 2nd Court Hialeah, FL 33014

Phone: (305) 557-1729 • Emergency telephone number: ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Carc. 1B H350 May cause cancer.

STOT RE 2 H373 May cause damage to the hearing organs through prolonged or repeated exposure.



Skin Irrit. 2 H315 Causes skin irritation.
Additional information:
There are no other hazards not otherwise classified that have been identified.
0 percent of the mixture consists of ingredient(s) of unknown toxicity.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



(Contd. on page 2)

Printing date 08/20/2015

Reviewed on 08/20/2015

Trade name: Sheil	a Shine (Liquid)
	(Contd. of page 1)
· Signal word D	anger
· Hazard-determ	nining components of labeling:
Distillates (petro	oleum), solvent-refined light paraffinic
ethylbenzene	
	oleum), solvent-refined heavy paraffinic
tetrachloroethyl	
· Hazard statem	
H315 Causes s	le liquid and vapor.
H350 May caus	
	se damage to the hearing organs through prolonged or repeated exposure.
· Precautionary	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames, and hot surfaces No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection.
P240 P233	Ground/bond container and receiving equipment. Keep container tightly closed.
P233 P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
	353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
P370+P378	In case of fire: Use foam, powder, or carbon dioxide for extinction.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P403+P235 P501	Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international
F301	regulations.
· Classification	
· NFPA ratings (
-	· · ·
Hea 5 Fire	
	ctivity = 0
· HMIS-ratings ((scale 0 - 4)
HEALTH 1 He	alth = *1
FIRE 3 Fin	
REACTIVITY 0 Re	activity = 0
* - Indicates a	long term health hazard from repeated or prolonged exposures.
• Other hazards	
	T and vPvB assessment
· PBT: Not applie	
	(Contd. on page 3)

Printing date 08/20/2015

Reviewed on 08/20/2015

Trade name: Sheila Shine (Liquid)

(Contd. of page 2)

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

Duligerous	components.	
64741-89-5	Distillates (petroleum), solvent-refined light paraffinic	30-60%
	🗞 Carc. 1B, H350	
127-18-4	tetrachloroethylene	10-30%
	🗞 Carc. 2, H351	
64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic	10-30%
	🗞 Carc. 1B, H350	
1330-20-7	xylene	7-13%
	 Flam. Liq. 3, H226 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315 	
100-41-4	ethylbenzene	1-5%
	 Flam. Liq. 2, H225 Carc. 2, H351; STOT RE 2, H373; Asp. Tox. 1, H304 Acute Tox. 4, H332 	
. Additional i	nformation:	

Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

A person vomiting while lying on their back should be turned onto their side.

Do not induce vomiting; immediately call for medical help.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 08/20/2015

Reviewed on 08/20/2015

Trade name: Sheila Shine (Liquid)

(Contd. of page 3)

 Information for doctor: · Most important symptoms and effects, both acute and delayed Coughing Dizziness Breathing difficulty Irritant to skin and mucous membranes. Nausea Slight irritant effect on eyes. Gastric or intestinal disorders when ingested. Disorientation Danger Danger of disturbed cardiac rhythm. Danger of convulsion. Carcinogenic. May be harmful if inhaled. Indication of any immediate medical attention and special treatment needed Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Monitor circulation. Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide
For safety reasons unsuitable extinguishing agents: Water stream.
Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
Advice for firefighters
Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit.
Additional information

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water fog.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

Keep people at a distance and stay upwind.

(Contd. on page 5)

Printing date 08/20/2015

Reviewed on 08/20/2015

Trade name: Sheila Shine (Liquid)

(Contd. of page 4)

Particular danger of slipping on leaked/spilled product.

Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Remove from the water surface (e.g. skim or suck off).

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Used rags or other cleaning materials should be soaked with water and placed in a sealed container.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

 Precautions for safe handling Keep away from heat and direct sunlight. Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.
 Rags, metal wools / cuttings / shavings and waste papers soaked with product must be placed in a sealed metal container rated for flammable waste.
 Information about protection against explosions and fires:

Emergency cooling must be available in case of nearby fire. Keep ignition sources away - Do not smoke.

Prevent impact and friction.

Flammable gas-air mixtures may be formed in empty receptacles.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:
 Store away from foodstuffs

- Store away from foodstuffs.
- Store away from oxidizing agents.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. • Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 6)

Printing date 08/20/2015

Reviewed on 08/20/2015

Trade name: Sheila Shine (Liquid)

		(Contd. of page 5)
· Control parame		
	rith limit values that require monitoring at the workplace:	
127-18-4 tetrac	-	
PEL (USA)	Long-term value: 100 ppm Ceiling limit value: 200; 300* ppm *5-min peak in any 3 hrs	
REL (USA)	Minimize workplace exp. concs.;Pocket Guide App. A	
TLV (USA)	Short-term value: 685 mg/m³, 100 ppm Long-term value: 170 mg/m³, 25 ppm BEI	
EL (Canada)	Short-term value: 100 ppm Long-term value: 25 ppm IARC 2A	
EV (Canada)	Short-term value: 100 ppm Long-term value: 25 ppm	
LMPE (Mexico)	Short-term value: 100 ppm Long-term value: 25 ppm A3, IBE	
1330-20-7 xyler	10	
PEL (USA)	Long-term value: 435 mg/m ³ , 100 ppm	
REL (USA)	Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm	
TLV (USA)	Short-term value: 651 mg/m³, 150 ppm Long-term value: 434 mg/m³, 100 ppm BEI	
EL (Canada)	Short-term value: 150 ppm Long-term value: 100 ppm	
EV (Canada)	Short-term value: 650 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm	
LMPE (Mexico)	Short-term value: 150 ppm Long-term value: 100 ppm A4, IBE	
100-41-4 ethylb		
PEL (USA)	Long-term value: 435 mg/m³, 100 ppm	
REL (USA)	Short-term value: 545 mg/m³, 125 ppm Long-term value: 435 mg/m³, 100 ppm	
TLV (USA)	Long-term value: 87 mg/m³, 20 ppm BEI	
EL (Canada)	Long-term value: 20 ppm IARC 2B	
EV (Canada)	Short-term value: 540 mg/m³, 125 ppm Long-term value: 435 mg/m³, 100 ppm	
LMPE (Mexico)	Long-term value: 20 ppm	(Contd. on page 7)

Printing date 08/20/2015

Reviewed on 08/20/2015

Trade name: Sheila Shine (Liquid)

(Contd. of page 6)
Ingredients with biological limit values:
127-18-4 tetrachloroethylene
BEI (USA) 3 ppm Medium: end-exhaled air Time: prior to shift Parameter: Tetrachloroethylene
0.5 mg/L Medium: blood Time: prior to shift Parameter: Tetrachloroethylene
1330-20-7 xylene
BEI (USA) 1.5 g/g creatinine Medium: urine Time: end of shift Parameter: Methylhippuric acids
100-41-4 ethylbenzene
BEI (USA) 0.7 g/g creatinine Medium: urine Time: end of shift at end of workweek Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative)
- Medium: end-exhaled air Time: not critical Parameter: Ethyl benzene (semi-quantitative)
 Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Do not carry product impregnated cleaning cloths in trouser pockets. Engineering controls: No further relevant information available. Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protection may be advisable. NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used. Protection of hands:
Protective gloves
(Contd. on page 8)

Printing date 08/20/2015

Reviewed on 08/20/2015

Trade name: Sheila Shine (Liquid)

(Contd. of page 7)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment

No further relevant information available.

Risk management measures

See Section 7 for additional information.

No further relevant information available.

9 Physical and chemical prope	erties
 Information on basic physical and General Information Appearance: Form: Color: 	Liquid Clear
· Odor: · Odor threshold:	Pleasant Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 112 °C (234 °F)
· Flash point:	56 °C (133 °F) (TOC)
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
[.] Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
	(Contd. on page 9)

Printing date 08/20/2015

Reviewed on 08/20/2015

Trade name: Sheila Shine (Liquid)

		(Contd. of page 8)
[·] Explosion limits: Lower: Upper:	1.1 Vol % (estimated) 7.0 Vol % (estimated)	
· Vapor pressure at 20 °C (68 °F):	10 mmHg	
 Density at 20 °C (68 °F): Relative density Vapour density at 20 °C (68 °F) Evaporation rate at 20 °C (68 °F) 	0.964 g/cm³ (8.045 lbs/gal) Not determined. > 1 (air = 1) < 1 (butyl acetate = 1)	
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity: Dynamic: Kinematic: Other information	Not determined. Not determined. No further relevant information available.	

10 Stability and reactivity

• **Reactivity** No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Develops readily flammable gases / fumes.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Used empty containers may contain product gases which form explosive mixtures with air.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and oxidizing agents.

Reacts with certain metals.

· Conditions to avoid Keep ignition sources away - Do not smoke.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products:

Carbon monoxide and carbon dioxide Hydrocarbons

Chlorine compounds

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

127-18-4 tetrachloroethylene

Oral LD50 2629 mg/kg (rat)

(Contd. on page 10)

Printing date 08/20/2015

Reviewed on 08/20/2015

Trade name: Sheila Shine (Liquid)

	(Contd. of page 9)
1330-20-7 xylene	
Oral LD50 4300 mg/kg (rat)	
Dermal LD50 2000 mg/kg (rabbit)	
Primary irritant effect:	
on the skin: Irritant to skin and mucous membranes.	
• on the eye: Based on available data, the classification criteria are not met.	
 Sensitization: Based on available data, the classification criteria are not met. Additional toxicological information: 	
May be harmful if inhaled.	
May cause acne.	
· Carcinogenic categories	
· NTP (National Toxicology Program)	
127-18-4 tetrachloroethylene	R
OSHA-Ca (Occupational Safety & Health Administration)	L
None of the ingredients is listed.	
 Probable Routes of Exposure Ingestion. 	
Eye contact.	
Skin contact.	
Inhalation.	
· Repeated Dose Toxicity:	
Repeated exposure may cause skin dryness or cracking.	
May cause damage to the hearing organs through prolonged or repeated exposure.	
 CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): Carc. 1B 	
· Carcinogenicity May cause cancer.	
• Reproductive toxicity Based on available data, the classification criteria are not met.	
• STOT-single exposure Based on available data, the classification criteria are not met.	
· STOT-repeated exposure	
May cause damage to the hearing organs through prolonged or repeated exposure.	
 Aspiration hazard Based on available data, the classification criteria are not met. 	
12 Ecological information	
· Toxicity	
• Aquatic toxicity: Toxic for aquatic organisms	
• Persistence and degradability The product is partially biodegradable. Significant reside	uals remain.
Behavior in environmental systems:	
• Bioaccumulative potential No further relevant information available.	
 Mobility in soil No further relevant information available. 	
Ecotoxical effects:	
· Remark:	
Toxic for fish Due to mechanical actions of the product (e.g. agglutinations) damages may occur.	
Due to mechanical actions of the product (e.g. agglutinations) damages fildy occur.	(Contd. on page 11)

Printing date 08/20/2015

Reviewed on 08/20/2015

Trade name: Sheila Shine (Liquid)

(Contd. of page 10)

· Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR, IMDG, IATA	UN1992
UN proper shipping name	
DOT	Flammable liquids, toxic, n.o.s. (Ethylbenze Tetrachloroethylene)
ADR	1992 FLAMMABLE LIQUID, TOXIC, N.C (ETHYLBENZENE, TETRACHLOROETHYLE) ENVIRONMENTALLY HAZARDOUS
IMDG	FLAMMABLE LIQUID, TOXIC, N.O.S. (ETHYLBENZE TETRACHLOROETHYLENE), MARINE POLLUTANT
ΙΑΤΑ	Flammable liquid, toxic, n.o.s. (Ethylbenze Tetrachloroethylene)
Transport hazard class(es)	, , , , , , , , , , , , , , , , , , ,
DOT	
Class	3 Flammable liquids

Printing date 08/20/2015 Reviewed on 08/20/2015 Trade name: Sheila Shine (Liquid) (Contd. of page 11) · Label 3 · ADR · Class 3 (FT1) Flammable liquids · Label 3 · IMDG **3** Flammable liquids · Class · Label 3 ·IATA 3 Flammable liquids · Class · Label 3 · Packing group DOT, ADR, IMDG, IATA Ш · Environmental hazards: Product contains environmentally hazardous substances: tetrachloroethylene · Marine pollutant: Yes Symbol (fish and tree) Symbol (fish and tree) · Special marking (ADR): Special precautions for user Warning: Flammable liquids · Danger code (Kemler): 30 · EMS Number: F-E,S-D · Segregation groups Liquid halogenated hydrocarbons · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L · Remarks: Special marking with the symbol (fish and tree). · ADR · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml (Contd. on page 13)

Printing date 08/20/2015

Reviewed on 08/20/2015

Trade name: Sheila Shine (Liquid)

(Contd. of page 12)

IMDG
 Excepted quantities (EQ)

· UN "Model Regulation":

Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN1992, Flammable liquids, toxic, n.o.s. (Ethylbenzene, Tetrachloroethylene), 3, III

15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA) · SARA · Section 302 (extremely hazardous substances) None of the ingredients is listed. · Section 304 (emergency release notification) None of the ingredients is listed. \cdot Sections 311/312 (hazardous chemical threshold planning quantity in pounds) None of the ingredients is listed. Section 355 (extremely hazardous substances): None of the ingredients is listed. Section 313 (Specific toxic chemical listings): 127-18-4 tetrachloroethylene 1330-20-7 xylene 100-41-4 ethylbenzene • TSCA (Toxic Substances Control Act): All ingredients are listed. Proposition 65 (California) · Chemicals known to cause cancer: 127-18-4 tetrachloroethylene 100-41-4 ethylbenzene · Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. Carcinogenic categories EPA (Environmental Protection Agency) 127-18-4 tetrachloroethylene L 1330-20-7 xylene Т (Contd. on page 14)

Printing date 08/20/2015

Reviewed on 08/20/2015

Trade name: Sheila Shine (Liquid)

400.44.4		(Contd. of page
100-41-4	ethylbenzene	
· IARC (Int	ernational Agency for Research on Cancer)	
127-18-4	tetrachloroethylene	2
1330-20-7	′ xylene	3
100-41-4	t ethylbenzene	2
· TLV (Thre	eshold Limit Value established by ACGIH)	
127-18-4	tetrachloroethylene	Α
1330-20-7	' xylene	A
100-41-4	ethylbenzene	A
· NIOSH-Ca	a (National Institute for Occupational Safety and Health)	
127-18-4	tetrachloroethylene	
· State Rig	ht to Know Listings	
	ne ingredients is listed.	
	i substance listings:	
· Canadian	Domestic Substances List (DSL)	
All ingredi	ents are listed.	
· Canadian	Ingredient Disclosure list (limit 0.1%)	
100_41_4	ethylbenzene	
100-41-4		
	n Ingredient Disclosure list (limit 1%)	

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 08/20/2015 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic (Contd. on page 15)

Printing date 08/20/2015

Reviewed on 08/20/2015

Trade name: Sheila Shine (Liquid)

(Contd. of page 14)

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids, Hazard Category 2 Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Carc. 1B: Carcinogenicity, Hazard Category 1B Carc. 2: Carcinogenicity, Hazard Category 2 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Asp. Tox. 1: Aspiration hazard, Hazard Category 1 **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com