

Version 5.2	Revision Date 07/03/2018	Print Date 11/06/2019		
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION				
Material name	: A07770 TM WOF DUTCH APPLE	30%VOC 12N6.6		
Material number	: 0000000001042818			

Manufacturer or supplier's details

Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137

Telephone : 404-352-1680

### **Emergency telephone numbers**

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

### Recommended use of the chemical and restrictions on use

Recommended use : Air Care

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	light yellow
Odour	characteristic

#### **GHS Classification**

Flammable aerosols	:	Category 1
Gases under pressure	:	Liquefied gas
Eye irritation	:	Category 2A
Skin sensitisation	:	Category 1
Specific target organ toxicity -	:	Category 3 (Central nervous system)
single exposure		

#### **GHS** label elements

Hazard pictograms

Signal word

: Danger



Version 5.2	Revision Date 07/03/2018	Print Date 11/06/2019
Hazard statements	<ul> <li>H222 Extremely flammable aero H280 Contains gas under press H317 May cause an allergic skir H319 Causes serious eye irritati H336 May cause drowsiness or</li> </ul>	ure; may explode if heated. n reaction. on.
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot and other ignition sources. No sa P211 Do not spray on an open ff P251 Pressurized container: Do use.</li> <li>P261 Avoid breathing dust/ fume P264 Wash skin thoroughly after P271 Use only outdoors or in a v P272 Contaminated work clothin the workplace.</li> <li>P280 Wear protective gloves/ ey <b>Response:</b></li> <li>P302 + P352 IF ON SKIN: Wash P304 + P340 + P312 IF INHALE and keep comfortable for breath CENTER/doctor if you feel unwe P305 + P351 + P338 IF IN EYES for several minutes. Remove con easy to do. Continue rinsing.</li> <li>P333 + P313 If skin irritation or n advice/ attention.</li> <li>P362 + P364 Take off contamina reuse.</li> <li>Storage:</li> <li>P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ 1 P403 + P235 Store in a well-ven Disposal:</li> <li>P501 Dispose of contents/contail regulation.</li> </ul>	moking. lame or other ignition source. not pierce or burn, even after e/ gas/ mist/ vapours/ spray. r handling. well-ventilated area. ng should not be allowed out of //e protection/ face protection. n with plenty of soap and water. ED: Remove person to fresh air ing. Call a POISON ell. S: Rinse cautiously with water ntact lenses, if present and rash occurs: Get medical sists: Get medical advice/ ated clothing and wash it before ght. Do not expose to 122 °F. utilated place. Keep cool.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 60 - < 80
propane	74-98-6	>= 10 - < 30
benzyl benzoate	120-51-4	>= 1 - < 5
2-benzylideneheptanal	122-40-7	>= 0.1 - < 1
alpha,alpha-dimethylphenethyl butyrate	10094-34-5	>= 0.1 - < 1



Version 5.2

Revision Date 07/03/2018

Print Date 11/06/2019

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES				
General advice :	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention.			
If inhaled :	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.			
In case of skin contact :	Wash off immediately with soap and plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.			
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.			
If swallowed :	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.			
Most important symptoms : and effects, both acute and delayed	Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. May cause an allergic skin reaction. Causes serious eye irritation. Review section 2 of SDS to see all potential hazards. May cause drowsiness or dizziness.			
Notes to physician :	Treat symptomatically. Symptoms may be delayed.			

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during	:	Do not allow run-off from fire fighting to enter drains or water



Version 5.2		Revision Date 07/03/2018	Print Date 11/06/2019
firefighting		courses.	
Hazardous combustion products Specific extinguishing methods		Carbon dioxide (CO2) Carbon monoxide Smoke Use extinguishing measures that are a circumstances and the surrounding env	
Further information	:	Collect contaminated fire extinguishing must not be discharged into drains. Fire residues and contaminated fire ext be disposed of in accordance with loca Standard procedure for chemical fires.	inguishing water must
Special protective equipment for firefighters	:	Wear self-contained breathing apparate necessary.	us for firefighting if

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment.</li> <li>Ensure adequate ventilation.</li> <li>Remove all sources of ignition.</li> <li>Evacuate personnel to safe areas.</li> <li>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>
Methods and materials for containment and cleaning up	<ul> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).</li> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> </ul>

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	:	BEWARE: Aerosol is pressurized. Keep away from direct sun



Version 5.2	Revision Date 07/03/2018	Print Date 11/06/2019
	exposure and temperatures over or throw into fire even after use. I red-hot objects. No smoking. Keep in a dry, cool and well-vent Observe label precautions. Electrical installations / working n the technological safety standard	Do not spray on flames or ilated place. naterials must comply with
Materials to avoid	: Oxidizing agents	
Storage temperature	: <49 °C	

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL

### **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after	25 mg/l	ACGIH BEI





ersion 5.2	Revision Date 07/03/2018	Print Date 11/06/2019
		posure eases)
Engineering measures	: effective ventilation in all process	ing areas
Personal protective equipm	ent	
Respiratory protection	: No personal respiratory protective required.	e equipment normally
Hand protection Remarks	: Skin should be washed after con	tact.
Eye protection	: Always wear eye protection wher eye contact with the product can	•
Skin and body protection	: No special protection is required.	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and a	it the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: light yellow
Odour	: characteristic
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: slightly soluble
Solubility in other solvents	: not determined



Version 5.2	Revision Date 07/03/2018	Print Date 11/06/2019
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 37.00 kJ/g	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide

### SECTION 11. TOXICOLOGICAL INFORMATION

Potential	Health	Effects
-----------	--------	---------

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	<ul> <li>Effects are dependent on exposure (dose, concentration, contact time).</li> <li>Effects are immediate and delayed.</li> <li>Symptoms may include irritation, redness, pain, and rash.</li> <li>Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.</li> </ul>
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or



Version 5.2	Revision Date 07/03/2018	Print Date 11/06/2019
OSHA NTP	equal to 0.1% is identified as a carci carcinogen by ACGIH. No component of this product preser equal to 0.1% is on OSHA's list of re No component of this product preser equal to 0.1% is identified as a know by NTP.	nt at levels greater than or gulated carcinogens. nt at levels greater than or
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 r Method: Calculation method	ng/kg
Components:		
<b>acetone:</b> Acute oral toxicity	: LD50 Rat: 5,800 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h	
	LC50 Rat: 50.1 mg/l	
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg	
	LD50 Rabbit: > 7,426 mg/kg	
<b>2-benzylideneheptanal:</b> Acute oral toxicity	: LD50 Oral Rat: 3,730 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: > 2,000 mg	/kg
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Serious eye damage/eye irritatio	n	
Product:		
Remarks: Severe eye irritation	1	
Respiratory or skin sensitisation		
Product:		
Remarks: Causes sensitisation	n.	
Germ cell mutagenicity		
No data available		
Carcinogenicity		



		Lepinc
A07770 TM WOF DUT	CH APPLE 30%VOC 12N6.	6
Version 5.2	Revision Date 07/03/2018	Print Date 11/06/2019
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: Not applicable	9	
SECTION 12. ECOLOGICAL II	NFORMATION	
Ecotoxicity		
No data available		
Persistence and degradability	/	
No data available <b>Bioaccumulative potential</b>		

## Product:

Partition coefficient: n- octanol/water <u>Components:</u> 2-benzylideneheptanal : Partition coefficient: n- octanol/water	: Remarks: No data available : log Pow: 4.7
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
	9 / 13



Version 5.2

Revision Date 07/03/2018

Print Date 11/06/2019

Additional ecological information

: Not applicable

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.



Version	52
VEISION	J.Z

Revision Date 07/03/2018

Print Date 11/06/2019

No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	<ul> <li>Gases under pressure</li> <li>Flammable (gases, aerosols, liquids, or solids)</li> <li>Serious eye damage or eye irritation</li> <li>Respiratory or skin sensitisation</li> <li>Specific target organ toxicity (single or repeated exposure)</li> </ul>
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65	
	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

DSLThis product contains one or more components that are listed on the<br/>Canadian NDSL. All other components are on the Canadian DSL.TSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

#### **SECTION 16. OTHER INFORMATION**




Version 5.2

Revision Date 07/03/2018

Print Date 11/06/2019

#### **Further information**



## HMIS III:

HEALTH	2
FLAMMABILITY	4
PHYSICAL HAZARD	1

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

### **OSHA - GHS Label Information:**

Hazard pictograms	
Cignal word	
Signal word Hazard statements	<ul> <li>Danger:</li> <li>Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness.</li> </ul>
Precautionary statements	:
	<ul> <li>Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.</li> <li>Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection.</li> <li>Response: IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.</li> <li>Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.</li> <li>Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>

Version:	5.2
Revision Date:	07/03/2018
Print Date:	11/06/2019

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.



Version 5.2

Revision Date 07/03/2018

Print Date 11/06/2019

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical<sup>™</sup>, Selig<sup>™</sup>, Misty®, Next Dimension<sup>™</sup>, Petro®, i-Chem®, TimeMist®, TimeWick<sup>™</sup>, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National<sup>™</sup>, FC Forward Chemicals®,Rexodan®, Mykal<sup>™</sup>, and a number of private labeled brands.