

# **Product Safety Information Sheet**

General environmental and safety information for consumers

## 1. Product and Company Identification

1.1 Identification of the preparation

C4823A – No.80 yellow

C4848A – No.80 yellow

C4873A – No.80 yellow

C4893A – No.80 yellow

1.2 Company undertaking identification
 Hewlett-Packard Company
 1000 NE Circle Boulevard
 Corvallis OR 97330-4239
 USA

1.3 Emergency telephone number
Hewlett-Packard Health Effects Line
1-800-457-4209 (USA and Canada) or
Intl +1-503-494-7199 (all other areas)

1.4 General information telephone number 1-208-323-2551 (USA and Canada) Intl +1-208-323-2551 (all other areas)

Hazard rating	NFPA/HMIS
Health	1
Flammability	1
Instability/Reactivity	0
Special	none

# 2. Composition/information on ingredients

This ink cartridge contains an aqueous ink formulation.

Component	CAS No.	% by weight	Workplace Limits (PEL, TLV)
2-pyrrolidone	616-45-5	<10	not established
succinic acid	110-15-6	<10	not established
trade secret materials	not specified	balance	not established
nitrates	not specified	<0.5	not established
water	7732-18-5	balance	not established



# Product Safety Information Sheet C4823A, C4848A, C4873, C4893A – No. 80 yellow

#### 3. Hazards Identification

3.1 *Primary Routes of Exposure* skin, eye, oral, and inhalation

#### 3.2 Acute Health Hazards

Skin: May cause slight skin irritation characterized by redness and swelling after

prolonged contact. Indications may be masked by color of ink.

Eye: May be mildly irritating.

Oral: May cause stomach upset. Contains nitrates (refer to sections 4 and 11).

Inhalation: Prolonged inhalation may result in irritation to the respiratory tract.

#### 3.3 Chronic Health Hazards

None noted

## 3.4 Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by ACGIH, EPA, EU, MAK, IARC, NTP, or OSHA as a carcinogen.

#### 4. First Aid Measures

## 4.1 Emergency First Aid Procedures

Call the HEWLETT-PACKARD HEALTH EFFECTS LINE at 1-800-457-4209 (Intl + 1-503-494-7199 outside USA and Canada).

#### First aid for skin

Wash affected areas thoroughly with soap and water. Clothing should be laundered before reuse. **Seek medical attention if skin irritation persists.** 

## First aid for eyes

Contact with eyes may cause mild irritation. Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 15 minutes. **Seek medical** attention if eye irritation persists.

### First aid for ingestion

Ingestion of ink may cause stomach upset. Call the HEWLETT-PACKARD HEALTH EFFECTS LINE. **Seek medical attention if stomach upset persists.** 

(Contains nitrates, refer to section 11).

## First aid for inhalation

Remove to fresh air.



# Product Safety Information Sheet C4823A, C4848A, C4873, C4893A – No. 80 yellow

# 5. Fire Fighting Measures

Flash point:	Auto-ignition temperature:
>212 °F; >100 °C	not determined
Extinguishing media:	Special fire fighting procedures:
Water, dry chemical, carbon dioxide, foam	none
Unusual fire and explosion hazards:	
no special hazards known	

## 6. Accidental release measures

Spill or Leak Procedures

No special procedures are indicated. Use absorbent towels to wipe up ink. Rinse area with damp cloth to remove remaining traces of ink.

# 7. Handling and storage

No special handling or storage required.

## KEEP OUT OF THE REACH OF CHILDREN

Storage temperature: 59° − 95 °F; 15° − 35 °C	Shelf life: 1 year
Handling and storage precautions: do not use inkjet	Special sensitivity: none
cartridge when frozen. Ensure inkjet cartridge exterior is dry	
before inserting into printer.	

## 8. Exposure control / personal protection

No special eye or skin protection is needed for cleanup of spills. Standard eye and skin protection for laboratory chemical safety is required.

## 9. Physical and chemical properties

Appearance: yellow liquid	Physical state: liquid at room temperature
Boiling point: not applicable	Specific gravity: 1.06 g/ml
<b>pH</b> : 3.5 - 4.5	Solvent content: <25%
Solubility in water: soluble	<b>Vapor density:</b> >1 (air = 1.0)
Odor: not applicable	Vapor pressure: not applicable

# 10. Stability and reactivity

Stability: stable under normal storage	Thermal decomposition products:
conditions	Oxides of carbon and nitrogen, water
Incompatibilities: Strong oxidizers,	Hazardous polymerization: none
strong bases, chlorine bleach and other	
chlorine-containing cleansers.	



# Product Safety Information Sheet C4823A, C4848A, C4873, C4893A – No. 80 yellow

## 11. Toxicological information

Refer to sections 3. Hazards Identification and 4. First Aid Measures

This product contains nitrates.

- Nitrates and their derivatives can cause methemoglobinemia and result in respiratory depression. Primary indicators of prolonged overexposure include shortness of breath, headaches, dizziness and cyanosis (bluish skin and lips).

## 12. Ecological information

96 hour LC50: <500 mg/L

## 13. Disposal considerations

Dispose in accordance with all applicable federal, state and local laws. Special waste management requirements may apply in California.

## 14. Transport information

Not a regulated article under DOT, IATA, ADR or RID.

## 15. Regulatory information

For EU: According to EU Directive 88/379/EEC, this product is not classified as dangerous and therefore no hazard label is required.

For USA: All components listed on TSCA inventory. Contains no substances listed on the TSCA 12(b) Export Notification.

#### 16. Other Information

Date prepared: January 31, 2001.

Supersedes: July 3, 2000. Sections revised: 10.0 & 14.0

DISCLAIMER: This Product Safety Information Sheet is offered without charge to the customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.